

_

Vers 3.0	ion	Revision Date: 05/29/2018	SDS Number: 1764090-00004		Date of last issue: 01/18/2018 Date of first issue: 06/20/2017				
SEC	TION 1.	IDENTIFICATION							
	Product name		:	Krytox™ 143AA					
	SDS-Id	entcode	:	130000024317					
	Manufa	cturer or supplier's d	leta	ils					
	Compa	ny name of supplier	:	The Chemours Company FC, LLC					
	Address		:	1007 Market Street Wilmington, DE 19899 United States of America (USA)					
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)					
	Recom	mended use of the cl	nem	ical and restrictio	ns on use				
	Recom	mended use	:	Lubricant					
	Restrict	ions on use	:	tions involving imp internal body fluids written agreement	ell Chemours [™] materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a covering such use. For further information, ur Chemours representative. sers only.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: PFPE fluid
CAS-No.	: Trade secret



Version 3.0	Revision Date: 05/29/2018		DS Number: 64090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017	
	ardous ingredients azardous ingredients				
SECTION	N 4. FIRST AID MEASUR	RES			
lf inh	naled	:	If inhaled, remove Get medical atter	e to fresh air. tion if symptoms occur.	
In ca	ase of skin contact	:		and soap as a precaution. tion if symptoms occur.	
In ca	In case of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
lf sw	allowed	:	Get medical atter	NOT induce vomiting. tion if symptoms occur. oughly with water.	
and	Most important symptoms and effects, both acute and delayed		Inhalation may pr Irritation Shortness of brea	ovoke the following symptoms: .th	
Prote	ection of first-aiders	:	No special preca	itions are necessary for first aid responders.	
Note	es to physician	:	Treat symptomati	cally and supportively.	
SECTION	N 5. FIRE-FIGHTING ME	ASL	JRES		
Suita	able extinguishing media	:	Not applicable Will not burn		
Unsi med	uitable extinguishing ia	:	Not applicable Will not burn		
Spec fight	cific hazards during fire ing	:	Exposure to com	oustion products may be a hazard to health.	

Carbon oxides	
Specific extinguishing meth- ods : Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.	
Special protective equipment : Wear self-contained breathing apparatus for firefighting i necessary. Use personal protective equipment.	f

Hydrogen fluoride carbonyl fluoride

Hazardous combustion prod- :

ucts



Version 3.0	Revision Date: 05/29/2018		DS Number: 64090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe han equipment record	dling advice and personal protective mmendations.
Enviro	onmental precautions	:	Prevent further I Prevent spreadi oil barriers). Retain and disp	he environment must be avoided. eakage or spillage if safe to do so. ng over a wide area (e.g., by containment or ose of contaminated wash water. s should be advised if significant spillages ined.
	ods and materials for inment and cleaning up	:	For large spills, containment to l can be pumped, container. Clean up remain absorbent. Local or nationa disposal of this i employed in the determine which Sections 13 and	ert absorbent material. provide diking or other appropriate keep material from spreading. If diked material store recovered material in appropriate ning materials from spill with suitable I regulations may apply to releases and material, as well as those materials and items cleanup of releases. You will need to n regulations are applicable. I 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation		Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
3.0	05/29/2018	1764090-00004	Date of first issue: 06/20/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

:

:

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Version 3.0	Revision Date: 05/29/2018		DS Number: 64090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017
			Follow OSHA res use NIOSH/MSH/ by air purifying re- hazardous chemic supplied respirator release, exposure	riate respiratory protection should be worn. birator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air r if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide on.
Hand	protection			
Re	emarks	:	Wash hands befo	re breaks and at the end of workday.
Eye p	protection	:	Wear the following Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be wa	ashed after contact.
Hygie	ene measures	:	located close to the When using do not	ushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	> -67 °F / > -55 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET



Krytox™ 143AA

Ver 3.0	sion	Revision Date: 05/29/2018		S Number: 4090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Relative	e density	:	1.86 - 1.91	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Autoign	ition temperature	:	No data available)
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosi Visc	ty osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.		
Chemical stability	:	Stable under normal conditions.		
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.		
Conditions to avoid	:	None known.		
Incompatible materials	:	None.		
Hazardous decomposition products				
Thermal decomposition		Hydrofluoric acid Carbonyl difluoride Carbon dioxide		

SAFETY DATA SHEET



Krytox[™] 143AA

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
3.0	05/29/2018	1764090-00004	Date of first issue: 06/20/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available



Krytox[™] 143AA

Version 3.0	Revision Date: 05/29/2018	-	DS Number: 764090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017
	stence and degradal	oility		
	ata available			
	ccumulative potentia ata available	1		
	lity in soil			
	ata available			
	r adverse effects ata available			
SECTION	13. DISPOSAL CON	SIDE	RATIONS	
5.				
-	osal methods			and the second second second second second
vvast	e from residues	:	Dispose of in ac	ccordance with local regulations.
Conta	aminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 		
SECTION	14. TRANSPORT INF	ORN	IATION	
Inter	national Regulations			
UNR Not re	TDG egulated as a dangero	us go	ood	
	-DGR egulated as a dangero	us go	ood	
-	à-Code egulated as a dangero	us go	ood	
Trans	sport in bulk accordi	ng to	Annex II of MAR	POL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards : No SARA Hazards



Krytox[™] 143AA

Version 3.0	Revision Date: 05/29/2018	SDS Number: 1764090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017	
SARA	313	known CAS nu	oes not contain any chemical components with Imbers that exceed the threshold (De Minimis) s established by SARA Title III, Section 313.	
US Sta	ate Regulations			
Pennsylvania Right To Know PFPE fluid Trade secret				
Califo	rnia Prop. 65			
This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.				
SECTION	6. OTHER INFORMA	TION		

Further information



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours ${}^{\rm M}$ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit



Krytox[™] 143AA

Version 3.0	Revision Date: 05/29/2018	SDS Number: 1764090-00004	Date of last issue: 01/18/2018 Date of first issue: 06/20/2017		
NIOSI	H REL / TWA		d average concentration for up to a 10-hour g a 40-hour workweek		
NIOSH REL / ST		: STEL - 15-mi	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday		
		: Ceiling value : 8-hour time w	Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to :	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 05/29/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the

SAFETY DATA SHEET



Krytox[™] 143AA

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
3.0	05/29/2018	1764090-00004	Date of first issue: 06/20/2017

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8