

Fluoroguard[™] SG

Version 1.0	Revision Date: 06/30/2017	SDS Number: 1764874-00001	Date of last issue: - Date of first issue: 06/30/2017		
SECTIO	N 1. IDENTIFICATION				
Pro	duct name	: Fluoroguard ^{TI}	^M SG, Fluoroguard™ SG		
Pro	duct code	: D12412632, I	D12412632		
Ma	nufacturer or supplier's	details			
	npany name of supplier		rs Company FC, LLC		
Ado	Iress		1007 Market Street Wilmington, DE 19899 United States of America (USA)		
Tel	ephone	: 1-844-773-CH	1-844-773-CHEM (outside the U.S. 1-302-773-1000)		
Em	ergency telephone		gency: 1-866-595-1473 (outside the U.S. 1-302- Transport emergency: +1-800-424-9300 (outside 03-527-3887)		
Red	commended use of the	chemical and restr	ictions on use		
Red	commended use	: Lubricant			
Res	strictions on use	tions involving internal body written agreei	use only. resell Chemours™ materials in medical applica- g implantation in the human body or contact with fluids or tissues unless agreed to by Seller in a ment covering such use. For further information, et your Chemours representative.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: PFPE fluid
CAS-No.	: Trade secret



Version 1.0	Revision Date: 06/30/2017		DS Number: 64874-00001	Date of last issue: - Date of first issue: 06/30/2017	
	rdous ingredients azardous ingredients				
SECTION	4. FIRST AID MEASU	RES			
lf inha	If inhaled		If inhaled, remov Get medical atte	ve to fresh air. ention if symptoms occur.	
In cas	In case of skin contact			r and soap as a precaution. ention if symptoms occur.	
In cas	se of eye contact	:	water as a precaution. ention if irritation develops and persists.		
lf swa	If swallowed		Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.	
	important symptoms ffects, both acute and ed	:	: Irritation Shortness of breath		
Prote	ction of first-aiders	:	No special preca	autions are necessary for first aid responders	
	s to physician		Tractoumptomo	tically and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if nec-





Version 1.0	Revision Date: 06/30/2017		0S Number: 64874-00001	Date of last issue: - Date of first issue: 06/30/2017		
for fire	for fire-fighters		essary. Use personal protective equipment.			
SECTION	6. ACCIDENTAL RELE	ASI	EMEASURES			
tive e	Personal precautions, protec- tive equipment and emer- gency procedures			Follow safe handling advice and personal protective equipment recommendations.		
Enviro	Environmental precautions		Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.			
	Methods and materials for containment and cleaning up		For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national u disposal of this m employed in the c determine which n Sections 13 and 1	a absorbent material. rovide diking or other appropriate ep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.		

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
Other data	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/30/2017	1764874-00001	Date of first issue: 06/30/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

:

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided



Version 1.0	Revision Date: 06/30/2017		DS Number: 764874-00001	Date of last issue: - Date of first issue: 06/30/2017
			hazardous chemi supplied respirato release, exposure	spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide ion.
Hand	protection			
Remarks		:	Wash hands befo	pre breaks and at the end of workday.
Eye protection		:	Wear the followin Safety glasses	g personal protective equipment:
Skin a	and body protection	:	Skin should be w	ashed after contact.
Hygiene measures		:	located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. red clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	> -57 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available



Fluoroguard[™] SG

Versio 1.0	on	Revision Date: 06/30/2017	SDS Number: 1764874-00001		Date of last issue: - Date of first issue: 06/30/2017
R	Relative	vapor density	:	No data available	9
R	Relative	density	:	1.86 - 1.91 (24 °	C)
S	Solubility(ies) Water solubility		:	negligible	
•	Partition coefficient: n- octanol/water		:	No data available	9
А	Autoignition temperature		:	No data available	9
D	Decomposition temperature		:	350 °C	
V	Viscosity Viscosity, kinematic		:	No data available	9
E	Explosive properties		:	Not explosive	
0	Oxidizing properties		:	The substance o	r mixture is not classified as oxidizing.
Р	Particle size		:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition pr Thermal decomposition		ucts hydrofluoric acid Carbonyl difluoride Carbon dioxide

Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact



Fluoroguard[™] SG

ersion D	Revision Date: 06/30/2017	SDS Number: 1764874-00001	Date of last issue: - Date of first issue: 06/30/2017
Acute	e toxicity		
Not cl	assified based on ava	ailable information.	
Skin	corrosion/irritation		
Not cl	assified based on ava	ailable information.	
	us eye damage/eye		
Not cl	assified based on ava	ailable information.	
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not cl	assified based on ava	ailable information.	
-	iratory sensitization		
Not cl	assified based on ava	ailable information.	
	cell mutagenicity		
Not cl	assified based on ava	ailable information.	
	nogenicity		
Not cl IARC	assified based on ava	No ingredient of the	his product present at levels greater than or dentified as probable, possible or confirmed n by IARC.
OSHA No component of this product present at levels greate equal to 0.1% is on OSHA's list of regulated carcinog			
NTP			nis product present at levels greater than or dentified as a known or anticipated carcinoger
•	oductive toxicity assified based on ava	ailable information	
	-single exposure		

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available



Version 1.0	Revision Date: 06/30/2017	-	DS Number: 64874-00001	Date of last issue: - Date of first issue: 06/30/2017
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
No data available				
	13. DISPOSAL CONS	SIDEF	RATIONS	
SECTION		BIDEF	ATIONS	
SECTION	13. DISPOSAL CONS	BIDEF :		ccordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Trade secret

Fluoroguard[™] SG

		Revision Date: 06/30/2017	SDS Number: 1764874-00001	Date of last issue: - Date of first issue: 06/30/2017
--	--	------------------------------	------------------------------	--

US State Regulations

Pennsylvania Right To Know


PFPE fluid

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16. OTHER INFORMATION

Further information



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/30/2017	1764874-00001	Date of first issue: 06/30/2017

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
--	---	--

Revision Date : 06/30/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8