

Krytox[™] GPL 216

Vers 4.0	ion	Revision Date: 04/02/2018		0S Number: 65271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017			
SEC	TION 1	. IDENTIFICATION						
	Produc	t name	:	Krytox™ GPL 216	3			
	Produc	t code	:	D12432013				
	SDS-ld	entcode	:	130000031506				
	Manufa	acturer or supplier's o	deta	iils				
	Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC			
	Addres	S	:	1007 Market Street Wilmington, DE 19899 United States of America (USA)				
	Telepho	one	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
	Recom	mended use of the c	hen	nical and restriction	ons on use			
	Recom	mended use	:	Lubricant				
	Restric	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Additive	Trade secret	>= 5 - < 10



Version 4.0	Revision Date: 04/02/2018		DS Number: 765271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017						
SECTION	SECTION 4. FIRST AID MEASURES									
lf inh	aled	:	If inhaled, remove Get medical atter	e to fresh air. ntion if symptoms occur.						
In ca	se of skin contact	:		and soap as a precaution. ation if symptoms occur.						
In ca	se of eye contact	:		vater as a precaution. ntion if irritation develops and persists.						
lf swa	allowed	:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. oughly with water.						
	important symptoms effects, both acute and /ed	:	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation	ovoke the following symptoms: provoke the following symptoms provoke the following symptoms:						
Prote	ection of first-aiders	:	No special preca	utions are necessary for first aid responders.						
Note	s to physician	:	Treat symptomat	ically and supportively.						

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Metal oxides Sulfur oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do



			9S Number: 65271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017		
				so. Evacuate area.		
	Special for fire-	protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.	
SEC	TION 6	ACCIDENTAL RELE	ASE	E MEASURES		
	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe handli equipment recomi	ng advice and personal protective nendations.	
	Environmental precautions		:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	Methods and materials for : containment and cleaning up		:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	absorbent material. ovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate og materials from spill with suitable egulations may apply to releases and aterial, as well as those materials and items eanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
4.0	04/02/2018	1765271-00004	Date of first issue: 06/21/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Additive	Trade secret	TWA (total dust)	15 mg/m ³ (Molybdenum)	OSHA Z-1
		TWA (Inhal- able fraction)	10 mg/m ³ (Molybdenum)	ACGIH
		TWA (Res- pirable frac- tion)	3 mg/m ³ (Molybdenum)	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm	OSHA Z-1



Version 4.0	Revision Date: 04/02/2018		OS Number: 65271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017
				55 mg/m³
Engi	Engineering measures :		10). Ensure adequa	nay form hazardous compounds (see section uate ventilation, especially in confined areas. kplace exposure concentrations.
Pers	onal protective equipr	nent		
Resp	iratory protection	:	maintain vapor concentrations unknown, appr Follow OSHA use NIOSH/MS by air purifying hazardous che supplied respir release, expos	local exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. A respirator regulations (29 CFR 1910.134) and ASHA approved respirators. Protection provided ing respirators against exposure to any memical is limited. Use a positive pressure air pirator if there is any potential for uncontrolled osure levels are unknown, or any other e where air purifying respirators may not provide otection.
Hand	protection			
Re	emarks	:	Wash hands b	before breaks and at the end of workday.
Eye p	protection	:	Wear the follow Safety glasses	owing personal protective equipment: es
Skin	and body protection	:	Skin should be	be washed after contact.
Hygie	ene measures	:	located close t When using do	eye flushing systems and safety showers are to the working place. do not eat, drink or smoke. ninated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	black
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup



Vers 4.0	sion	Revision Date: 04/02/2018		S Number: 5271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017
				Not applicable	
I		ation rate	:	Not applicable	
		ability (solid, gas)	:	Will not burn	
I	Upper e	explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
	Solubili Wat	ty(ies) er solubility	:	No data available)
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available)
	Decom	position temperature	:	572 °F / 300 °C	
	Viscosi Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	size	:	No data available	3

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition p	rod	ucts
Thermal decomposition	:	Hydrofluoric acid Carbonyl difluoride



ersion .0	Revision Date: 04/02/2018		DS Number: 765271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017
			Carbon dioxide Carbon monoxic	le
ECTION	11. TOXICOLOGICA	LINF	ORMATION	
Skin o Inges Eye c	mation on likely rout contact tion contact e toxicity	es of	exposure	
	lassified based on ava	ailable	information.	
	ponents:			
Addit Acute	t ive: e oral toxicity	:		000 mg/kg est Guideline 401 e substance or mixture has no acute oral tox-
Acute	inhalation toxicity	:	LC50 (Rat): > 2.8 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:		000 mg/kg est Guideline 402 e substance or mixture has no acute dermal
-	corrosion/irritation lassified based on ava	ailable	information.	
Com	ponents:			
Addi	tive:			

Additive:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Additive:

Species Result Method	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405



ersion .0	Revision Date: 04/02/2018	SDS Numbe 1765271-000	
Resp	iratory or skin sen	sitization	
Skin	sensitization		
Not c	lassified based on a	vailable informatio	n.
-	iratory sensitizatio lassified based on a		n.
Com	ponents:		
Addi	tive:		
Test	Type es of exposure	: Maximiza : Skin cont	ation Test
Spec	-	: Guinea p	
Resu		: negative	
Germ	n cell mutagenicity		
	lassified based on a		n.
Com	ponents:		
Addi	tive:		
	toxicity in vitro		e: Bacterial reverse mutation assay (AMES) OECD Test Guideline 471 egative
	inogenicity		
	lassified based on a	vailable informatio	n.
<u>Com</u>	ponents:		
Addi			
Speci Appli	ies cation Route	: Rat : Ingestion	
Expo	sure time	: 232 days	
Resu	lt	: negative	
IARC			t present at levels greater than or equal to 0.1% is ible or confirmed human carcinogen by IARC.
OSH		onent of this produ A's list of regulated	ict present at levels greater than or equal to 0.1% is carcinogens.
NTP			t present at levels greater than or equal to 0.1% is icipated carcinogen by NTP.
Repr	identified oductive toxicity	as a known or ant	icipated carcinogen by NTP.

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.



Version 4.0	Revision Date: 04/02/2018		S Number: 65271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017
-	ation toxicity assified based on availa	ble	information.	
SECTION	12. ECOLOGICAL INFO	DRN	IATION	
Ecoto	oxicity			
Comp	oonents:			
Addit	ive:			
Toxici	ity to fish	:	Exposure time: 9	s promelas (fathead minnow)): 644.2 mg/l 5 h on data from similar materials
	ity to daphnia and other ic invertebrates	:	Exposure time: 4 Method: OECD T	nagna (Water flea)): 130.9 mg/l 3 h est Guideline 202 on data from similar materials
Toxici	ity to algae	:	mg/l Exposure time: 7 Method: OECD T	
Toxici icity)	ity to fish (Chronic tox-	:	Exposure time: 1	ichus mykiss (rainbow trout)): > 17 mg/l 2 Months on data from similar materials
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	nnia dubia (water flea)): 156.5 mg/l 1 d on data from similar materials
Toxici	ity to microorganisms	:	NOEC: > 950 mg Exposure time: 1 Remarks: Based	
	stence and degradabili ata available	ity		
	ccumulative potential ata available			
	l ity in soil ata available			
	r adverse effects ata available			

CTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

: Dispose of in accordance with local regulations. Waste from residues



Version 4.0	Revision Date: 04/02/2018	SDS Number: 1765271-00004	Date of last issue: 01/18/2018 Date of first issue: 06/21/2017	
Conta	minated packaging	handling site for	s should be taken to an approved waste recycling or disposal. specified: Dispose of as unused product.	
SECTION 14. TRANSPORT INFORMATION				

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


PFPE fluid Fluoropolymer Additive Trade secret Trade secret Trade secret

California Prop. 65


This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.



Krytox[™] GPL 216



SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

SAFETY DATA SHEET



Krytox[™] GPL 216

Version	Revision Date:	SDS Number:	Date of last issue: 01/18/2018
4.0	04/02/2018	1765271-00004	Date of first issue: 06/21/2017

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date : 04/02/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8