

Versi 4.0	ion	Revision Date: 11/06/2018	SDS Number: 1745233-00005		Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
SEC	TION 1	. IDENTIFICATION			
I	Produc	t name	:	Krytox™ VPF 152	25
I	Produc	t code	:	D12339186	
:	SDS-Id	entcode	:	130000024129	
I	Manufa	acturer or supplier's	deta	ails	
(Compa	ny name of supplier	:	The Chemours C	ompany FC, LLC
,	Addres	S	:	1007 Market Stre Wilmington, DE 1	et 9899 United States of America (USA)
-	Telepho	one	:	1-844-773-CHEN	I (outside the U.S. 1-302-773-1000)
I	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)
I	Recom	mended use of the c	hen	nical and restriction	ons on use
I	Recom	mended use	:	Lubricant	
I	Restrict	tions on use	:	tions involving im internal body fluic written agreemen	users only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, our Chemours representative.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	PFPE fluid
CAS-No.	:	Trade secret



Krytox™ VPF 1525

Version 4.0	Revision Date: 11/06/2018		OS Number: 45233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
-	oonents azardous ingredients			
SECTION	4. FIRST AID MEASU	RES		
lf inha	aled	:	If inhaled, remo Get medical atte	ve to fresh air. ention if symptoms occur.
In cas	se of skin contact	:		r and soap as a precaution. ention if symptoms occur.
In cas	se of eye contact	:		water as a precaution. ention if irritation develops and persists.
lf swa	llowed	:	Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.
	important symptoms ffects, both acute and ed	:	Polymer fume for Skin contact ma Redness	provoke the following symptoms: ever by provoke the following symptoms: y provoke the following symptoms
Prote	ction of first-aiders	:	No special prec	autions are necessary for first aid responders
Notes	to physician	:	Treat symptoma	atically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.



Vers 4.0	ion	Revision Date: 11/06/2018		S Number: 45233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
	Special for fire-l	protective equipment fighters	:	Evacuate area. Wear self-containe necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SEC	TION 6.	ACCIDENTAL RELE	ASE	E MEASURES	
	tive equ	al precautions, protec- ipment and emer- procedures	:	Follow safe handli equipment recom	ng advice and personal protective nendations.
	Environ	mental precautions	:	Prevent further lea Prevent spreading oil barriers). Retain and dispos	environment must be avoided. akage or spillage if safe to do so. over a wide area (e.g., by containment or e of contaminated wash water. hould be advised if significant spillages ed.
		s and materials for ment and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national r disposal of this ma employed in the cl determine which r Sections 13 and 1	absorbent material. ovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate g materials from spill with suitable egulations may apply to releases and aterial, as well as those materials and items eanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor-	:	No decomposition if stored and applied as directed.
	:	



last issue: 05/04/2018 first issue: 06/14/2017

Krytox[™] VPF 1525

Version	Revision Date:	SDS Number:	Date of
4.0	11/06/2018	1745233-00005	Date of

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



Version 4.0	Revision Date: 11/06/2018		DS Number: 45233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
Pers	onal protective equip	ment		
Resp	iratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH, by air purifying re hazardous chemi supplied respirato release, exposure	I exhaust ventilation is recommended to posures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide on.
Hand	I protection			
R	emarks	:	Wash hands befo	re breaks and at the end of workday.
Eye p	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be wa	ashed after contact.
Hygie	ene measures	:	located close to the When using do not	ushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn



Krytox™ VPF 1525

Version 4.0	Revision Date: 11/06/2018		S Number: 15233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
	r explosion limit / Upper nability limit	:	No data available	9
	r explosion limit / Lower nability limit	:	No data available	
Vapo	r pressure	:	No data available	
Relat	ive vapor density	:	No data available)
Relat	ive density	:	1.86 - 1.91 (75 °F	= / 24 °C)
	ility(ies) ater solubility	:	insoluble	
	ion coefficient: n- ol/water	:	No data available	
Autoi	gnition temperature	:	No data available)
Deco	mposition temperature	:	662 °F / 350 °C	
Visco Vis	sity scosity, kinematic	:	No data available	
Explo	sive properties	:	Not explosive	
Oxidia	zing properties	:	The substance o	r mixture is not classified as oxidizing.
Partic	ele size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.			
Chemical stability	:	Stable under normal conditions.			
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.			
Conditions to avoid	:	None known.			
Incompatible materials	:	None.			
Hazardous decomposition products Thermal decomposition : Hydrofluoric acid Carbonyl difluoride					



Krytox™ VPF 1525

Version	Revision Date:	SDS Number:	Date of last issue: 05/04/2018
4.0	11/06/2018	1745233-00005	Date of first issue: 06/14/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available



rsion	Revision Date: 11/06/2018		DS Number: 745233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017
Persi	stence and degradat	oility		
	ita available	-		
Bioad	cumulative potentia	l		
No da	ita available			
Mobi	lity in soil			
No da	ita available			
Othe	adverse effects			
No data available				
CTION	13. DISPOSAL CONS	SIDE	RATIONS	
Dispo	osal methods			
Waste	e from residues	:	Dispose of in accordance with local regulations.	
Conta	minated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
			It not otherwise	specified: Dispose of as unused product

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards : No SARA Hazards



Version 4.0	Revision Date: 11/06/2018	SDS Number: 1745233-0000	Date of last issue: 05/04/2018 5 Date of first issue: 06/14/2017	
SARA	313	known CA	ial does not contain any chemical components with S numbers that exceed the threshold (De Minimis) evels established by SARA Title III, Section 313.	
US State Regulations				
Pennsylvania Right To Know				
	PFPE fluid		Trade secret	
Califor	nia Prop. 65			
WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.				

SECTION 16. OTHER INFORMATION

Further information



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2 ACGIH / TWA ACGIH / STEL	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2 8-hour, time-weighted average Short-term exposure limit



Version 4.0	Revision Date: 11/06/2018	SDS Number: 1745233-00005	Date of last issue: 05/04/2018 Date of first issue: 06/14/2017		
ACGI		: Ceiling limit	d overage concentration for up to a 10 hour		
NIOSH REL / TWA		workday durin	 Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 		
NIOSH REL / ST			STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday		
NIOSH REL / C			Ceiling value not be exceeded at any time.		
OSHA	A Z-1 / TWA	: 8-hour time we			
OSHA	A Z-2 / TWA	: 8-hour time we	eighted average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	11/06/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a



Krytox[™] VPF 1525

Version	Revision Date:	SDS Number:	Date of last issue: 05/04/2018
4.0	11/06/2018	1745233-00005	Date of first issue: 06/14/2017

guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8