

Versi 5.1	on	Revision Date: 05/17/2019		9S Number: 88758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017			
SECTION 1. IDENTIFICATION								
I	Product name		:	Krytox™ GPL 223				
I	Produc	t code	:	D12439829				
Ś	SDS-Id	entcode	:	13000031510				
I	Manufa	acturer or supplier's o	deta	ils				
(	Compa	ny name of supplier	:					
/	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)				
-	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
I	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
I	Recom	mended use of the c	chemical and restrictions on use		ons on use			
I	Recommended use		:	Lubricant				
I	Restrict	ions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium nitrite	7632-00-0	>= 1 - < 5

### SAFETY DATA SHEET



# Krytox™ GPL 223

Version	Revision Date:	SDS Number:	Date of last issue: 11/07/2018
5.1	05/17/2019	1788758-00008	Date of first issue: 06/26/2017

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES						
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.				
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness				
Protection of first-aiders	:	No special precautions are necessary for first aid responders.				
Notes to physician	:	Treat symptomatically and supportively.				

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.



Version 5.1	Revision Date: 05/17/2019		S Number: 88758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017		
				y to cool unopened containers. naged containers from fire area if it is safe to do		
	al protective equipment e-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.			
SECTION	6. ACCIDENTAL RELE	ASI	E MEASURES			
tive e	Personal precautions, protec- tive equipment and emer- gency procedures		Follow safe handling advice and personal protective equipment recommendations.			
Enviro	Environmental precautions		Prevent further Retain and disp	the environment must be avoided. leakage or spillage if safe to do so. lose of contaminated wash water. s should be advised if significant spillages ained.		
	Methods and materials for containment and cleaning up		Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked materi can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and item employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.			

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.



Version	Revision Date: 05/17/2019	SDS Number:	Date of last issue: 11/07/2018
5.1		1788758-00008	Date of first issue: 06/26/2017
	er information on stor- tability	: No decompositi	on if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



Version 5.1	Revision Date: 05/17/2019		DS Number: 788758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017				
Personal protective equipment								
Re	Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.					
Hand protection								
	Remarks	:	Wash hands befo	re breaks and at the end of workday.				
Eye	Eye protection Skin and body protection		Wear the following Safety glasses	g personal protective equipment:				
Ski			Skin should be wa	ashed after contact.				
Hy	giene measures	:	located close to the When using do not	ushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.				

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Evaporation rate Flammability (solid, gas)	:	



Ver 5.1	sion	Revision Date: 05/17/2019	-	S Number: 8758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017		
	Lower explosion limit / Lower flammability limit		:	No data available			
	Vapor pressure		:	Not applicable			
	Relative	e vapor density	:	Not applicable			
	Relative density		:	1.89 - 1.93 (75 °F	- / 24 °C)		
	Solubili Wat	ty(ies) er solubility	:	insoluble			
	Partitio octanol	n coefficient: n- /water	:	Not applicable			
	Autoigr	nition temperature	:	No data available	)		
	Decom	position temperature	:	608 °F / 320 °C			
	Viscosi Visc	ty cosity, kinematic	:	Not applicable			
	Explosi	ve properties	:	Not explosive			
	Oxidizi	ng properties	:	The substance of	mixture is not classified as oxidizing.		
	Particle	esize	:	No data available			

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.	
Chemical stability	:	Stable under normal conditions.	
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.	
Conditions to avoid	:	None known.	
Incompatible materials	:	None.	
Hazardous decomposition products			

: Hydrofluoric acid Carbonyl difluoride Carbon dioxide	;				
Carbon monoxide					
	: Hydrofluoric acid Carbonyl difluoride				

### SAFETY DATA SHEET



# Krytox™ GPL 223

ersion 1	Revision Date: 05/17/2019		OS Number: 88758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017
ECTION	11. TOXICOLOGICA		ORMATION	
Skin o Inges	<b>mation on likely rout</b> contact tion contact	es of	exposure	
	e toxicity			
Not cl	lassified based on ava	ailable	information.	
<u>Produ</u> Acute	uct: e oral toxicity	:	Assessment: T icity	he substance or mixture has no acute oral tox
Acute	inhalation toxicity	:	Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: dust/mist
<u>Com</u>	ponents:			
Sodiu	um nitrite:			
Acute	e oral toxicity	:	LD50 (Rat): 18	) mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 5.5 Exposure time: Test atmosphe	4 h
Skin	corrosion/irritation			
Not cl	lassified based on ava	ailable	information.	
Com	ponents:			
Sodiu	um nitrite:			
Speci	ies	:	Rabbit	

: OECD Test Guideline 404

No skin irritation

:

#### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

Method

Result

#### Sodium nitrite:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.



ersion 1	Revision Date: 05/17/2019	SDS Number: 1788758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017			
•	ratory sensitization assified based on ava	ilable information.				
	cell mutagenicity assified based on ava	ilable information.				
<u>Comp</u>	onents:					
Sodiu	m nitrite:					
Genot	oxicity in vitro	: Test Type: Bac Result: positive	terial reverse mutation assay (AMES)			
		Test Type: In v Result: positive	itro mammalian cell gene mutation test			
Genot	oxicity in vivo	cytogenetic ass Species: Mous	e ute: Intraperitoneal injection			
		cytogenetic ass Species: Rat	ute: Intraperitoneal injection			
	nogenicity assified based on ava	ilable information.				
<u>Comp</u>	onents:					
Sodiu	m nitrite:					
	ation Route ure time	: Rat : Ingestion : 2 Years : negative				
IARC	Sodium nitr	Group 2A: Probably carcinogenic to humans Sodium nitrite 7632-00-0 (nitrite (ingested) under conditions that result in endogenous nitrosation)				
OSHA		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.				
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.				
-	ductive toxicity assified based on ava	ilable information.				
	onents:					
	m nitrite:					
	s on fertility	· Test Type: Two	o-generation reproduction toxicity study			



Version 5.1	Revision Date: 05/17/2019		9S Number: 88758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017	
			Species: Mouse Application Route Result: negative	: Ingestion	
Effect	Effects on fetal development		Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative		
	<b>-single exposure</b> assified based on availa	ble	information.		
Not cl	-repeated exposure assified based on availa	ble	information.		
-	ated dose toxicity ponents:				
	im nitrite:				
Specie NOAE Applic	es	:	Rat 10 mg/kg Ingestion 2 y		
Not cl	ation toxicity assified based on availa 12. ECOLOGICAL INFO				
SECTION	12. ECOLOGICAL INFO	JUN			
Ecoto	oxicity				
<u>Comp</u>	oonents:				
	<b>Im nitrite:</b> ty to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.54 mg/l S h	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD To		
Toxici plants	ty to algae/aquatic	:	EC50 (Scenedesr 100 mg/l Exposure time: 72 Method: OECD Te	mus capricornutum (fresh water algae)): > 2 h est Guideline 201	
			NOEC (Scenedes mg/l Exposure time: 72 Method: OECD Te		



Version 5.1	Revision Date: 05/17/2019		DS Number: /88758-00008	Date of last issue: 11/07/2018 Date of first issue: 06/26/2017
			Method: OECD T	est Guideline 210
	tity to daphnia and other tic invertebrates (Chron- icity)	÷	NOEC (Penaeid S Exposure time: 80	Shrimp): 9.86 mg/l ) d
Τοχία	ity to microorganisms	:	EC50: 281 mg/l Exposure time: 48	3 h
Pers	istence and degradabili	ity		
No d	ata available			
Bioa	ccumulative potential			
No d	ata available			
Mob	ility in soil			
No d	ata available			
Othe	r adverse effects			
No d	ata available			

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR UN/ID/NA number : UN 3077 Proper shipping name Environmentally hazardous substance, solid, n.o.s. : (Sodium nitrite) Class 9 : Packing group Ш 1 CLASS 9 Labels :



Version	Revision Date: 05/17/2019	SDS Number:	Date of last issue: 11/07/2018
5.1		1788758-00008	Date of first issue: 06/26/2017
ERG ( Marine Rema	e pollutant	SIZES WHER	NFORMATION ONLY APPLIES TO PACKAGE E THE HAZARDOUS SUBSTANCE MEETS TABLE QUANTITY.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazard	S	
SARA 313	:	: The following components are subject to reporting le established by SARA Title III, Section 313:		
		Sodium nitrite	7632-00-0	>= 1 - < 5 %

#### US State Regulations

#### Pennsylvania Right To Know

PFPE fluidTrade secretFluoropolymerTrade secretSodium nitrite7632-00-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **California List of Hazardous Substances**

Sodium nitrite

7632-00-0

#### Additional regulatory information

Sodium nitrite

#### 7632-00-0


The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740



Version	Revision Date:	SDS Number:	Date of last issue: 11/07/2018
5.1	05/17/2019	1788758-00008	Date of first issue: 06/26/2017

#### **SECTION 16. OTHER INFORMATION**

#### Further information



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C OSHA Z-1 / TWA OSHA Z-2 / TWA		Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-

### SAFETY DATA SHEET



## Krytox<sup>™</sup> GPL 223

Version	Revision Date:	SDS Number:	Date of last issue: 11/07/2018
5.1	05/17/2019	1788758-00008	Date of first issue: 06/26/2017

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 05/17/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8