

Krytox[™] NRT 8990

Versio 5.1	on	Revision Date: 04/10/2019		0S Number: 65448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017			
SECT	FION 1.	IDENTIFICATION						
F	Product name		:	Krytox™ NRT 8990				
F	Product	code	:	D13603801				
5	SDS-Id	entcode	:	130000033952				
N	Manufa	cturer or supplier's o	deta	iils				
C	Compa	ny name of supplier	:					
Å	Address		:	1007 Market Street Wilmington, DE 19899 United States of America (USA)				
٦	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
E	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-30 773-2000) ; Transport emergency: +1-800-424-9300 (outsi the U.S. +1-703-527-3887)				
F	Recom	mended use of the cl	hen	nical and restriction	ons on use			
F	Recommended use		:	Lubricant				
F	Restrict	ions on use	:	Do not use or rest tions involving im- internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Poly(oxy <trifluoro(trifluoromethyl)ethy< td=""><td>Not Assigned</td><td>>= 1 - < 5</td></trifluoro(trifluoromethyl)ethy<>	Not Assigned	>= 1 - < 5



Krytox[™] NRT 8990

Version 5.1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
<tetra< td=""><td>-), omega-fluoro-alpha afluoro-1 <<(hydroxyp phinyl)oxy>methyl>eth</td><td>henoxy-</td><td></td></tetra<>	-), omega-fluoro-alpha afluoro-1 <<(hydroxyp phinyl)oxy>methyl>eth	henoxy-	
Actua	al concentration is with	held as a trade sec	ret
ECTION	4. FIRST AID MEAS	URES	
lf inha	aled	,	move to fresh air. attention if symptoms occur.
In cas	se of skin contact		vater and soap as a precaution.

		Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Fluorine compounds Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates



Krytox[™] NRT 8990

Version 5.1	Revision Date: 04/10/2019		DS Number: 65448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
Spe ods	ecific extinguishing meth-	:	cumstances and t Use water spray t	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	Special protective equipment for fire-fighters		necessary.	ed breathing apparatus for firefighting if tective equipment.
SECTIO	N 6. ACCIDENTAL RELE	AS	E MEASURES	

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.



Version 5.1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
Ma	aterials to avoid	: No special res	trictions on storage with other products.
Further information on stor- age stability		: No decomposi	ition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

: Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas.





Version 5.1	Revision Date: 04/10/2019	-	DS Number: 765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
			Minimize workpla	ce exposure concentrations.
Pers				
Res	Respiratory protection		: General and local exhaust ventilation is recommen maintain vapor exposures below recommended limits concentrations are above recommended limits or a unknown, appropriate respiratory protection should Follow OSHA respirator regulations (29 CFR 1910. use NIOSH/MSHA approved respirators. Protection by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive press supplied respirator if there is any potential for unco release, exposure levels are unknown, or any other circumstance where air purifying respirators may no adequate protection.	
Hand	d protection			
F	lemarks	:	Wash hands befo	ore breaks and at the end of workday.
Eye	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be w	ashed after contact.
Hygi	ene measures	:	located close to the When using do not	lushing systems and safety showers are he working place. ot eat, drink or smoke. red clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable



Krytox[™] NRT 8990

Vers 5.1	sion	Revision Date: 04/10/2019		S Number: 5448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93 (75 °F	= / 24 °C)
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available)
	Decom	position temperature	:	554 °F / 290 °C	
	Viscosii Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	size	:	No data available	•

SECTION 10. STABILITY AND REACTIVITY

Reactivity		Not classified as a reactivity hazard.	
Chemical stability	:	Stable under normal conditions.	
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.	
Conditions to avoid	:	None known.	
Incompatible materials	:	None.	
Hazardous decomposition products			

Thermal decomposition	:	Hydrofluoric acid			
		Carbonyl difluoride			
		Carbon dioxide			
		Carbon monoxide			



Krytox[™] NRT 8990

Version 5.1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017				
SECTION 11. TOXICOLOGICAL INFORMATION							
Infor	Information on likely routes of exposure						

information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-

÷

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-

2

Species Rabbit : Result No skin irritation :

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-

2 Species : Rabbit Result Irritation to eyes, reversing within 21 days :

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.



Krytox[™] NRT 8990

ersion .1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017					
Com	Components:							
Poly(oxy <trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-<br="">noxyphosphinyl)oxy>methyl>ethyl>- :</tetrafluoro-1></trifluoro(trifluoromethyl)ethylene>								
								Route Speci Resu
	cell mutagenicity lassified based on ava	ailable information.						
Carci	nogenicity							
Not c IARC	No ingredi	d based on available information. No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.						
OSH			t of this product present at levels greater than or equal to 0.1% is t of regulated carcinogens.					
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.						
Repr	oductive toxicity							
Not c	lassified based on av	ailable information.						
	F-single exposure lassified based on av	ailable information.						
	F-repeated exposure lassified based on av							
-	Aspiration toxicity Not classified based on available information.							
ECTION	12. ECOLOGICAL II	NFORMATION						
Ecoto	oxicity							
0	Components:							

noxyphosphinyl)oxy>methyl>ethyl>-

:

Ecotoxicology Assessment

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

Persistence and degradability

No data available



Version 5.1	Revision Date: 04/10/2019	•	DS Number: 765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
	ccumulative potential ata available			
	i lity in soil ata available			
••	r adverse effects ata available			
SECTION	13. DISPOSAL CONS	IDE	RATIONS	
-	osal methods re from residues	:	Dispose of in ac	cordance with local regulations.
Conta	aminated packaging	:	Empty container	rs should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards




Version 5.1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 1 Date of first issue: 0	
SARA	313	known CAS num		emical components with threshold (De Minimis) Title III, Section 313.
US Sta	te Regulations			
Penns	ylvania Right To Kno	w		
	Linear Fluid			Trade secret
	Fluoropolymer PFPE fluid			Trade secret Trade secret
	Poly(oxy <trifluoro(t< td=""><td>rifluoromethyl)ethylene 1 <<(hydroxyphenoxyp >ethyl>-</td><td></td><td>Not Assigned</td></trifluoro(t<>	rifluoromethyl)ethylene 1 <<(hydroxyphenoxyp >ethyl>-		Not Assigned

California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Full text of other a	abbreviations
----------------------	---------------

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-



Version 5.1	Revision Date: 04/10/2019	SDS Number: 1765448-00006	Date of last issue: 11/06/2018 Date of first issue: 06/22/2017
OSH/ ACGI	А Z-2 Н / TWA		taminants tional Exposure Limits (OSHA) - Table Z-2 veighted average
ACGIH / STEL ACGIH / C		: Short-term ex : Ceiling limit	posure limit
NIOSH REL / TWA		: Time-weighte	d average concentration for up to a 10-hour g a 40-hour workweek
NIOSH REL / ST		: STEL - 15-mi	nute TWA exposure that should not be exceeded uring a workday
OSH/	H REL / C A Z-1 / TWA A Z-2 / TWA	: Ceiling value : 8-hour time w	not be exceeded at any time. eighted average eighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
--	---	--

Revision Date : 04/10/2019



Krytox[™] NRT 8990

Version	Revision Date:	SDS Number:	Date of last issue: 11/06/2018
5.1	04/10/2019	1765448-00006	Date of first issue: 06/22/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8