

Vers 5.2	ion	Revision Date: 09/12/2019		DS Number: 90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017				
SECTION 1. IDENTIFICATION									
	Product name		:	: Krytox™ 283AB					
	Produc	t code	:	D10335787					
	SDS-ld	entcode	:	130000031471					
	Manufa	acturer or supplier's o	deta	ails					
	Compa	ny name of supplier	:	: The Chemours Company FC, LLC					
	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)					
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)					
	Recom	mended use of the c	chemical and restricti		ons on use				
	Recommended use		:	Lubricant					
	Restric	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

# **GHS** label elements

Not a hazardous substance or mixture.

## Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium nitrite	7632-00-0	>= 1 - < 5



# Krytox™ 283AB

Version	Revision Date:	SDS Number:	Date of last issue: 05/24/2019
5.2	09/12/2019	1790244-00007	Date of first issue: 06/27/2017

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES						
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.				
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness				
Protection of first-aiders	:	No special precautions are necessary for first aid responders.				
Notes to physician	:	Treat symptomatically and supportively.				

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

# Krytox™ 283AB



Versi 5.2	on	Revision Date: 09/12/2019		90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017	
					o cool unopened containers. ged containers from fire area if it is safe to do	
Special protective equipment for fire-fighters			:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.		
SEC	FION 6.	ACCIDENTAL RELE	ASE	E MEASURES		
t	Personal precautions, protec- tive equipment and emer- gency procedures Environmental precautions		:	Follow safe handl equipment recom	ing advice and personal protective mendations.	
E			:	Prevent further lea Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages ed.	
Methods and materials for : containment and cleaning up		:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.			

# SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor-	:	No decomposition if stored and applied as directed.



# Krytox<sup>™</sup> 283AB

Version	Revision Date:	SDS Number:	Date of last issue: 05/24/2019
5.2	09/12/2019	1790244-00007	Date of first issue: 06/27/2017

age stability

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		С	6 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** 

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



# Krytox™ 283AB

Version 5.2	Revision Date: 09/12/2019		90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017				
Personal protective equipment								
Respiratory protection			General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.					
Ha	nd protection							
	Remarks	:	Wash hands befo	re breaks and at the end of workday.				
Eye	e protection	:	Wear the following Safety glasses	g personal protective equipment:				
Ski	n and body protection	:	Skin should be wa	ashed after contact.				
Hy	giene measures	:	eye flushing syste king place. When using do no	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ed clothing before re-use.				

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable



# Krytox™ 283AB

Vers 5.2	sion	Revision Date: 09/12/2019		S Number: 00244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	1.89 - 1.93 hPa	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	)
	Decom	position temperature	:	608 °F / 320 °C	
	Viscosi Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Particle	size	:	No data available	

# SECTION 10. STABILITY AND REACTIVITY

Hazardous decomposition products			
Incompatible materials	:	None.	
Conditions to avoid	:	None known.	
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.	
Chemical stability	:	Stable under normal conditions.	
Reactivity	:	Not classified as a reactivity hazard.	

Thermal decomposition	:	Hydrofluoric acid
		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide



# Krytox™ 283AB

Version 5.2	Revision Date: 09/12/2019		90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017
SECTION	11. TOXICOLOGICA		ORMATION	
Skin o Inges	<b>mation on likely rout</b> contact tion contact	tes of o	exposure	
Acute	e toxicity			
Not c	lassified based on ava	ailable	information.	
Prod	uct:			
Acute	e oral toxicity	:	Assessment: T icity	he substance or mixture has no acute oral tox-
Acute	e inhalation toxicity	:	Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: dust/mist
Com	ponents:			
Sodiu	um nitrite:			
Acute	e oral toxicity	:	LD50 (Rat): 18	0 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 5.5 Exposure time: Test atmosphe	4 h
	corrosion/irritation lassified based on ava	ailable	information.	
Com	ponents:			
Sodiu	um nitrite:			
Speci Metho Resu	od	:	Rabbit OECD Test Gu No skin irritatio	

# Serious eye damage/eye irritation

Not classified based on available information.

# Components:

# Sodium nitrite:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

# Respiratory or skin sensitization

# Skin sensitization

Not classified based on available information.



# Krytox™ 283AB

	09/12/2019	SDS Number: 1790244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017
-	iratory sensitizatio assified based on a	<b>n</b> vailable information.	
	a cell mutagenicity assified based on a	vailable information.	
<u>Com</u>	<u>oonents:</u>		
Sodiu	um nitrite:		
Geno	toxicity in vitro	: Test Type: Ba Result: positive	cterial reverse mutation assay (AMES) e
		Test Type: In v Result: positive	<i>v</i> itro mammalian cell gene mutation test e
Geno	toxicity in vivo	cytogenetic as Species: Mous	se ute: Intraperitoneal injection
		Test Type: Ma cytogenetic as Species: Rat	mmalian erythrocyte micronucleus test (in viv say) ute: Intraperitoneal injection
Not cl <u>Com</u>	oonents:	vailable information.	
Not cl <u>Comp</u> Sodiu	lassified based on a ponents: um nitrite:		
Not cl <u>Comp</u> Sodiu Speci Applio	assified based on a <u>conents:</u> um nitrite: es cation Route sure time	vailable information. : Rat : Ingestion : 2 Years : negative	
Not cl Comp Sodiu Speci Applic Expos	lassified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2A Sodium n	: Rat : Ingestion : 2 Years : negative x: Probably carcinogenic itrite	to humans 7632-00-0 is that result in endogenous nitrosation)
Not cl <u>Com</u> Sodiu Speci Applic Expos Resul	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2A Sodium n (nitrite (in A No comp	: Rat : Ingestion : 2 Years : negative x: Probably carcinogenic itrite gested) under condition	7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1%
Not cl <u>Comj</u> Sodiu Speci Applic Expos Resul IARC	assified based on a <u>ponents:</u> um nitrite: es cation Route sure time it Group 2A Sodium n (nitrite (in A No compo on OSHA No ingred	: Rat : Ingestion : 2 Years : negative A: Probably carcinogenic hitrite gested) under condition onent of this product pre solist of regulated carcin	7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% nogens. sent at levels greater than or equal to 0.1% is
Not cl Com Speci Applic Expos Resul IARC OSH/ NTP Repro Not cl	lassified based on a <u>conents:</u> um nitrite: es cation Route sure time It Group 2A Sodium n (nitrite (in A No comp on OSHA No ingrec identified coductive toxicity	: Rat : Ingestion : 2 Years : negative A: Probably carcinogenic hitrite gested) under condition onent of this product pre- s's list of regulated carcin dient of this product pres	7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% nogens. sent at levels greater than or equal to 0.1% is
Not cl Comj Sodiu Speci Applic Expos Resul IARC OSH/ NTP Repro Not cl <u>Comj</u>	assified based on a <u>ponents:</u> um nitrite: es cation Route sure time it Group 2A Sodium n (nitrite (in A No compr on OSHA No ingred identified pductive toxicity	: Rat : Ingestion : 2 Years : negative A: Probably carcinogenic itrite gested) under condition onent of this product pres as a known or anticipat	7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% i nogens. sent at levels greater than or equal to 0.1% is

# Krytox™ 283AB



ersion 2	Revision Date: 09/12/2019		OS Number: 90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017
			Species: Mouse Application Route Result: negative	e: Ingestion
Effec	ts on fetal development	:	Test Type: Embr Species: Rat Application Route Result: negative	yo-fetal development e: Ingestion
	<b>F-single exposure</b> lassified based on availa	able	information.	
	-repeated exposure			
Not c	lassified based on availa	able	information.	
Repe	ated dose toxicity			
Com	ponents:			
Sodiu	um nitrite:			
Speci		:	Rat	
IAON AppliqA	=∟ cation Route	:	10 mg/kg Ingestion	
	sure time	:	2 y	
Aspii	ration toxicity			
•	lassified based on availa	able	information.	
CTION	12. ECOLOGICAL INFO	ORI	IATION	
Feet				
	oxicity			
	ponents:			
	um nitrite:			
loxic	ity to fish	:	LC50 (Oncorhyne Exposure time: 9	chus mykiss (rainbow trout)): 0.54 mg/l 6 h
Toxic	ity to daphnia and other	:	EC50 (Daphnia r	nagna (Water flea)): 15.4 mg/l
aquat	tic invertebrates		Exposure time: 4 Method: OECD 1	8 h Test Guideline 202
Toxic	ity to algae/aquatic	:	EC50 (Scenedes	mus capricornutum (fresh water algae)): >
plants	6		100 mg/l Exposure time: 7	2 h
			Exposure time: 7 Method: OECD 1	z n Test Guideline 201
			NOEC (Seenede	smus capricornutum (fresh water algae)): 1
			mg/l	sinus capiconiulum (nesit waler aigae)). T

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Cyprinus carpio (Carp)): 21 mg/l Exposure time: 30 d

mg/l

:

Toxicity to fish (Chronic tox-

icity)



# Krytox<sup>™</sup> 283AB

Version 5.2	Revision Date: 09/12/2019		DS Number: /90244-00007	Date of last issue: 05/24/2019 Date of first issue: 06/27/2017
			Method: OECD T	est Guideline 210
aqı	kicity to daphnia and other uatic invertebrates (Chron- oxicity)		NOEC (Penaeid S Exposure time: 80	Shrimp): 9.86 mg/l ) d
То	kicity to microorganisms	:	EC50: 281 mg/l Exposure time: 48	3 h
	rsistence and degradabili data available	ity		
	accumulative potential data available			
	<b>bility in soil</b> data available			
	<b>her adverse effects</b> data available			

# SECTION 13. DISPOSAL CONSIDERATIONS

# **Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR Not regulated as a dangerous good

# IMDG-Code

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

Packing group

Labels

# 49 CFR UN/ID/NA number : UN 3077 Proper shipping name : Environmentally (Sodium nitrite) Class : 9

Environmentally hazardous substance, solid, n.o.s. (Sodium nitrite)
9
III
CLASS 9



Version	Revision Date: 09/12/2019	SDS Number:	Date of last issue: 05/24/2019
5.2		1790244-00007	Date of first issue: 06/27/2017
ERG ( Marine Rema	e pollutant	SIZES WHERE	NFORMATION ONLY APPLIES TO PACKAGE E THE HAZARDOUS SUBSTANCE MEETS ABLE QUANTITY.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	2020

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards	S	
SARA 313	:	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		reporting levels es-
		Sodium nitrite	7632-00-0	>= 1 - < 5 %

#### US State Regulations

#### Pennsylvania Right To Know

PFPE fluid Fluoropolymer Sodium nitrite Trade secret Trade secret 7632-00-0

#### California Prop. 65

WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## **California List of Hazardous Substances**

Sodium nitrite

7632-00-0

#### Additional regulatory information

Sodium nitrite

#### 7632-00-0


The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740




Version	Revision Date:	SDS Number:	Date of last issue: 05/24/2019
5.2	09/12/2019	1790244-00007	Date of first issue: 06/27/2017

# **SECTION 16. OTHER INFORMATION**

# Further information



# HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors. All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

# Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C OSHA Z-1 / TWA OSHA Z-2 / TWA		Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-



Version	Revision Date:	SDS Number:	Date of last issue: 05/24/2019
5.2	09/12/2019	1790244-00007	Date of first issue: 06/27/2017

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 09/12/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8