

Versio 6.3	n Revision Date: 01/21/2020	-	9S Number: 53013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017			
SECTION 1. IDENTIFICATION							
Pi	roduct name	:	Krytox™ TS4				
Pi	roduct code	:	D15437668				
S	DS-Identcode	:	130000142909				
М	anufacturer or supplier's o	leta	iils				
C	ompany name of supplier	:	The Chemours Co	ompany FC, LLC			
A	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)				
Τe	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
R	ecommended use of the cl	hen	nical and restriction	ons on use			
R	ecommended use	:	Lubricant				
R	estrictions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients



Version 6.3	Revision Date: 01/21/2020		DS Number: 53013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017
SECTION	4. FIRST AID MEASUR	RES		
lf inha	aled	:	If inhaled, remove Get medical atter	e to fresh air. ition if symptoms occur.
In cas	se of skin contact	:		and soap as a precaution. ition if symptoms occur.
In cas	se of eye contact	:		vater as a precaution. Ition if irritation develops and persists.
lf swa	allowed	:	Get medical atter	NOT induce vomiting. Ition if symptoms occur. oughly with water.
	important symptoms effects, both acute and red	:	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation	ovoke the following symptoms: provoke the following symptoms provoke the following symptoms:
Prote	ction of first-aiders	:	No special preca	utions are necessary for first aid responders.
Notes	s to physician	:	Treat symptomat	cally and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.



Vers 6.3	sion	Revision Date: 01/21/2020	-	S Number: 53013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017	
	Special for fire-	protective equipment fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.		
SEC	TION 6	. ACCIDENTAL RELE	ASE	E MEASURES		
Personal precautions, protec- tive equipment and emer- gency procedures		:	Follow safe handling advice and personal protective equipment recommendations.			
	Enviror	nmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spi cannot be contained.		akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages	
		ls and materials for ment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate conment to keep material from spreading. If diked material pumped, store recovered material in appropriate contacclean up remaining materials from spill with suitable abent. Local or national regulations may apply to releases an sal of this material, as well as those materials and item ployed in the cleanup of releases. You will need to det which regulations are applicable. Sections 13 and 15 of this SDS provide information recertain local or national requirements. 		ovide diking or other appropriate contain- erial from spreading. If diked material can be overed material in appropriate container. In appropriate container. In appropriate container. In a propriate c	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2019
6.3	01/21/2020	1353013-00037	Date of first issue: 02/27/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

:

:

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Version 6.3	Revision Date: 01/21/2020		DS Number: 53013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017
			Follow OSHA res use NIOSH/MSH by air purifying re dous chemical is respirator if there exposure levels a	riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance g respirators may not provide adequate
Hand	protection			
Re	emarks	:	Wash hands befo	ore breaks and at the end of workday.
Eye p	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be w	ashed after contact.
Hygie	ene measures	:	eye flushing syste king place. When using do ne	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available





Vers 6.3	ion	Revision Date: 01/21/2020		S Number: 3013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017
		explosion limit / Lower bility limit	:	No data available)
	Vapor p	oressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available)
	Solu	ubility in other solvents	:	insoluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Particle	e size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.				
Chemical stability	:	Stable under normal conditions.				
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.				
Conditions to avoid	:	None known.				
Incompatible materials	:	None.				
Hazardous decomposition products Thermal decomposition : Hydrofluoric acid						

Thermal decomposition	: Hydro	fluoric acid
	Carbo	nyl difluoride
	Carbo	n dioxide
	Carbo	n monoxide

SAFETY DATA SHEET

Revision Date:



Date of last issue: 10/15/2019

Krytox™ TS4

Version

6.3	01/21/2020	1353013-00037	Date of first issue: 02/27/2017
SECTION	I 11. TOXICOLOGIC	AL INFORMATION	
Skin Inges	rmation on likely rou contact stion contact	ites of exposure	
	t e toxicity classified based on av	vailable information.	
	corrosion/irritation	vailable information.	
	bus eye damage/eye classified based on av		
Resp	piratory or skin sens	sitization	
-	sensitization	vailable information.	
-	Diratory sensitization classified based on av		
	n cell mutagenicity classified based on av	vailable information.	
Carc	inogenicity		
Not o IARC		ient of this product pres	ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.
OSH		onent of this product pre s list of regulated carcir	sent at levels greater than or equal to 0.1% is nogens.
NTP		ient of this product pres as a known or anticipate	ent at levels greater than or equal to 0.1% is ed carcinogen by NTP.
-	roductive toxicity classified based on av	vailable information.	
	T-single exposure classified based on av	vailable information.	
	T-repeated exposure classified based on av		
-	ration toxicity classified based on av	vailable information.	
SECTION	I 12. ECOLOGICAL I	NFORMATION	
_			
	oxicity		
INO C	ata available		

SDS Number:



ersion .3	Revision Date: 01/21/2020	SDS Number: 1353013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017
	stence and degradat	bility	
	ccumulative potentia		
	ata available		
Mobi	lity in soil		
No da	ata available		
	r adverse effects		
No da	ata available		
ECTION	13. DISPOSAL CONS	SIDERATIONS	
Disp	osal methods		
-	e from residues	: Dispose of in	accordance with local regulations.
Conta	Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.		
ECTION	14. TRANSPORT INF	ORMATION	
Interi	national Regulations		
UNR ⁻ Not re	TDG egulated as a dangero	us good	
	-DGR egulated as a dangero	us good	
-	-Code egulated as a dangero	us good	
	sport in bulk according	•	ARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards






Version 6.3	Revision Date: 01/21/2020	SDS Number: 1353013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017
SAR	A 313	known CAS nu	bes not contain any chemical components with mbers that exceed the threshold (De Minimis) established by SARA Title III, Section 313.
US St	tate Regulations		
Penn	sylvania Right To Kı PFPE fluid Fluoropolymer	now	Trade secret Trade secret
California Prop. 65 WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm.			

For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2 ACGIH / TWA		USA. Occupational Exposure Limits (OSHA) - Table Z-2 8-hour, time-weighted average



Krytox[™] TS4

Version 6.3	Revision Date: 01/21/2020		DS Number: 53013-00037	Date of last issue: 10/15/2019 Date of first issue: 02/27/2017	
ACGIH / STEL ACGIH / C			Short-term exposure limit Ceiling limit		
NIOSH REL / TWA		:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek		
NIOSH REL / ST		:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday		
	HREL/C	: Ceiling value not be exceeded at any time.			
	. Z-1 / TWA . Z-2 / TWA		8-hour time weighted average 8-hour time weighted average		

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only



Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2019
6.3	01/21/2020	1353013-00037	Date of first issue: 02/27/2017

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8