

Versio 6.6	n Revision Dat 01/28/2021		DS Number: 65404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017		
SECTI	ON 1. IDENTIFICA	TION				
Р	Product name		Krytox™ 240AZ			
Р	roduct code	:	D12441449			
S	DS-Identcode	:	130000023994			
м	anufacturer or su	oplier's deta	ails			
С	ompany name of su	ipplier :	The Chemours Co	ompany FC, LLC		
A	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)			
Т	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)			
E	Emergency telephone		Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)			
R	ecommended use	of the chen	nical and restriction	ons on use		
R	Recommended use		Lubricant			
R	estrictions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients



Version 6.6	Revision Date: 01/28/2021	-	0S Number: 65404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017		
SECTION	4. FIRST AID MEASUF	RES				
lf inha	aled	:	If inhaled, remo Get medical att	ove to fresh air. ention if symptoms occur.		
In cas	se of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.			
In case of eye contact		:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
If swallowed		:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.			
	important symptoms ffects, both acute and ed	:	Irritation Lung edema Eye contact ma Blurred vision Discomfort Lachrymation	provoke the following symptoms: ay provoke the following symptoms ay provoke the following symptoms:		
Prote	ction of first-aiders	:	No special prec	cautions are necessary for first aid responders		
Notes	to physician	:	Treat symptom	atically and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.



Version 6.6	Revision Date: 01/28/2021		0S Number: 65404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017				
			Evacuate area.					
	Special protective equipment for fire-fighters		: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.					
SECTIO	N 6. ACCIDENTAL RELE	ASI	E MEASURES					
tive	Personal precautions, protec- tive equipment and emer- gency procedures		equipment and emer- tective equip			ow safe handling advice (see section 7) and personal pro- ve equipment recommendations (see section 8).		
Envi	Environmental precautions		Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages				
	Methods and materials for containment and cleaning up		Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.					

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 08/25/2020
6.6	01/28/2021	1765404-00012	Date of first issue: 06/21/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m ³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m ³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

2

:

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are



Version 6.6	Revision Date: 01/28/2021		DS Number: 765404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017		
			unknown, appropriate respiratory protection should b Follow OSHA respirator regulations (29 CFR 1910.13 use NIOSH/MSHA approved respirators. Protection p by air purifying respirators against exposure to any h dous chemical is limited. Use a positive pressure air respirator if there is any potential for uncontrolled rele exposure levels are unknown, or any other circumsta where air purifying respirators may not provide adequ protection.			
Hand	d protection					
R	emarks	:	Wash hands befo	pre breaks and at the end of workday.		
Eye	Eye protection		Eye protection : Wear the following personal protective equip Safety glasses		g personal protective equipment:	
Skin	and body protection	:	Skin should be w	ashed after contact.		
Hygi	ene measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper	:	No data available



Version 6.6	Revision Date: 01/28/2021		S Number: 55404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017
flar	nmability limit			
	Lower explosion limit / Lower flammability limit		No data available	9
Va	por pressure	:	Not applicable	
Rel	ative vapor density	:	Not applicable	
Rel	ative density	:	1.89 - 1.93	
	ubility(ies) Water solubility	:	insoluble	
	tition coefficient: n- anol/water	:	Not applicable	
Aut	oignition temperature	:	No data available	9
De	composition temperature	:	572 °F / 300 °C	
	cosity Viscosity, kinematic	:	Not applicable	
Exp	plosive properties	:	Not explosive	
Oxi	dizing properties	:	The substance o	r mixture is not classified as oxidizing.
Par	ticle size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products Thermal decomposition Hvd

hermal decomposition	:	Hydrofluoric acid
-		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide

SAFETY DATA SHEET

Revision Date:



Date of last issue: 08/25/2020

Krytox™ 240AZ

Version

6.6	01/28/2021	1765404-00012	Date of first issue: 06/21/2017
SECTION	11. TOXICOLOGIC	AL INFORMATION	
Infor	mation on likely rou	tes of exposure	
Inges	contact stion contact		
	e toxicity lassified based on av	ailable information.	
	corrosion/irritation	ailable information.	
	bus eye damage/eye lassified based on av		
Resp	iratory or skin sens	itization	
	sensitization	ailable information.	
-	iratory sensitization lassified based on av		
Germ	n cell mutagenicity		
Not c	lassified based on av	ailable information.	
Carci	inogenicity		
Not c IARC		ient of this product pres	ent at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.
OSH		nent of this product pre s list of regulated carcin	sent at levels greater than or equal to 0.1% is logens.
NTP	5	ent of this product prese as a known or anticipate	ent at levels greater than or equal to 0.1% is ed carcinogen by NTP.
-	oductive toxicity	vilable information	
		allable information.	
	F-single exposure lassified based on av	ailable information.	
	F -repeated exposure		
	lassified based on av		
Aspii	ration toxicity		
Not c	lassified based on av	ailable information.	
SECTION	12. ECOLOGICAL I	NFORMATION	
	oxicity		
No da	ata available		

SDS Number:



Version 6.6	Revision Date: 01/28/2021		DS Number: 765404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017		
No d	istence and degradab ata available ccumulative potential					
Mobi	ata available ility in soil ata available					
Othe	er adverse effects ata available					
SECTION	I 13. DISPOSAL CONS	IDEF	RATIONS			
-	osal methods te from residues	:	Dispose of in ac	ccordance with local regulations.		
Cont	aminated packaging	:	handling site for	rs should be taken to an approved waste r recycling or disposal. specified: Dispose of as unused product.		
SECTION	I 14. TRANSPORT INF	ORN	IATION			
Inter	national Regulations					
UNR Not r	TDG regulated as a dangerou	us go	od			
	-DGR regulated as a dangerou	ıs go	od			
	IMDG-Code Not regulated as a dangerous good					
	sport in bulk accordir applicable for product as	-		POL 73/78 and the IBC Code		
Dom	estic regulation					
49 C Not r	FR regulated as a dangerou	us go	od			

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Version 6.6	Revision Date: 01/28/2021	SDS Number: 1765404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017	
SARA	313	known CAS n	does not contain any chemical components with umbers that exceed the threshold (De Minimis) Is established by SARA Title III, Section 313.	
US Sta	ate Regulations			
Penns	ylvania Right To Kno	w		
	PFPE fluid		Trade secret	
	Fluoropolymer		Trade secret	
Califo	rnia Prop. 65			
WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.				
SECTION 1	6. OTHER INFORMA	TION		

Further information



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text	of other	abbreviations
-----------	----------	---------------

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2



Version 6.6	Revision Date: 01/28/2021		S Number: 65404-00012	Date of last issue: 08/25/2020 Date of first issue: 06/21/2017			
ACGIH / TWA ACGIH / STEL		:	8-hour, time-weighted averageShort-term exposure limit				
ACGIH / C NIOSH REL / TWA			 Ceiling limit Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 				
NIOSH REL / ST			STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday				
OSHA	I REL / C Z-1 / TWA Z-2 / TWA	:	 Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average 				

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date	:	01/28/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be



Version	Revision Date:	SDS Number:	Date of last issue: 08/25/2020
6.6	01/28/2021	1765404-00012	Date of first issue: 06/21/2017

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8