

Versio 5.5	n Revision Da 08/30/2021		OS Number: /90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017		
SECTI	ON 1. IDENTIFIC	ATION				
P	Product name		: Krytox™ 283AB			
P	roduct code	:	D10335787			
S	DS-Identcode	:	130000031471			
м	anufacturer or su	ıpplier's deta	ails			
C	ompany name of s	upplier :	The Chemours Co	ompany FC, LLC		
A	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)			
Те	elephone	:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)		
E	mergency telephor	ne :		cy: 1-866-595-1473 (outside the U.S. 1-302- sport emergency: +1-800-424-9300 (outside 27-3887)		
R	ecommended use	e of the chen	nical and restriction	ons on use		
R	ecommended use	:	Lubricant			
R	estrictions on use	:	Do not use or rest tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)



Krytox™ 283AB

Version 5.5	Revision Date: 08/30/2021		DS Number: 790244-00010		ssue: 10/10/2020 ssue: 06/27/2017
	um nitrite al concentration is withh	eld a	7632-00-0 as a trade secret		>= 1 - < 5
SECTION	N 4. FIRST AID MEASU	RES			
lf inh	naled	:	If inhaled, remov Get medical atter		ns occur.
In ca	ase of skin contact	:	Wash with water Get medical atter		
In ca	ase of eye contact	:	Flush eyes with v Get medical atter		aution. develops and persists.
lf sw	allowed	:	If swallowed, DO Get medical atter Rinse mouth tho	ntion if symptor	ns occur.
	t important symptoms effects, both acute and yed	:	Blurred vision Discomfort Lachrymation	provoke the fo	wing symptoms: llowing symptoms ollowing symptoms:
Prote	ection of first-aiders	:	No special preca	utions are nece	essary for first aid responders.
Note	es to physician	:	Treat symptomat	tically and supp	ortively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir-



Krytox™ 283AB

Vers 5.5	sion	Revision Date: 08/30/2021		90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017
	ods			Use water spray to	he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for fire-	protective equipment fighters	:	Wear self-containe necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SEC	TION 6	ACCIDENTAL RELE	ASE	E MEASURES	
	tive equ	al precautions, protec- uipment and emer- procedures	:		ng advice (see section 7) and personal pro- recommendations (see section 8).
	Enviror	nmental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages
		ls and materials for ment and cleaning up	:	For large spills, pr ment to keep mate pumped, store rec Clean up remainin bent. Local or national r sal of this materia ployed in the clean which regulations Sections 13 and 1	absorbent material. ovide diking or other appropriate contain- erial from spreading. If diked material can be overed material in appropriate container. ag materials from spill with suitable absor- egulations may apply to releases and dispo- l, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
5.5	08/30/2021	1790244-00010	Date of first issue: 06/27/2017
	er information on stor- tability	: No decomposition	on if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



Krytox™ 283AB

Version 5.5	Revision Date: 08/30/2021		OS Number: 90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017
Pers	onal protective equip	ment		
Resp	biratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH by air purifying re dous chemical is respirator if there exposure levels a	I exhaust ventilation is recommended to commended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance g respirators may not provide adequate
Hand	d protection			
R	emarks	:	Wash hands befo	pre breaks and at the end of workday.
Eye	protection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin	and body protection	:	Skin should be w	ashed after contact.
Hygi	ene measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable



Krytox™ 283AB

Ver 5.5	sion	Revision Date: 08/30/2021		S Number: 00244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available)
	Vapor p	pressure	:	1.89 - 1.93 hPa	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	608 °F / 320 °C	
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
		ng properties	:		r mixture is not classified as oxidizing.
	Particle	e size	÷	No data available	

SECTION 10. STABILITY AND REACTIVITY

Incompatible materials	:	None.
Conditions to avoid	:	None known.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Chemical stability	:	Stable under normal conditions.
Reactivity	:	Not classified as a reactivity hazard.

Thermal decomposition	:	Hydrofluoric acid
		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide



Krytox™ 283AB

/ersion 5.5	Revision Date: 08/30/2021		OS Number: 90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017	
SECTION	11. TOXICOLOGICA		ORMATION		
Skin (Inges	mation on likely rou t contact tion contact	tes of	exposure		
	e toxicity lassified based on ava	ailable	information.		
Prod	uct:				
	e oral toxicity	:	Assessment: Th icity	ne substance or mixture has no acute oral to:	
Acute	inhalation toxicity	:	: Acute toxicity estimate: 111.11 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method		
Com	ponents:				
Sodiu	um nitrite:				
Acute	e oral toxicity	:	LD50 (Rat): 180) mg/kg	
Acute	inhalation toxicity	:	: LC50 (Rat): 5.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
-	corrosion/irritation lassified based on ava	ailahla	information		
	ponents:		internation.		
Sodiu	um nitrite:				
Speci Metho Resu	bd	:	 Rabbit OECD Test Guideline 404 No skin irritation 		
	ous eye damage/eye				
	lassified based on ava	aliable	mormation.		
	ponents:				
	um nitrite:		D 11 1		
Speci Resu Moth	lt	:	Rabbit Irritation to eyes	s, reversing within 21 days	

Respiratory or skin sensitization

Skin sensitization

Method


Not classified based on available information.

: OECD Test Guideline 405



Krytox™ 283AB

	08/30/2021	1790244-00010	Date of first issue: 06/27/2017
Resp	iratory sensitizatio	on	
Not cl	assified based on a	available information.	
Germ	cell mutagenicity	,	
Not cl	assified based on a	available information.	
Com	oonents:		
Sodiu	um nitrite:		
Geno	toxicity in vitro	: Test Type: Bao Result: positive	cterial reverse mutation assay (AMES) e
		Test Type: In v Result: positive	<i>v</i> itro mammalian cell gene mutation test e
Geno	toxicity in vivo	cytogenetic as Species: Mous	Se .
		Result: negativ	ute: Intraperitoneal injection /e
		cytogenetic as Species: Rat	
			oute: Intraperitoneal injection
		Result: negativ	/e
0		Result: negativ	/e
	nogenicity	-	/e
Not cl	assified based on a	Result: negativ	/e
Not cl <u>Com</u> p	assified based on a conents:	-	/e
Not cl <u>Comp</u> Sodiu	assified based on a ponents: um nitrite:	-	/e
Not cl <u>Comp</u> Sodiu Speci	assified based on a <u>conents:</u> um nitrite: es	available information.	/e
Not cl <u>Comp</u> Sodiu Speci Applic	assified based on a <u>conents:</u> um nitrite: es cation Route	available information. : Rat : Ingestion	/e
Not cl <u>Comp</u> Sodiu Speci Applic	assified based on a <u>conents:</u> um nitrite: es cation Route sure time	available information.	/e
Not cl <u>Comp</u> Sodiu Speci Applic Expos Resul	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t	available information. : Rat : Ingestion : 2 Years : negative	
Not cl Comp Sodiu Speci Applic Expos	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenio	
Not cl <u>Comp</u> Sodiu Speci Applic Expos Resul	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium i	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite	to humans
Not cl <u>Comp</u> Sodiu Speci Applic Expos Resul	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium i (nitrite (ir A No comp	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition	to humans 7632-00-0 s that result in endogenous nitrosation) esent at levels greater than or equal to 0.1%
Not cl <u>Comp</u> Sodiu Speci Applic Expos Resul IARC	assified based on a <u>ponents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium n (nitrite (ir A No comp on OSH/ No ingre	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition ponent of this product pre A's list of regulated carcin	to humans 7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% nogens.
Not cl Comp Sodiu Speci Applic Expos Resul IARC OSH/ NTP	assified based on a <u>ponents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium n (nitrite (ir A No comp on OSH/ No ingre	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition ponent of this product pre- A's list of regulated carcin dient of this product pre-	to humans 7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% nogens.
Not cl Comp Sodiu Speci Applic Expos Resul IARC OSHA NTP Repro	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium n (nitrite (in No comp on OSH/ No ingre- identified	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition ponent of this product pre- A's list of regulated carcin dient of this product pre-	to humans 7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% nogens.
Not cl Comp Sodiu Speci Applic Expos Resul IARC OSHA NTP Repro	assified based on a <u>conents:</u> um nitrite: es cation Route sure time t Group 2/ Sodium n (nitrite (in No comp on OSH/ No ingre- identified	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition conent of this product present A's list of regulated carcin dient of this product present as a known or anticipat	to humans 7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% i nogens.
Not cl Comp Sodiu Speci Applic Expos Resul IARC OSHA NTP Repro Not cl Comp	assified based on a ponents: um nitrite: es cation Route sure time t Group 2/ Sodium n (nitrite (in No comp on OSH/ No ingre- identified pductive toxicity assified based on a	available information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogenic nitrite ngested) under condition conent of this product present A's list of regulated carcin dient of this product present as a known or anticipat	to humans 7632-00-0 is that result in endogenous nitrosation) esent at levels greater than or equal to 0.1% i nogens.





Version 5.5	Revision Date: 08/30/2021		DS Number: 90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017
			Species: Mouse Application Route Result: negative	: Ingestion
Effe	cts on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-fetal development :: Ingestion
)T-single exposure classified based on availa	ble	information.	
	T-repeated exposure			
	classified based on availa	ble	information.	
Rep	eated dose toxicity			
	nponents:			
	ium nitrite:			
Spe			Rat	
NO/		÷	10 mg/kg	
	lication Route	:	Ingestion	
Exp	osure time	:	2 у	
۵sn	iration toxicity			
•	classified based on availa	ble	information.	
SECTIO	N 12. ECOLOGICAL INFO			
0201101				
Eco	toxicity			
Con	nponents:			
	ium nitrite:			
	city to fish	:	LC50 (Oncorhynd	hus mykiss (rainbow trout)): 0.54 mg/l
	,		Exposure time: 96	
Тохі	city to daphnia and other	:	EC50 (Daphnia m	nagna (Water flea)): 15.4 mg/l
	atic invertebrates		Exposure time: 48	3 h
			Method: OECD T	est Guideline 202
Тохі	city to algae/aquatic	:	EC50 (Scenedes	mus capricornutum (fresh water algae)): >
plan	ts		100 mg/l	
			Exposure time: 72 Method: OECD T	
				smus capricornutum (fresh water algae)): 100
			mg/I Exposure time: 72	2 h
				est Guideline 201

Method: OECD Test Guideline 201



Krytox[™] 283AB

Version 5.5	Revision Date: 08/30/2021		DS Number: /90244-00010	Date of last issue: 10/10/2020 Date of first issue: 06/27/2017
			Method: OECD T	est Guideline 210
	ty to daphnia and other c invertebrates (Chron- city)		NOEC (Penaeid S Exposure time: 80	Shrimp): 9.86 mg/l 0 d
Toxici	ty to microorganisms	:	EC50: 281 mg/l Exposure time: 44	8 h
	stence and degradabil	ity		
	cumulative potential ta available			
Mobili	ity in soil			
No da	ta available			
Other	adverse effects			
No dat	ta available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR	
UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Sodium nitrite)
Class	: 9
Packing group	: III
Labels	: CLASS 9



Version	Revision Date: 08/30/2021	SDS Number:	Date of last issue: 10/10/2020
5.5		1790244-00010	Date of first issue: 06/27/2017
ERG (Marin Rema	e pollutant	SIZES WHER	NFORMATION ONLY APPLIES TO PACKAGE E THE HAZARDOUS SUBSTANCE MEETS ABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	2020

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazar	ds	
SARA 313	:	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		
		Sodium nitrite	7632-00-0	>= 1 - < 5 %
US State Regulations				
Pennsylvania Right To Know	N			
PFPE fluid				Trade secret
Fluoropolymer				Trade secret

Fluoropolymer	
Sodium nitrite	

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances

Sodium nitrite

7632-00-0

7632-00-0

Additional regulatory information

Sodium nitrite

7632-00-0

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740




Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
5.5	08/30/2021	1790244-00010	Date of first issue: 06/27/2017

SECTION 16. OTHER INFORMATION







HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C OSHA Z-1 / TWA OSHA Z-2 / TWA		Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-



Version	Revision Date:	SDS Number:	Date of last issue: 10/10/2020
5.5	08/30/2021	1790244-00010	Date of first issue: 06/27/2017

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/30/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8