



1. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Name: MS-1010
FluoroExtreme™
Inert Light Oil

Product Use: Lubricant

MANUFACTURER/DISTRIBUTOR:

Miller-Stephenson Chemical
55 Backus Ave,
Danbury, Conn. 06810 USA
(203) 743-4447

Emergency Phone Number:
(800) 424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture: Not classified as dangerous for supply/use according to OSHA HCS (29 CFR 1910.1200)

Label elements:

Hazard Symbol: None
Signal word: None
Hazard Statements: None

Precautionary Statements: IF ON SKIN: Wash with plenty of soap and water. Keep out reach of children.

Other hazards: The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

3. INGREDIENTS

No hazardous ingredients.

4. FIRST AID MEASURES

Inhalation: Remove patient to fresh air. Get medical attention if necessary.

Eye: In case of contact, flush eyes with water. Get medical attention if irritation develops and persists.

Skin: Wash skin with water and soap after contact. Get medical attention if symptoms occur.

Oral: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed:

Inhalation may provoke the following symptoms: Polymer fume fever, irritation, shortness of breath

Skin contact may provoke the following symptoms: Redness

Eye contact may provoke the following symptoms: Blurred vision, Discomfort, Lachrymation

Notes to Physician: Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash Point: Does not flash

Method: Pensky-Martens Close Cup

Decomposition Temperature: 350°C/662°F

Suitable Extinguishing Media: No applicable. Will not burn.

Unsuitable extinguishing media: No applicable. Will not burn.

Specific hazards during fire-fighting: Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Hydrogen fluoride, Carbonyl fluoride, Carbon oxides, Potentially toxic fluorinated compounds.

Special Fire Fighting Instruction: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate personnel to safe area. Wear self-contained breathing apparatus (SCBA) if necessary. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Environmental precautions: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillage cannot be contained.

Methods and materials for containment and clean up: Soak up with inert absorbent material.

Store recovered material in appropriate container. Local or national regulations may apply to releases and disposal of this material, as well as those materials used in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment.

Storage Conditions: No special storage conditions required. Keep container closed to prevent contamination. Store in accordance with the national regulations. No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: In the event that the polymer is heated above 350°C/662°F, local ventilation should be used to avoid exposure to fumes.

Respiratory Protection: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Eye Protection: Avoid eye contact. Use chemical goggles or safety glasses with side shields.

Skin Protection: Wash skin after contact.

Hygiene measures: Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes, or clothing. Wash exposed areas thoroughly after contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N.A.

Solubility in H₂O : Insoluble

Density: approx. 1.9 g/cc at 75°F/24°C

pH Information: Neutral

Form: Liquid

Appearance: Clear liquid

Color: Colorless

Odor: Odorless

10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical Stability: Stable under normal conditions.

Possibility of hazardous Reactions: Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid: None known.

Incompatible Materials: None.

Hazardous decomposition Products: Hydrofluoric acid, Carbonyl difluoride, Carbon dioxide, Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 : > 25,000 mg/kg , rat

Irritation/Corrosivity: Non-irritant to rabbit eyes.

Skin sensitization: Not a skin sensitizer.

Repeated dose toxicity: None

Carcinogenicity: None

Mutagenicity: None

Toxicity for reproduction: None.

12. ECOLOGICAL INFORMATION

Toxicity:

Short Term: 96 h LC50: Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l

Long Term: Not available

Biodegradability: Not available

Bioaccumulative potential: Not available

Mobility in soil: Not available

Results of PBT and vPvB assessment: Not classified as a PBT and vPvB

Other adverse effects: None known

13. DISPOSAL CONSIDERATIONS

Comply with federal, state and local regulations. Remove to a permitted waste disposal facility.

14. TRANSPORT INFORMATION

U.S. DOT

Not Regulated

IATA

Not Regulated

IMDG

Not Regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA: All ingredients are listed on TSCA inventory or exempt.

SARA 304 Extremely Hazardous Substances Reportable Quantity: This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity: This material does not contain any components with a section 302 EHS RQ.

SARA 311/312 Hazards: None

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65: WARNING: This product can expose you to chemicals including pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

16. OTHER INFORMATION

NPCA-HMIS Ratings:

Health	- 0
Flammability	- 0
Reactivity	- 0

Personal Protective rating to be supplied by user depending on the conditions.

FOR INDUSTRIAL USE ONLY

REVISION DATE: APRIL 2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.