

Krytox[™] VPF 1506

Versio 4.8	on	Revision Date: 07/06/2022		0S Number: 45160-00013	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017					
SECTION 1. IDENTIFICATION										
F	Product name		:	: Krytox™ VPF 1506						
F	Product	code	:	D12339138						
5	SDS-Id	entcode	:	130000024126						
r	Manufa	ecturer or supplier's o	deta	ills						
C	Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC					
ŀ	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)						
٦	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)						
E	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)						
F	Recom	mended use of the c	hen	nical and restriction	ons on use					
F	Recommended use		:	Lubricant						
F	Restrict	ions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.					

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	PFPE fluid
CAS-No.	:	Trade secret



	of last issue: 04/12/2022 of first issue: 06/14/2017
--	---

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Polymer fume fever Skin contact may provoke the following symptoms: Redness Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir-



Krytox™ VPF 1506

Version 4.8	Revision Date: 07/06/2022		9S Number: 45160-00013	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017		
ods	ods		cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.			
	ial protective equipment e-fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.		
SECTION	6. ACCIDENTAL RELE	ASI	EMEASURES			
tive e	onal precautions, protec- quipment and emer- y procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).		
Envir	onmental precautions	:	Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages		
	ods and materials for inment and cleaning up	:	For large spills, pr ment to keep mate pumped, store rec Clean up remainin bent. Local or national r sal of this materia ployed in the clea which regulations Sections 13 and 1	a absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In a materials from spill with suitable absor- regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.		

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers.



Version 4.8	Revision Date: 07/06/2022		DS Number: 745160-00013	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017
			Store in accorda	nce with the particular national regulations.
Materials to avoid		:	No special restrie	ctions on storage with other products.
Further information on stor- age stability		:	No decompositic	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

:



Version 4.8	Revision Date: 07/06/2022		OS Number: 45160-00013	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017			
				ate ventilation, especially in confined areas. place exposure concentrations.			
Perso	onal protective equip	ment					
Resp	Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.				
Hand	protection						
Re	emarks	:	Wash hands be	efore breaks and at the end of workday.			
Eye p	protection	:	Wear the follow Safety glasses	ving personal protective equipment:			
Skin	and body protection	:	Skin should be	washed after contact.			
Hygie	ene measures	:	eye flushing sy king place. When using do	chemical is likely during typical use, provide stems and safety showers close to the wor- not eat, drink or smoke. nated clothing before re-use.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available





Vers 4.8	sion	Revision Date: 07/06/2022	-	S Number: 5160-00013	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017
	Flash point Evaporation rate Flammability (solid, gas)		:	Method: Pensky- does not flash	Martens closed cup
			:	No data available	
			:	Not applicable	
	Flamma	ability (liquids)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available	,
	Relative	e vapor density	:	No data available	
	Relative	e density	:	1.86 - 1.91 (75 °F	7 / 24 °C)
	Solubili Wate	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	No data available	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosit Visc	ty osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.



Krytox[™] VPF 1506

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022
4.8	07/06/2022	1745160-00013	Date of first issue: 06/14/2017

Hazardous decomposition products

Thermal decomposition

: Hydrofluoric acid Carbonyl difluoride Carbon dioxide Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.



Krytox[™] VPF 1506

	Date of last issue: 04/12/2022 Date of first issue: 06/14/2017
--	---

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable



Krytox[™] VPF 1506

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022
4.8	07/06/2022	1745160-00013	Date of first issue: 06/14/2017

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

PFPE fluid

Trade secret


California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION

Further information





Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Krytox[™] VPF 1506

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022
4.8	07/06/2022	1745160-00013	Date of first issue: 06/14/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 07/06/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8