

SAFETY DATA SHEET

FOR INDUSTRIAL USE ONLY

EPONTM Resin 826

Section 1. Product and company identification

GHS product identifier MSDS Number Product type	::	EPON™ Resin 826 K122A Epoxy Resin
Manufacturer/Supplier/Importer	:	Westlake Epoxy Inc. 12650 DIRECTORS DR STE 100 Stafford, Texas 77477 USA
Contact person Telephone Emergency telephone number	:	epoxyservice@westlake.com For additional health and safety or regulatory information, call 1 888 443 9466. For Emergency Medical Assistance Call Health & Safety Information Services 1-866-303-6949 For Emergency Transportation Information NCEC US Domestic +1 866 928 0789 (toll-free, US only) NCEC Americas +1 215 207 0061 CANUTEC CA Domestic (613) 996-66666

Section 2. Hazards identification

Classification of the substa mixture	nce or :	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITISATION - Catego	۱.
GHS label elements			
Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 Causes skin irritation.H319 Causes serious eye irritationH317 May cause an allergic skin i	
Precautionary statements			
General	:	Not applicable.	
Prevention	:	Wear eye or face protection.	
Version: 28.0	Date of issue/Date	e of revision: 09/21/2022	Date of previous issue:

07/28/2020

		Avoid breathing vapor. Wash thoroughly after handling.
Response	:	Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not result in classification	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	% by weight	CAS number
4,4'-Isopropylidenediphenol-Epichlorohydrin Copolymer	100	25068-38-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before
	removing it, or wear gloves. Continue to rinse for at least 10 minutes.
	Get medical attention. In the event of any complaints or symptoms,
	avoid further exposure. Wash clothing before reuse. Clean shoes
	thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim
	to fresh air and keep at rest in a position comfortable for breathing. If
	material has been swallowed and the exposed person is conscious, give
	small quantities of water to drink. Stop if the exposed person feels sick
	as vomiting may be dangerous. Do not induce vomiting unless directed
	to do so by medical personnel. If vomiting occurs, the head should be
	kept low so that vomit does not enter the lungs. Get medical attention
	if adverse health effects persist or are severe. Never give anything by
	mouth to an unconscious person. If unconscious, place in recovery
	position and get medical attention immediately. Maintain an open
	airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first aid personnel	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for containment	and	cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food

and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
4,4'-Isopropylidenediphenol- Epichlorohydrin Copolymer	None.
Recommended monitoring : procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls :	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures : Eye/face protection :	products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin protection	when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves
		cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
		approved by a specialist before handling this product.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color	:	Viscous liquid. Clear.
	•	Cical.
Odor	:	Not available
Odor threshold	-	Not available
pH	:	Not available
Melting point/ Freezing point	:	Not available
Boiling point	:	260 °C (500 °F)
Flash point	:	Pensky-Martens Closed Cup: 249 °C (480 °F)
		NT
Burning time	:	Not available
Burning rate	:	Not available
Evaporation rate	:	Not available
Flammability (solid, gas)	:	Not available
Lower and upper explosive	:	Lower: Not available
(flammable) limits		Upper: Not available
Vapor pressure	:	0.03 mbar @ 77 °C (171 °F)
Vapor density	:	Not available
Relative density	-	1.17
Relative unsity	•	1.17
Solubility	:	Not available
Solubility in water	:	Negligible
Partition coefficient: n-	:	Not available
octanol/water		NY
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
SADT	:	Not available

Viscosity

Dynamic: Not available **Kinematic:** Not available

:

Other information

No additional information.

Section 10. Stability and reactivity

Reactivity	:	Stable under normal conditions.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Strong oxidizer,
Incompatible materials	:	Reactive or incompatible with the following materials: oxidising materials strong acids, strong alkalis,
Hazardous decomposition products	:	Decomposition products may include the following materials:, carbon oxides
Other hazards		Reacts with considerable heat release with some curing agents.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
4,4'-Isopropylidenediphenol-Epichlorohydrin Copolymer							
	LD50 Oral	Rat	11,400 mg/kg	-			
	LD50 Dermal	Rat	2,000 mg/kg	-			
Conclusion/Summary	: Not	available					

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
4,4'-Isopropylidenediphenol- Epichlorohydrin Copolymer	Skin - Erythema/E schar 404	Rabbit	1.5 - 2		-
	Acute Dermal Irritation/Co rrosion				
	Skin - Edema 404 Acute Dermal	Rabbit	1.0 - 1.5		-

,		1			
	Irritation/Co				
	rrosion				
	eyes 405	Rabbit	0		-
	Acute Eye				
	Irritation/Co				
	rrosion				
	eyes -	Rabbit	0.7		-
	Redness of				
	the				
	conjunctiva				
	e				
	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin -	Rabbit		24 hrs	-
	Severe				
	irritant				
	eyes - Mild	Rabbit			-
	irritant				
Correlation / Correction					

Conclusion/Summary

<u> </u>		
Skin	:	Not available
eyes	:	Not available
Respiratory	:	Not available

Sensitization

Product/ingredient name	Route of exposure	Species	Result				
4,4'-Isopropylidenediphenol-	Skin	See Remarks	Sensitizing				
Epichlorohydrin Copolymer							
Remarks:	In an OECD No. 429 mouse LLNA study the estimated EC3 was a concentration						
	of 5.7% suggesting that BADGE is a moderate skin sensitizer in this test system.						
	In an OECD No. 406 guinea pig Maximization study BADGE induced positive						
	dermal reaction in 100% of the test animals at a 50% concentration challenge						
	dose. Therefore, BADGE is an "Extreme" skin sensitizer under the conditions of						
	this study. BADGE was also posi	tive for skin sensitiz	ation in an OECD No. 406				
	guinea pig Buehler method study.						
Conclusion/Summary							
Skin	: Not available						
Respiratory	: Not available						

Mutagenicity

Product/ingredient name	Test	Experiment	Result	
4,4'-Isopropylidenediphenol-	-	; Mammalian-	Negative	
Epichlorohydrin Copolymer		Animal		
Remarks:	Did not induce evidence of chromosome damage in a mouse dominant lethal oral gavage study conducted up to a high dose level of 10 grams/kg and in a mouse micronucleus test conducted up to a high dose of 5000 mg/kg. Negative in a make mouse spermatocyte cytogenetic assay with treatment for 5 days by oral gavage ut to a high dose of 3000 mg/kg. Did not induce an increase in the frequency of chromosome damage in a Chinese hamster bone marrow cytogenetic test by oral gavage up to a high dose of 3300 mg/kg. Failed to induce an increase of DNA strand breaks in rat liver cells following oral gavage treatment with 500 mg/kg as measured by alkaline elution.			
Conclusion/Summary	Not available			

Conclusion/Summary

: Not available

Carcinogenicity

Conclusion/Summary	:	Not available
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Not available
<u>Teratogenicity</u>		
Conclusion/Summary	:	Not available
<u>Specific target organ toxicity (sin</u> Not available	igle expo	<u>sure)</u>
<u>Specific target organ toxicity (rep</u> Not available	peated e	exposure)
Aspiration hazard Not available		
Information on likely routes of exposure	:	Not available
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin rea No known significant effects or critical hazards.
Symptoms related to the physical,	chemica	al and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering
Inhalation Skin contact	:	redness No specific data. Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Delayed and immediate effects as	well as c	chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects Potential delayed effects	:	Not available Not available
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available

skin reaction.

Potential chronic health effects

Conclusion/Summary	:	Not available
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
EPON [™] Resin 826	11,400 mg/kg	N/A	N/A	N/A	N/A
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2- (chloromethyl)oxirane	11,400 mg/kg	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure					
bis-[4-(2,3-epoxipropoxi)phenyl]propane								
	Acute LC50 1.3 mg/l - 203 Fish, Acute	Fish - Fish	96 h					
	Toxicity Test							
	Acute EC50 2.1 mg/l - 202 Daphnia	Aquatic invertebrates.	48 h					
	sp. Acute Immobilization Test and	Water flea						
	Reproduction Test							
	Acute LC50 > 11 mg/l -	Aquatic plants - Algae	72 h					
	Chronic No-observable-effect-	Aquatic invertebrates.	21 d					
	concentration 0.3 mg/l semi-static test	Water flea						
	211 Daphnia Magna Reproduction Test							

Conclusion/Summary

: Not available

Persistence/degradability

Conclusion/Summary

: Not available

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
bis-[4-(2,3-	2.64 - 3.78	3 - 31 31.00	low

epoxipropoxi)phenyl]propane		
<u>Mobility in soil</u>		
<u>Iviobility in soli</u>		

Soil/water partition coefficient	:	Not available
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations						
Regulatory information CFR	UN/NA number	Proper shipping name Non-regulated	Classes/*PG	Reportable Quantity (RQ)		
TDG		Non-regulated				
IMO/IMDG	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID EPOXY RESIN)	Class 9 III			
IATA (Cargo)	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LIQUID EPOXY RESIN)	Class 9 III			

*PG : Packing group

Environmentally hazardous and/or M	/larine	e Pollutant : Yes.	
Special precautions for user		Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	

Section 15. Regulatory information

United States

HCS Classification	:	Irritating material Sensitizing material Target organ effects
U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None required. United States - TSCA 5α2 - Final significant new use rules: Not listed United States - TSCA 5α2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed SARA 302 Extremely Hazardous Substances: None required. SARA 302/304/311/312 hazardous chemicals: None required. SARA 311/312 Classification - SKIN IRRITATION, Category 2 SARA 311/312 Classification - SKIN SENSITISATION, Category 1 SARA 311/312 Classification - Not applicable

California Prop. 65:

WARNING: This product may contain one or more chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

United States inventory (TSCA : All components are active or exempted. 8b)

International regulations

International lists: Australia inventory (AIIC): All components are listed or exempted.
Canada inventory: All components are listed or exempted.
Japan inventory: All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Korea inventory (KECI): All components are listed or exempted.
New Zealand Inventory (NZIoC): All components are listed or exempted.
Philippines inventory (TSCA 8b): All components are active or exempted.

Taiwan inventory (TCSI): All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System III (U.S.A.) :

Health	*	2
Flammability		1
Physical hazards		0

Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS[®] ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered mark of the National Paint & Coatings Association (NPCA). HMIS[®] materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. For more information on HMIS[®] Personal Protective Equipment (PPE) codes, consult the HMIS[®] Implementation Manual.

Full text of abbreviated H statements	:	Not applicable.
<u>History</u>		
Date of printing Date of issue/Date of revision Date of previous issue Version Prepared by Key to abbreviations		10/10/2022 09/21/2022 07/28/2020 28.0 Product Safety Stewardship ATE = Acute T oxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IAT A = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations
References	:	Not available

Notice to reader

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.