

Krytox[™] XHT-EP 299

Versi 6.1	on	Revision Date: 09/22/2020		9S Number: 88922-00009	Date of last issue: 04/20/2020 Date of first issue: 06/27/2017					
SECT	FION 1.	IDENTIFICATION								
F	Product name		:	: Krytox™ XHT-EP 299						
F	Product	code	:	D12430136						
Ś	SDS-Id	entcode	:	130000031596						
I	Manufa	cturer or supplier's o	deta	iils						
(Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC					
1	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)						
-	Telephone			1-844-773-CHEM (outside the U.S. 1-302-773-1000)						
E	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)						
F	Recom	mended use of the c	hen	nical and restriction	ons on use					
F	Recommended use		:	Lubricant						
F	Restrict	ions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.					

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name CAS-No. Concentration (% w/w)



Krytox™ XHT-EP 299

Version 6.1	Revision Date: 09/22/2020		DS Number: /88922-00009	Date of last issu Date of first issu		_			
	um nitrite al concentration is withh	eld a	7632-00-0 as a trade secret	>= 1 - < 5					
SECTION 4. FIRST AID MEASURES									
lf inh	If inhaled		-	If inhaled, remove to fresh air. Get medical attention if symptoms occur.					
In ca	In case of skin contact			Wash with water and soap as a precaution. Get medical attention if symptoms occur.					
In ca	In case of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.						
lf swa	If swallowed		If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.						
	important symptoms effects, both acute and yed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness						
Prote	ection of first-aiders	:	No special preca	utions are necess	ary for first aid responders.				
Note	s to physician	:	Treat symptomat	ically and supporti	vely.				

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Metal oxides Sulfur oxides Nitrogen oxides (NOx)



Krytox[™] XHT-EP 299

Vers 6.1	sion	Revision Date: 09/22/2020		S Number: 38922-00009	Date of last issue: 04/20/2020 Date of first issue: 06/27/2017
	Specific ods	extinguishing meth-	:	cumstances and the Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for fire-f	protective equipment fighters	:	Wear self-containe necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).	-
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.)-

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.



Krytox[™] XHT-EP 299

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2020
6.1	09/22/2020	1788922-00009	Date of first issue: 06/27/2017

Further information on storage stability

Further information on stor- : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrofluoric acid	7664-39-3	TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
		TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		ST	5 ppm 15 mg/m³	NIOSH REL
		TWA	2 ppm 5 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		C	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

: Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.



Krytox[™] XHT-EP 299

Version 6.1	Revision Date: 09/22/2020		OS Number: 88922-00009	Date of last issue: 04/20/2020 Date of first issue: 06/27/2017			
Pers	onal protective equip	ment					
Respiratory protection		:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.				
Hand	l protection						
Re	emarks	:	Wash hands be	fore breaks and at the end of workday.			
Eye p	protection	:	Wear the follow Safety glasses	ing personal protective equipment:			
Skin	and body protection	:	Skin should be	washed after contact.			
Hygie	ene measures	:	eye flushing sys king place. When using do	hemical is likely during typical use, provide stems and safety showers close to the wor- not eat, drink or smoke. ated clothing before re-use.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	yellow
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable



Krytox™ XHT-EP 299

Vers 6.1	sion	Revision Date: 09/22/2020		S Number: 8922-00009	Date of last issue: 04/20/2020 Date of first issue: 06/27/2017
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available)
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.9	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available)
	Decom	position temperature	:	608 °F / 320 °C	
	Viscosi Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir Particle	ng properties	:	The substance of No data available	r mixture is not classified as oxidizing.
	Farticle	5120	•	no data avallable	;

SECTION 10. STABILITY AND REACTIVITY

Incompatible materials	:	None.
Conditions to avoid	:	None known.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Chemical stability	:	Stable under normal conditions.
Reactivity	:	Not classified as a reactivity hazard.

Thermal decomposition	:	Hydrofluoric acid
		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide



Krytox™ XHT-EP 299

Informat Skin cont Ingestion Eye cont Acute to Not class Product: Acute ora Acute inh Compon Sodium Acute ora	n act exicity sified based on ava	es of	exposure	
Skin cont Ingestion Eye cont Acute to Not class Products Acute ora Acute inh Compon Sodium Acute ora	tact act exicity sified based on ava			
Not class Product: Acute ora Acute inh <u>Compone</u> Sodium Acute ora	sified based on ava :	ailable	information.	
Product: Acute ora Acute inh Compon Sodium Acute ora	<u>:</u>	ailable	information.	
Acute ora Acute inh <u>Compon</u> Sodium Acute ora	_			
Acute inh <u>Compon</u> Sodium Acute ora	al toxicity			
<u>Compon</u> Sodium Acute ora		:	Assessment: Thicity	he substance or mixture has no acute oral to:
Sodium Acute ora	nalation toxicity	:	Acute toxicity ex Exposure time: Test atmosphere Method: Calcula	re: dust/mist
Acute or	nents:			
	nitrite:			
Acute inh	al toxicity	:	LD50 (Rat): 180) mg/kg
	nalation toxicity	:	LC50 (Rat): 5.5 Exposure time: Test atmospher	4 h
Skin cor	rosion/irritation			
Not class	sified based on ava	ailable	information.	
Compon	<u>nents:</u>			
Sodium	nitrite:			
Species		:	Rabbit	
Method Result		:	OECD Test Gui No skin irritatior	
	eye damage/eye			
Not class	sified based on ava	ailable	information.	

Sodium nitrite:

Species	-	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Krytox™ XHT-EP 299

	Revision Date: 09/22/2020	SDS Number: 1788922-00009	Date of first issue: 06/27/2017
•	ratory sensitizatio	n vailable information.	
	cell mutagenicity	vailable information.	
	onents:		
Sodiu	m nitrite:		
Genot	oxicity in vitro	: Test Type: Ba Result: positiv	acterial reverse mutation assay (AMES) /e
		Test Type: In Result: positiv	vitro mammalian cell gene mutation test /e
Genot	oxicity in vivo	cytogenetic as Species: Mou	
		Result: negati	
		cytogenetic as Species: Rat Application Ro	oute: Intraperitoneal injection
		Result: negati	ve
Not cla		Result: negati	ive
Not cla <u>Comp</u>	assified based on a onents:	-	ive
Not cla <u>Comp</u> Sodiu Specie Applic	assified based on a conents: m nitrite: es ation Route ure time	-	ive
Not cla Comp Sodiu Specia Applic Expos	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeni hitrite	
Not cla <u>Comp</u> Sodiu Specie Applic Expos Result	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r (nitrite (in No comp	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeni hitrite gested) under condition	c to humans 7632-00-0 ns that result in endogenous nitrosation) resent at levels greater than or equal to 0.1% is
Not cla <u>Comp</u> Sodiu Specie Applic Expos Result	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r (nitrite (in No comp on OSHA No ingred	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeni hitrite ligested) under condition onent of this product pr s list of regulated carc dient of this product pre	c to humans 7632-00-0 ns that result in endogenous nitrosation) resent at levels greater than or equal to 0.1% is
Not cla <u>Comp</u> Sodiu Specie Applic Expos Result IARC OSHA NTP	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r (nitrite (in No comp on OSHA No ingred	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeni hitrite ligested) under condition onent of this product pr s list of regulated carc dient of this product pre	c to humans 7632-00-0 ns that result in endogenous nitrosation) resent at levels greater than or equal to 0.1% is inogens. sent at levels greater than or equal to 0.1% is
Not cla <u>Comp</u> Sodiu Specie Applic Expos Result IARC OSHA NTP Repro	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r (nitrite (in No comp on OSHA No ingred identified	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeni hitrite ligested) under condition onent of this product pr s list of regulated carc dient of this product pre	c to humans 7632-00-0 ns that result in endogenous nitrosation) resent at levels greater than or equal to 0.1% is inogens. sent at levels greater than or equal to 0.1% is
Not cla Comp Sodiu Specie Applic Expos Result IARC OSHA NTP Repro Not cla	assified based on a conents: m nitrite: es ation Route ure time Group 2A Sodium r (nitrite (in No comp on OSHA No ingred identified	vailable information. : Rat : Ingestion : 2 Years : negative A: Probably carcinogeninitrite ingested) under condition onent of this product previous for this product previous for the product previous for the product previous and the p	c to humans 7632-00-0 ns that result in endogenous nitrosation) resent at levels greater than or equal to 0.1% is inogens. sent at levels greater than or equal to 0.1% is



Krytox™ XHT-EP 299

 Species: Mouse Application Route: Ingestion Result: negative Effects on fetal development : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative STOT-single exposure Not classified based on available information. STOT-repeated exposure Not classified based on available information. Repeated dose toxicity Components: Sodium nitrite: 	
Species: Rat Application Route: Ingestion Result: negative STOT-single exposure Not classified based on available information. STOT-repeated exposure Not classified based on available information. Repeated dose toxicity Components:	
Not classified based on available information. STOT-repeated exposure Not classified based on available information. Repeated dose toxicity <u>Components:</u>	
STOT-repeated exposure Not classified based on available information. Repeated dose toxicity <u>Components:</u>	
Not classified based on available information. Repeated dose toxicity <u>Components:</u>	
Repeated dose toxicity <u>Components:</u>	
<u>Components:</u>	
Sodium nitrite:	
Species : Rat NOAEL : 10 mg/kg	
Application Route : Ingestion	
Exposure time : 2 y	
Ecotoxicity	
Components:	
Sodium nitrite:	ıg/l
Sodium nitrite:Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h	
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other:EC50 (Daphnia magna (Water flea)): 15.4 mg/l	
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h	
 Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 	
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202Toxicity to algae/aquatic:EC50 (Scenedesmus capricornutum (fresh water alga	ae)): >
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l	ae)): >
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202Toxicity to algae/aquatic:EC50 (Scenedesmus capricornutum (fresh water alga	ae)): >
 Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 	
Toxicity to fish:LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202Toxicity to algae/aquatic plants:EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l Exposure time: 72 h	
 Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Scenedesmus capricornutum (fresh water alga mg/l Exposure time: 72 h 	
 Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Scenedesmus capricornutum (fresh water alga mg/l 	
 Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 m Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants EC50 (Scenedesmus capricornutum (fresh water alga 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Scenedesmus capricornutum (fresh water alga mg/l Exposure time: 72 h 	



Krytox[™] XHT-EP 299

Versi 6.1	on	Revision Date: 09/22/2020	0.	DS Number: 88922-00009	Date of last issue: 04/20/2020 Date of first issue: 06/27/2017
				Method: OECD T	est Guideline 210
a		/ to daphnia and other invertebrates (Chron- ity)	:	NOEC (Penaeid S Exposure time: 80	Shrimp): 9.86 mg/l) d
-	Toxicity	/ to microorganisms	:	EC50: 281 mg/l Exposure time: 48	3 h
		t ence and degradabil i a available	ity		
		sumulative potential a available			
		a available			
		adverse effects a available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR	
UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Sodium nitrite)
Class	: 9
Packing group	: III
Labels	: CLASS 9



Krytox[™] XHT-EP 299

Version	Revision Date: 09/22/2020	SDS Number:	Date of last issue: 04/20/2020
6.1		1788922-00009	Date of first issue: 06/27/2017
ERG (Marin Rema	e pollutant	SIZES WHER	NFORMATION ONLY APPLIES TO PACKAGE E THE HAZARDOUS SUBSTANCE MEETS 'ABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazard	S		
SARA 313	:	The following components are subject to reporting levels es tablished by SARA Title III, Section 313:			
		Sodium nitrite	7632-00-0	>= 1 - < 5 %	
US State Regulations					
Pennsylvania Right To Know PFPE fluid	,			Trade secret	
E nara					

PFPE fluidTrade secretFluoropolymerTrade secretSodium nitrite7632-00-0

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances

Molybdenum compound Sodium nitrite

Additional regulatory information

Sodium nitrite

7632-00-0




Krytox™ XHT-EP 299

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2020
6.1	09/22/2020	1788922-00009	Date of first issue: 06/27/2017

The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average



Krytox[™] XHT-EP 299

Version	Revision Date:	SDS Number:	Date of last issue: 04/20/2020
6.1	09/22/2020	1788922-00009	Date of first issue: 06/27/2017

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 09/22/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8