

Versi 6.0	on	Revision Date: 11/08/2022		0S Number: 88758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017				
SECT	FION 1.								
F	Product	t name	:	Krytox™ GPL 223					
F	Product	t code	:	D12439804					
5	SDS-Id	entcode	:	130000031510					
r	Manufa	acturer or supplier's o	deta	iils					
(Compa	ny name of supplier	:						
ļ	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)					
Ţ	Telepho	one	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
E	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000); Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)					
F	Recommended use of the		hem	nical and restriction	ons on use				
F	Recom	mended use	:	Lubricant					
F	Restrict	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)



Version 6.0	Revision Date: 11/08/2022	SDS Number: 1788758-00014	Date of last issu Date of first issu						
	um nitrite al concentration is withh	7632-00-0 eld as a trade secret		>= 1 - < 5					
SECTION	4. FIRST AID MEASU	RES							
lf inha	aled	: If inhaled, remo Get medical att	ove to fresh air. ention if symptoms	occur.					
In cas	se of skin contact		er and soap as a pre ention if symptoms						
In cas	se of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.						
lf swa	allowed	Get medical att	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.						
	important symptoms offects, both acute and ed	Irritation Lung edema Eye contact ma Blurred vision Discomfort Lachrymation Skin contact ma Irritation Redness	provoke the followi by provoke the follow ay provoke the follo provoke the followi eath	wing symptoms					
Prote	ction of first-aiders	: No special prec	autions are necess	sary for first aid responders.					
Notes	s to physician	: Treat symptom	atically and support	tively.					

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides Nitrogen oxides (NOx)



Versio 6.0	n Revision Date: 11/08/2022	SDS Number: 1788758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017			
		Metal oxides				
Sj	becific extinguishing meth-	cumstances a Use water sp	hing measures that are appropriate to local cir- and the surrounding environment. ray to cool unopened containers. amaged containers from fire area if it is safe to do a.			
	pecial protective equipment r fire-fighters	necessary.	ntained breathing apparatus for firefighting if protective equipment.			
SECTION 6. ACCIDENTAL RELEASE MEASURES						
tiv	ersonal precautions, protec- re equipment and emer- ency procedures		andling advice (see section 7) and personal pro- nent recommendations (see section 8).			

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Do not breathe decomposition products.		
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		



Version 6.0	Revision Date: 11/08/2022		DS Number: 788758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017			
Conditions for safe storage			: Keep in properly labeled containers. Store in accordance with the particular national regulations.				
Materials to avoid			No special restric	tions on storage with other products.			
	er information on stor- stability	:	No decompositio	n if stored and applied as directed.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

asures : Processing may form hazardous compounds (see section



Version 6.0	Revision Date: 11/08/2022		9S Number: 88758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017	
				ventilation, especially in confined areas.	
Pers	onal protective equip	ment			
Resp	Respiratory protection		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. When concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.		
Hand	d protection				
R	emarks	:	Wash hands befo	pre breaks and at the end of workday.	
Eye	protection	:	Wear the followin Safety glasses	g personal protective equipment:	
Skin	and body protection	:	Skin should be w	ashed after contact.	
Hygid	ene measures	:	eye flushing syste king place. When using do ne	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available



Versio 6.0	on	Revision Date: 11/08/2022		S Number: 88758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017
F	-lash po	bint	÷	Not applicable	
E	Evapora	ition rate	:	Not applicable	
F	-lamma	bility (solid, gas)		Will not burn	
		xplosion limit / Upper pility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
١	√apor p	ressure	:	Not applicable	
F	Relative	vapor density	:	Not applicable	
F	Relative density			1.89 - 1.93 (75 °F	= / 24 °C)
S	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Partition	coefficient: n- water	:	Not applicable	
A	Autoigni	tion temperature	:	No data available)
C	Decomp	oosition temperature	:	608 °F / 320 °C	
١	/iscosit Visco	y osity, kinematic	:	Not applicable	
E	Explosiv	ve properties	:	Not explosive	
(Oxidizin	g properties	:	The substance o	r mixture is not classified as oxidizing.
F	Particle	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products

Thermal decomposition : Hydrogen fluoride

SAFETY DATA SHEET



Krytox™ GPL 223

/ersion 3.0	Revision Date: 11/08/2022	SDS Number: 1788758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017
		Carbonyl diflu Carbon dioxid Carbon mono	e
SECTION	11. TOXICOLOGICA	L INFORMATION	
Inforr	nation on likely rou	tes of exposure	
Skin o	contact	-	
Ingest			
Eye c	ontact		
Acute	e toxicity		
Not cl	assified based on av	ailable information.	
<u>Produ</u>	<u>uct:</u>		
Acute	oral toxicity	: Assessment: T icity	he substance or mixture has no acute oral tox
Acute	inhalation toxicity	: Acute toxicity e	estimate: > 200 mg/l
		Exposure time	: 4 h
		Test atmosphe	
		Method: Calcu	lation method
Comp	oonents:		
Sodiu	ım nitrite:		
Acute	oral toxicity	: LD50 (Rat): 18	0 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 5.8	5 mg/l
		Exposure time	
		Test atmosphe	ere: dust/mist
Skin (corrosion/irritation		
	assified based on av	ailable information.	
Comp	oonents:		
Sodiu	ım nitrite:		
Speci		: Rabbit	
Metho		: OECD Test Gu	uideline 404
Resul	t	: No skin irritatio	n
Soria	us ava damagalava	irritation	
	us eye damage/eye assified based on av		
<u>Comp</u>	oonents:		
Sodiu	ım nitrite:		
Speci		: Rabbit	
Resul			es, reversing within 21 days
Metho	a	: OECD Test Gu	



ersion)	Revision Date: 11/08/2022	SDS Number: 1788758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not c	assified based on ava	ailable information.	
-	iratory sensitization		
	assified based on ava	ailable information.	
	cell mutagenicity assified based on ava	ailable information	
	oonents:		
	IM nitrite: toxicity in vitro	: Test Type: Bac Result: positive	terial reverse mutation assay (AMES)
		Test Type: In v Result: positive	tro mammalian cell gene mutation test
Geno	toxicity in vivo	: Test Type: Mar cytogenetic ass Species: Mous	
		Application Rou Result: negativ	ute: Intraperitoneal injection e
		Test Type: Mar cytogenetic ass Species: Rat	nmalian erythrocyte micronucleus test (in viv say)
		Application Rou Result: negativ	ute: Intraperitoneal injection e
	nogenicity		
Not c	assified based on ava	ailable information.	
Com	oonents:		
	ım nitrite:		
Speci	es cation Route	: Rat	
	sure time	: Ingestion : 2 Years	
Resu		: negative	
IARC	Sodium nit		7632-00-0
	(nitrite (ing	ested) under conditions	s that result in endogenous nitrosation)
II OSH/		nent of this product pres	sent at levels greater than or equal to 0.1% is ogens.
NTP			ent at levels greater than or equal to 0.1% is education of the other strain of the other strain of the other strains and the other

Not classified based on available information.



Version 6.0	Revision Date: 11/08/2022	SDS Number: 1788758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017
Com	ponents:		
Sodi	um nitrite:		
Effec	ts on fertility	: Test Type: Two Species: Mouse Application Rou Result: negative	ite: Ingestion
Effec	ts on fetal development	: Test Type: Emb Species: Rat Application Rou Result: negative	5
STO	T-single exposure		
Not c	classified based on availa	able information.	
STO	T-repeated exposure		
Not c	classified based on availa	able information.	
Repe	eated dose toxicity		
Com	ponents:		

Sodium nitrite:

Species	:	Rat
Species NOAEL	:	10 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 у

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium nitrite:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Scenedesmus capricornutum (fresh water algae)): 100 mg/l Exposure time: 72 h



Version 6.0	Revision Date: 11/08/2022		DS Number: 88758-00014	Date of last issue: 04/12/2022 Date of first issue: 06/26/2017
			Method: OECD T	est Guideline 201
Toxicit icity)	y to fish (Chronic tox-	:	Exposure time: 3	carpio (Carp)): 21 mg/l 0 d est Guideline 210
	y to daphnia and other c invertebrates (Chron- city)		NOEC (Penaeid S Exposure time: 80	
Toxicit	y to microorganisms	:	EC50: 281 mg/l Exposure time: 44	8 h
	tence and degradabil a available	ity		
	cumulative potential a available			
	ty in soil a available			
•	adverse effects a available			
SECTION 1	13. DISPOSAL CONSI	DEF	ATIONS	

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.



Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022
6.0	11/08/2022	1788758-00014	Date of first issue: 06/26/2017
Labels ERG (Code e pollutant	SIZES WHEF	te) INFORMATION ONLY APPLIES TO PACKAGE RE THE HAZARDOUS SUBSTANCE MEETS TABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5050

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards				
SARA 313	:	The following components are subject to reporting levels tablished by SARA Title III, Section 313:				
		Sodium nitrite	7632-00-0	>= 1 - < 5 %		

US State Regulations

Pennsylvania Right To Know

PFPE fluid Fluoropolymer Sodium nitrite Trade secret Trade secret 7632-00-0

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances

Sodium nitrite

7632-00-0



Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022				
6.0	11/08/2022	1788758-00014	Date of first issue: 06/26/2017				
Additional regulatory information							


Sodium nitrite 7632-00-0 The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740

HMIS® IV:

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

SAFETY DATA SHEET



Krytox[™] GPL 223

Version	Revision Date:	SDS Number:	Date of last issue: 04/12/2022
6.0	11/08/2022	1788758-00014	Date of first issue: 06/26/2017

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/08/2022

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.