

## 1. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

**Name:** MS-739  
DPMS U1118B1  
Contact Re-Nu & Lube

**Product Use:** Lubricate & clean contacts.

### **MANUFACTURER/DISTRIBUTOR:**

Miller-Stephenson Chemical  
55 Backus Ave  
Danbury, Conn. 06810 USA  
(203) 743-4447

**Emergency Phone Number:**  
(800) 424-9300

## 2. HAZARDS IDENTIFICATION

### **Hazard classification**

Serious Eye Damage/Irritation: Category 2A  
Specific target organ toxicity – single exposure: Category 3

### **Label elements:**

#### **Signal word**

Warning

#### **Pictogram**



### **Hazard Statements**

Causes serious eye irritation.  
May cause drowsiness or dizziness.

### **Prevention Statements**

Avoid breathing dust/fume/gas/mist/vapors/spray.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed. Keep cool.  
Dispose of contents/ container to an approved waste disposal plant.

### 3. INGREDIENTS

<u>Material (s)</u>	<u>CAS No.</u>	<u>Approximate %</u>
Isopropyl Alcohol	67-63-0	11 – 13
Methyl Nonafluorobutyl Ether	163702-07-6	8 – 40
Methyl Nonafluoroisobutyl Ether	163702-08-7	47 – 80
Synthetic Lubricant	60164-54-4	1 – 3

### 4. FIRST AID MEASURES

**Inhalation:** Remove patient to fresh air. Get medical attention if symptoms occur.

**Eye:** Flush with large amounts of water for at least 15 minutes, lifting eyelids until no evidence of the chemical remains. Remove contact lenses, if present and easy to do. Continue to rinse. Get medical attention if symptoms occur.

**Skin:** Wash skin with plenty of water for at least 15 minutes. Wash contaminated clothing before use. Get medical attention if symptoms occur.

**Oral:** DO NOT induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

**Most important symptoms/effects, acute and delayed:** Eye contact may cause serious eye irritation. Inhalation may cause drowsiness or dizziness.

### 5. FIRE FIGHTING MEASURES

**Flammability:** This product is not flammable. Does not flash. Method: TCC.

**Suitable Extinguishing Media:** Water spray, Alcohol resistant foam, Dry chemical, Carbon dioxide (CO2)

**Unsuitable extinguishing media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**Specific hazards:** The product is not flammable but may burn at high temperatures. Exposure to extreme heat can give rise to thermal decomposition of Carbon oxides and Hydrogen fluoride.

**Special Fire Fighting Instruction:** In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

**Further information:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Evacuate personnel to safe areas. Cool containers with water spray or fog. Do not allow run-off from the fighting the fire to enter drains or water sources. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Evacuate personnel to safe area. In case of insufficient ventilation, wear suitable respiratory equipment. Use appropriate personal protection equipment.

**Environmental precautions:** Prevent material from entering sewers, waterways, or low areas. Should not be released into the environment. Do not allow contact with soil, surface or ground water.

**Methods and material for containment and cleaning up:** Contain spillage, and then collect with inert material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

## 7. HANDLING AND STORAGE

**Handling:** Use in a well-ventilated area to avoid breathing vapors. Use only with adequate ventilation. Use appropriate respiratory protection when ventilation is inadequate. When using do not eat, drink, or smoke. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

**Storage Conditions:** Store tightly closed in a clean, dry place, well-ventilated place. Do not store in temperatures that exceed 125°F/52°C. Avoid acids, strong bases and oxidizers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Exposure Limits:</u>	<u>STEL(ACGIH)</u>	<u>TWA (OSHA)</u>
Isopropyl Alcohol	400 ppm	400 ppm
Methyl Nonafluorobutyl Ether	Not Established	Not Established
Methyl Nonafluoroisobutyl Ether	Not Established	Not Established

**Respiratory Protection:** Avoid breathing vapors, mists or spray. Use with adequate ventilation especially for enclosed or low places. Use NIOSH approved respirators, such as an air-purifying respirator with organic cartridges. In poorly ventilated areas, use an approved self-contained breathing apparatus.

**Eye Protection:** Avoid eye contact. Use chemical goggles or safety glasses with side shields.

**Skin Protection:** Avoid contact with skin. Use gloves impervious to this material when prolonged or frequently repeated contact occurs. Wash hands before breaks and at the end of workday.

**General Hygiene:** Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Wash work clothing and protective equipment to remove contaminants.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** 140-180°F/60°C – 82°C

**Percent Volatile by Volume:** 99%

**Density:** 1.41 gm/cc at 70°F/21°C

**Vapor Pressure:** N.A.

**Vapor Density (Air=1):** >1

**Solubility in H<sub>2</sub>O:** Slight (less than 10%)

**pH Information:** Neutral

**Evaporation Rate (CC14=1):** N.A.

**Form:** Liquid

**Appearance:** Clear

**Color:** Clear-Colorless

**Odor:** Slight alcohol

## 10. STABILITY AND REACTIVITY

**Reactivity:** Stable at normal temperatures and storage conditions.

**Chemical stability:** Stable at normal temperatures and storage conditions.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Material and Conditions to Avoid:** Direct sunlight. Extremely high and low temperatures. Strong acids, Strong bases and Strong oxidizers.

**Decomposition:** This product can be decomposed by high temperatures (flame, glowing metal surfaces, etc.) forming Carbon oxides, Hydrogen fluoride, Perfluoroisobutylene (PFIB), Toxic vapors and gases.

## 11. TOXICOLOGICAL INFORMATION

### Methyl Nonafluorobutyl Ether

#### Acute Toxicity

**Dermal:** LD50 Estimated to be > 5,000 mg/kg

**Ingestion:** LD50 > 5,000 mg/kg, Rat

**Inhalation:** LC50 > 1,000 mg/l, 4 h, Rat

**Skin Corrosion/Irritation:** No significant irritation in Rabbits.

**Serious Eye Damage/Irritation:** No significant irritation in Rabbits.

**Skin Sensitization:** Not sensitizing in Guinea pigs.

**Respiratory Sensitization:** Data not available or insufficient for classification.

**Germ Cell Mutagenicity:** In vitro and In vivo – Not Mutagenic

**Carcinogenicity:** Data not available or insufficient for classification.

**Reproductive and/or Developmental Toxicity:** Not classified to female or male reproduction in rats by inhalation (Test results- NOAEL 129 mg/l, exposure 1 generation). Not classified for development in rats by inhalation (Test results - NOAEL 307 mg/l, during gestation).

**Single Dose Toxicity:** In Dogs, not classified by inhalation on the nervous system (Test results – LOAEL 913 mg/l, exposure 10 mins) and cardiac sensitization (Test results - NOAEL 913 mg/l, exposure 10 mins).

**Repeated Dose Toxicity:** In Rats, not classified by inhalation on bone, teeth, nails and/or hair (Test results – NOAEL 129 mg/l, exposure 11 weeks) or on liver, heart, skin, endocrine, immune, hematopoietic, nervous, respiratory systems, muscles, eyes, kidney, and/or bladder (Test results – NOAEL 155 mg/l, exposure 13 weeks). And in Rats, not classified by ingestion on liver, heart, endocrine, immune, hematopoietic, nervous, respiratory systems, eyes, kidney, and/or bladder (Test results – NOAEL 1000 mg/kg/day, exposure 28 days).

**Aspiration Hazard:** Data not available or insufficient for classification.

### Methyl Nonafluoroisobutyl Ether

#### Acute Toxicity

**Dermal:** LD50 Estimated to be > 5,000 mg/kg

**Ingestion:** LD50 > 5,000 mg/kg, Rat

**Inhalation:** LC50 > 1,000 mg/l, 4 h, Rat

**Skin Corrosion/Irritation:** No significant irritation in Rabbits.  
**Serious Eye Damage/Irritation:** No significant irritation in Rabbits.  
**Sensitization Skin:** Not sensitizing in Guinea pigs.  
**Sensitization Respiratory:** Data not available or insufficient for classification.  
**Germ Cell Mutagenicity:** In vitro and In vivo – Not Mutagenic  
**Carcinogenicity:** Data not available or insufficient for classification.  
**Reproductive and/or Developmental Toxicity:** Not classified to female or male reproduction in rats by inhalation (Test results- NOAEL 129 mg/l, exposure 1 generation). Not classified for development in rats by inhalation (Test results - NOAEL 307 mg/l, during gestation).  
**Single Dose Toxicity:** In Dogs, not classified by inhalation on the nervous system (Test results – LOAEL 913 mg/l, exposure 10 mins) and cardiac sensitization (Test results - NOAEL 913 mg/l, exposure 10 mins).  
**Repeated Dose Toxicity:** In Rats, not classified by inhalation on bone, teeth, nails and/or hair (Test results – NOAEL 129 mg/l, exposure 11 weeks) or on liver, heart, skin, endocrine, immune, hematopoietic, nervous, respiratory systems, muscles, eyes, kidney, and/or bladder (Test results – NOAEL 155 mg/l, exposure 13 weeks). And in Rats, not classified by ingestion on liver, heart, endocrine, immune, hematopoietic, nervous, respiratory systems, eyes, kidney, and/or bladder (Test results – NOAEL 1000 mg/kg/day, exposure 28 days).  
**Aspiration Hazard:** Data not available or insufficient for classification.

## Isopropyl Alcohol

**Acute Oral:** LD50, Rat, > 5,000 mg/kg  
**Acute Dermal:** LD50, Rabbit, > 5,000 mg/kg  
**Acute Inhalation (vapor):** 6 hour LC50, Rat > 25 mg/l  
**Skin Corrosion/Irritation:** No skin irritation in rabbits.  
**Serious Eye Damage/Irritation:** Irritation to eyes in Rabbits, reversing within 21 days.  
**Skin Sensitization:** Buehler Test (skin contact) is negative in Guinea pig. Method OECD Test Guideline 406  
**Respiratory Sensitization:** Not classified based on available information.  
**Germ Cell Mutagenicity:** In vitro and In vivo - Not Mutagenic  
**Carcinogenicity:** Negative in rats exposed 104 weeks by inhalation (vapor). Method: OECD Test Guideline 451  
**Reproductive Toxicity:** Negative in rats by ingestion based on Two-generation reproduction toxicity study and Embryo-fetal development.  
**STOT- single exposure:** May cause drowsiness or dizziness  
**STOT- repeated exposure:** NOAEL, Rat exposed 104 weeks by inhalation (vapor): 12.5 mg/l  
**Aspiration toxicity:** Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Isopropyl Alcohol

**Toxicity to fish:** 96 hour LC50 in Pimephales promelas (fathead minnow): 9,640 mg/l  
**Toxicity to daphnia and other aquatic invertebrates:** 24 hour EC50 in Daphnia magna (water flea): >10,000 mg/l  
**Toxicity to microorganisms:** 16 hour EC50 in Pseudomonas putida: >1,050 mg/l

**Persistence and degradability:** Rapidly degradable. BOD: 1.19 (BOD5)/COD: 2.23BOD/COD: 53%  
**Bioaccumulative potential:** Partition coefficient: n-octanol/water: log Pow: 0.05  
**Mobility in soil:** No data available.

### **13. DISPOSAL CONSIDERATIONS**

If recycling is not practicable, dispose of in compliance with local regulations. Remove to a permitted waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.

### **14. TRANSPORT INFORMATION**

**U.S. DOT**

Not Regulated

**IATA**

Not Regulated

**IMDG**

Not Regulated

### **15. REGULATORY INFORMATION**

#### **U.S. Federal Regulations**

**TSCA:** All ingredients are listed in TSCA inventory.

### **16. OTHER INFORMATION**

#### **NPCA-HMIS Ratings:**

Health - 2

Flammability - 1

Reactivity - 0

Personal Protective rating to be supplied by user depending on the conditions.

#### **FOR INDUSTRIAL USE ONLY**

#### **REVISION DATE: MARCH 2023**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.