

Krytox[™] VPF 1525 XP

Versio 5.1	on Revision Date: 04/11/2023		9S Number: 64356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017				
SECT	ION 1. IDENTIFICATION							
F	Product name	:	Krytox™ VPF 1525 XP					
F	Product code	:	D10580596					
S	SDS-Identcode	:	13000031448					
Ν	Anufacturer or supplier's	deta	ils					
C	Company name of supplier	:	The Chemours C	ompany FC, LLC				
Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)					
Т	elephone	:	1-844-773-CHEM	l (outside the U.S. 1-302-773-1000)				
E	mergency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)				
F	Recommended use of the o	chem	nical and restriction	ons on use				
F	Recommended use	:	Lubricant					
A	Restrictions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



ersion .1	Revision Date: 04/11/2023				Date of last issue: 11/08/2022 Date of first issue: 06/21/2017		
Poly(lene> <tetra< th=""><th>nical name oxy<trifluoro(trifluoron -), omega-fluoro-alpha afluoro-1 <<(hydroxyp phinyl)oxy>methyl>eth</trifluoro(trifluoron </th><th>nethyl)ethy - henoxy-</th><th>CAS-No. Not Assigned</th><th></th><th>Concentration (% w/w) >= 1 - < 5</th></tetra<>	nical name oxy <trifluoro(trifluoron -), omega-fluoro-alpha afluoro-1 <<(hydroxyp phinyl)oxy>methyl>eth</trifluoro(trifluoron 	nethyl)ethy - henoxy-	CAS-No. Not Assigned		Concentration (% w/w) >= 1 - < 5		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Polymer fume fever Skin contact may provoke the following symptoms: Irritation Discomfort Itching Redness Eye contact may provoke the following symptoms Irritation Lachrymation Redness Discomfort
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod-	:	Hydrogen fluoride



Krytox™ VPF 1525 XP

Version 5.1	Revision Date: 04/11/2023		DS Number: 764356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017	
ucts			carbonyl fluoride potentially toxic fl aerosolized partic Carbon oxides	uorinated compounds culates	
Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.		
	al protective equipment e-fighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety



Version 5.1	Revision Date: 04/11/2023		DS Number: 764356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
			sessment	on the results of the workplace exposure as-
Cond	litions for safe storage	:		labeled containers. Ince with the particular national regulations.
Mate	rials to avoid	:	No special restri	ctions on storage with other products.
	er information on stor- stability	:	No decompositio	on if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		C	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm	NIOSH REL



Krytox™ VPF 1525 XP

ersion .1	Revision Date: 04/11/2023		S Number: 64356-00013		st issue: 11/08/2022 st issue: 06/21/2017	
				TWA	229 mg/m ³ 50 ppm 55 mg/m ³	OSHA Z-
Engi	neering measures	:	10). Ensure adequ	ate ventilation,	especially in confine concentrations.	
Pers	onal protective equip	ment				
Resp	iratory protection	:	maintain vapo concentrations unknown, app Follow OSHA use NIOSH/M by air purifying dous chemica respirator if the exposure leve	r exposures be s are above rec ropriate respira respirator regul SHA approved g respirators ag l is limited. Use ere is any poter ls are unknown	ntilation is recomme low recommended lin ommended limits or tory protection shoul lations (29 CFR 1910 respirators. Protection ainst exposure to an a positive pressure trial for uncontrolled , or any other circum s may not provide ad	mits. Where are Id be worn. 0.134) and on provided by hazar- air supplied release, nstance
Hand	protection					
R	emarks	:	Wash hands b	efore breaks a	nd at the end of work	kday.
Eye p	protection	:	Wear the follo Safety glasses		protective equipment	::
Skin	and body protection	:	Skin should be	e washed after	contact.	
Hygie	ene measures	:	eye flushing s king place. When using d			
ECTION	9. PHYSICAL AND C	HEMI	CAL PROPER	FIES		
	arance		viscous liquid			

Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available



Krytox™ VPF 1525 XP

Versio 5.1	on	Revision Date: 04/11/2023		S Number: 4356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
	nitial bo ange	oiling point and boiling	:	No data available	
F	lash po	pint	:	Method: Pensky- does not flash	Martens closed cup
E	vapora	ation rate	:	No data available)
F	lamma	bility (solid, gas)	:	Not applicable	
F	lamma	bility (liquids)	:	Will not burn	
		xplosion limit / Upper pility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
V	/apor p	ressure	:	No data available)
R	Relative	vapor density	:	No data available)
R	Relative	density	:	1.89 - 1.93	
S	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Partitior octanol/	n coefficient: n- water	:	Not applicable	
A	utoigni	tion temperature	:	No data available)
D	Decomp	oosition temperature	:	662 °F / 350 °C	
V	/iscosit/ Visco	y osity, kinematic	:	No data available	9
E	Explosiv	ve properties	:	Not explosive	
С	Dxidizin	g properties	:	The substance of	r mixture is not classified as oxidizing.
Ρ	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Hazardous decomposition products will be formed at elevated



Version 5.1	Revision Date: 04/11/2023	SDS Number: 1764356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
tions	3	temperatures	
Con	ditions to avoid	: None known.	
Inco	mpatible materials	: None.	
	ardous decompositior	n products	
The	mal decomposition	: Hydrogen fluc Carbonyl diflu Carbon dioxic Carbon mono	ioride le

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

:

:

÷

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
5.1	04/11/2023	1764356-00013	Date of first issue: 06/21/2017

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

2

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



Krytox[™] VPF 1525 XP

Version 5.1	Revision Date: 04/11/2023	SDS Number: 1764356-00013	Date of last issue: 11/08/2022 Date of first issue: 06/21/2017
SECTION	I 12. ECOLOGICAL IN	FORMATION	
Ecot	oxicity		
<u>Com</u>	ponents:		
	(oxy <trifluoro(trifluoron phosphinyl)oxy>methy</trifluoro(trifluoron 		mega-fluoro-alpha- <tetrafluoro-1 <<(hydroxyphe-<="" td=""></tetrafluoro-1>
	oxicology Assessme	unt l	
	e aquatic toxicity		s cannot be excluded
Chro	nic aquatic toxicity	: Toxic effects	s cannot be excluded
	istence and degrada ata available	bility	
	ccumulative potentia ata available	al	
Mobi	ility in soil		
No d	ata available		
Othe	er adverse effects		
No d	ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
5.1	04/11/2023	1764356-00013	Date of first issue: 06/21/2017

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No	SARA Hazards
---------------------------	--------------

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)
		reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

PFPE fluid Trade secret Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoroalpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-


California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION

Further information





Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Krytox[™] VPF 1525 XP

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
5.1	04/11/2023	1764356-00013	Date of first issue: 06/21/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 04/11/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8