

Krytox[™] XHT-BDZ

Versi 7.1	ion	Revision Date: 04/26/2023		OS Number: 64127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017			
SECT	TION 1	. IDENTIFICATION						
F	Produc	t name	:	: Krytox™ XHT-BDZ				
F	Produc	t code	:	D12435179				
ç	SDS-Id	entcode	:	130000028488				
r	Manufa	acturer or supplier's	deta	ails				
(Compa	ny name of supplier	:	The Chemours C	ompany FC, LLC			
/	Addres	S	:	1007 Market Stre Wilmington, DE 1	et 9801 United States of America (USA)			
-	Teleph	one	:	1-844-773-CHEN	I (outside the U.S. 1-302-773-1000)			
I	Emerge	ency telephone	:	0	cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)			
F	Recom	mended use of the c	hen	nical and restriction	ons on use			
F	Recom	mended use	:	Lubricant				
F	Restric	tions on use	:	tions involving im internal body fluic written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, our Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Krytox™ XHT-BDZ

Version 7.1	ion Revision Date: SDS Number: 04/26/2023 1764127-00015			Date of last issue: 11/08/2022 Date of first issue: 06/22/2017		
-	ponents azardous ingredients					
SECTION	4. FIRST AID MEASUR	RES				
lf inha	aled	:	If inhaled, remo Get medical att	ve to fresh air. ention if symptoms occur.		
In cas	se of skin contact	:		er and soap as a precaution. ention if symptoms occur.		
In cas	In case of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
lf swa	allowed	:	Get medical att	O NOT induce vomiting. ention if symptoms occur. proughly with water.		
	important symptoms effects, both acute and ed	:	Irritation Shortness of br Skin contact ma Irritation Discomfort Itching Redness Swelling of tisse Eye contact ma Irritation Lachrymation Redness Discomfort	ay provoke the following symptoms: ue y provoke the following symptoms provoke the following symptoms:		
Prote	ction of first-aiders	:	No special prec	autions are necessary for first aid responders.		
Notes	s to physician	:	Treat symptom	atically and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride



Krytox™ XHT-BDZ

ersion 1	Revision Date: 04/26/2023		9S Number: 64127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017
			potentially toxic flu aerosolized partic Carbon oxides Metal oxides Nitrogen oxides (I	
Specif ods	ic extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to d
Specia for fire	al protective equipment e-fighters	:	necessary.	ed breathing apparatus for firefighting if rective equipment.
ECTION	6. ACCIDENTAL RELE	ASI	EMEASURES	
tive ec	nal precautions, protec- quipment and emer- procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).
Enviro	onmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water.
			cannot be contain	should be advised if significant spillages ed.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-



Krytox[™] XHT-BDZ

Version 7.1	Revision Date: 04/26/2023		Number: 127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017
		-	sessment Fake care to prev environment.	vent spills, waste and minimize release to the
Conc	litions for safe storage			labeled containers. nce with the particular national regulations.
Mate	rials to avoid	: 1	No special restric	tions on storage with other products.
	er information on stor- stability	: 1	No decompositio	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		C	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL



Krytox[™] XHT-BDZ

ersion .1	Revision Date: 04/26/2023		OS Number: 64127-00015		last issue: 11/08/202 first issue: 06/22/201	
				TWA	50 ppm 55 mg/m³	OSHA Z-1
Engi	neering measures	:	10). Ensure adequ	ate ventilatio	rdous compounds (s n, especially in confi ure concentrations.	
Perse	onal protective equip	ment				
Resp	iratory protection	:	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin dous chemica respirator if th exposure leve	or exposures l s are above r propriate resp respirator reg SHA approve g respirators l is limited. U ere is any po els are unknow	ventilation is recommoded below recommended iratory protection sho gulations (29 CFR 19 ed respirators. Protect against exposure to a se a positive pressur tential for uncontrolle wn, or any other circu ors may not provide a	limits. Where or are ould be worn. 10.134) and tion provided any hazar- e air supplied d release, imstance
Hand	protection					
Re	emarks	:	Wash hands I	pefore breaks	and at the end of wo	orkday.
Eye p	protection	:	Wear the follo Safety glasse		al protective equipme	nt:
Skin	and body protection	:	Skin should b	e washed afte	er contact.	
Hygie	ene measures	:	eye flushing s king place. When using d	ystems and s o not eat, drir	ikely during typical us afety showers close nk or smoke. ig before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available



Krytox™ XHT-BDZ

Vers 7.1	sion	Revision Date: 04/26/2023		S Number: 4127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.9 (75 °F / 24 °C	;)
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	•
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosi [.] Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.



Krytox[™] XHT-BDZ

/ersion 7.1	Revision Date: 04/26/2023	SDS Number: 1764127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017
Incon	npatible materials	: None.	
	rdous decomposition nal decomposition	products : Hydrogen flu Carbonyl dif Carbon diox Carbon mon	luoride ide
Infor Skin Inges	11. TOXICOLOGICA mation on likely route contact tion contact		
	e toxicity lassified based on ava	lable information.	
	corrosion/irritation lassified based on ava	lable information.	
	ous eye damage/eye i lassified based on ava		
Resp	iratory or skin sensit	ization	
Skin	sensitization		

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As- : No toxicity to reproduction sessment



Krytox[™] XHT-BDZ

/ersion 7.1	Revision Date: 04/26/2023	SDS Number: 1764127-00015	Date of last issue: 11/08/2022 Date of first issue: 06/22/2017	
	-single exposure			
Not classified based on available information.				
	-repeated exposure			
Not c	lassified based on ava	ailable information.		
-	ation toxicity			
Not classified based on available information.				
	12. ECOLOGICAL IN	FORMATION		
Ecoto	12. ECOLOGICAL IN oxicity ata available	NFORMATION		
Ecoto No da	oxicity			
Ecoto No da Persi	oxicity ata available			
Ecoto No da Persi No da	oxicity ata available stence and degrada	bility		
Ecoto No da Persi No da Bioao	oxicity ata available stence and degrada ata available	bility		
Ecoto No da Persi No da Bioao No da	oxicity ata available stence and degrada ata available ccumulative potentia	bility		
Ecoto No da Persi No da Bioao No da Mobi	oxicity ata available stence and degrada ata available ccumulative potentia ata available	bility		
Ecoto No da Persi No da Bioao No da No da	oxicity ata available stence and degrada ata available ccumulative potentia ata available lity in soil	bility		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good



Krytox[™] XHT-BDZ

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/26/2023	1764127-00015	Date of first issue: 06/22/2017

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: No S	SARA Hazards
SARA 313	knov	material does not contain any chemical components with vn CAS numbers that exceed the threshold (De Minimis) rting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

PFPE fluid Additive Trade secret Trade secret

California Prop. 65


WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION

Further information



Krytox[™] XHT-BDZ



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
USA. Occupational Exposure Limits (OSHA) - Table Z-2
8-hour, time-weighted average
Short-term exposure limit
Ceiling limit
Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
Ceiling value not be exceeded at any time.
8-hour time weighted average
8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Krytox[™] XHT-BDZ

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
7.1	04/26/2023	1764127-00015	Date of first issue: 06/22/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 04/26/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8