

Vers 6.1	ion	Revision Date: 04/11/2023		DS Number: 65866-00013	Date of last issue: 11/08/2022 Date of first issue: 06/23/2017		
SEC	TION 1	. IDENTIFICATION					
	Produc	t name	:	Krytox™ 240AD			
	Produc	t code	:	D10169220			
	SDS-Id	lentcode	:	130000031463			
	Manufa	acturer or supplier's	deta	ails			
	Company name of supplier		:	The Chemours Company FC, LLC			
	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)			
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)			
	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)		
	Recom	mended use of the c	hen	nical and restriction	ons on use		
	Recom	mended use	:	Lubricant			
	Restric	tions on use	:	tions involving im internal body fluic written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, our Chemours representative.		

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Version 6.1	Revision Date: 04/11/2023	SDS Numb 1765866-00		of last issue: 11/08/2022 of first issue: 06/23/2017
-	oonents azardous ingredients			
SECTION	4. FIRST AID MEASU	RES		
lf inha	aled		d, remove to fre dical attention if	esh air. symptoms occur.
In cas	se of skin contact			pap as a precaution. symptoms occur.
In cas	se of eye contact		ves with water a dical attention if	is a precaution. irritation develops and persists.
lf swa	llowed	Get me		nduce vomiting. symptoms occur. / with water.
	important symptoms ffects, both acute and ed	Irritatior Lung ec Eye cor Blurred Discom Lachryn	ema tact may provol vision fort nation ntact may provo	the following symptoms: ke the following symptoms ke the following symptoms:
Prote	ction of first-aiders	: No spec	ial precautions	are necessary for first aid responders
Notes	to physician	: Treat sy	mptomatically a	and supportively.

# SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.



Vers 6.1	sion	Revision Date: 04/11/2023		0S Number: 65866-00013	Date of last issue: 11/08/2022 Date of first issue: 06/23/2017
				Remove undamag so. Evacuate area.	ged containers from fire area if it is safe to do
		protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SEC	CTION 6	. ACCIDENTAL RELE	ASI	E MEASURES	
	tive equ	al precautions, protec- uipment and emer- procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).
	Enviror	nmental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages
		ls and materials for ment and cleaning up	:	For large spills, pr ment to keep mate pumped, store rec Clean up remainin bent. Local or national r sal of this materia ployed in the clea which regulations Sections 13 and 1	absorbent material. ovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Do not breathe decomposition products.		
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.		
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.		
Materials to avoid	:	No special restrictions on storage with other products.		



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
6.1	04/11/2023	1765866-00013	Date of first issue: 06/23/2017
	er information on stor- tability	: No decompositi	on if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	NIOSH REL
		ST	30,000 ppm 54,000 mg/m <sup>3</sup>	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m <sup>3</sup>	NIOSH REL
		С	200 ppm 229 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:



Versio 6.1	on Revision Date: 04/11/2023	SDS Num 1765866-0								
F	Personal protective equipment									
F	Respiratory protection	mainta concer unkno Follow use NI by air dous c respira exposi	ral and local exhaust ventilation is recommended to ain vapor exposures below recommended limits. Where entrations are above recommended limits or are own, appropriate respiratory protection should be worn. v OSHA respirator regulations (29 CFR 1910.134) and IIOSH/MSHA approved respirators. Protection provided purifying respirators against exposure to any hazar- chemical is limited. Use a positive pressure air supplied ator if there is any potential for uncontrolled release, sure levels are unknown, or any other circumstance e air purifying respirators may not provide adequate ction.							
F	land protection									
	Remarks	: Wash	hands before breaks and at the end of workday.							
E	eye protection		the following personal protective equipment: y glasses							
S	Skin and body protection	: Skin s	should be washed after contact.							
F	łygiene measures	eye flu king pl When	osure to chemical is likely during typical use, provide ushing systems and safety showers close to the wor- place. using do not eat, drink or smoke. contaminated clothing before re-use.							

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	608 °F / 320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable



Ver 6.1	sion	Revision Date: 04/11/2023		S Number: 55866-00013	Date of last issue: 11/08/2022 Date of first issue: 06/23/2017
	Evapor	ration rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapor	pressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	1.89 - 1.93	
	Solubil Wa	ity(ies) ter solubility	:	insoluble	
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
	Autoig	nition temperature	:	No data available	
	Decom	position temperature	:	572 °F / 300 °C	
	Viscos Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
		ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle	e size	:	No data available	)

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.			
Chemical stability	:	Stable under normal conditions.			
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.			
Conditions to avoid	:	None known.			
Incompatible materials	:	None.			
Hazardous decomposition products					

Thermal decomposition : Hydrogen fluoride Carbonyl difluoride Carbon dioxide Carbon monoxide

# SAFETY DATA SHEET



# Krytox<sup>™</sup> 240AD

VersionRevision Date:6.104/11/2023	SDS Number: 1765866-00013	Date of last issue: 11/08/2022 Date of first issue: 06/23/2017
------------------------------------	------------------------------	---

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.



Version 6.1	Revision Date: 04/11/2023	SDS Number: 1765866-00013	Date of last issue: 11/08/2022 Date of first issue: 06/23/2017
SECTION	12. ECOLOGICAL II	NFORMATION	
	<b>oxicity</b> ata available		
	i <b>stence and degrada</b> ata available	bility	
	ccumulative potentia ata available	al	
	<b>lity in soil</b> ata available		
••	<b>r adverse effects</b> ata available		
SECTION	13. DISPOSAL CON	SIDERATIONS	
Disp	osal methods		
Wast	e from residues		ccordance with local regulations. of waste into sewer.

Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

## International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

#### Special precautions for user

Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
6.1	04/11/2023	1765866-00013	Date of first issue: 06/23/2017

## SECTION 15. REGULATORY INFORMATION

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

PFPE fluid Fluoropolymer Trade secret Trade secret


#### California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

#### **SECTION 16. OTHER INFORMATION**

**Further information** 





Krytox<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

#### Full text of other abbreviations

USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
USA. Occupational Exposure Limits (OSHA) - Table Z-2
8-hour, time-weighted average
Short-term exposure limit
Ceiling limit
Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
Ceiling value not be exceeded at any time.
8-hour time weighted average
8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals

# SAFETY DATA SHEET



# Krytox<sup>™</sup> 240AD

Version	Revision Date:	SDS Number:	Date of last issue: 11/08/2022
6.1	04/11/2023	1765866-00013	Date of first issue: 06/23/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 04/11/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8