

# SAFETY DATA SHEET

### FOR INDUSTRIAL USE ONLY

### **HELOXY<sup>TM</sup> Modifier 48**

## Section 1. Product and company identification

GHS product identifier : HELOXY™ Modifier 48

MSDS Number : L1502 Product type : Epoxy Resin

Manufacturer/Supplier/Importer : Westlake Epoxy Inc.

12650 DIRECTORS DR STE 100

Stafford, Texas 77477

USA

**Contact person** : epoxyservice@westlake.com

**Telephone** : For additional health and safety or regulatory information, call

1 380 251 9900

**Emergency telephone number** : For Emergency Medical Assistance

Call Health & Safety Information Services

1-866-303-6949

For Emergency Transportation Information

NCEC US Domestic +1 866 928 0789 (toll-free, US only)

NCEC Americas +1 215 207 0061

CANUTEC CA Domestic (613) 996-6666

### Section 2. Hazards identification

Classification of the substance or

mixture

: SKIN CORROSION - Category 1C SERIOUS EYE DAMAGE - Category 1

SKIN SENSITISATION - Category 1

REPRODUCTIVE TOXICITY - Category 1B REPRODUCTIVE TOXICITY - Category 1B

**GHS** label elements

Hazard pictograms :



Signal word : Danger

**Hazard statements** : H314 Causes severe skin burns and eye damage.

H318 Causes serious eve damage.

H317 May cause an allergic skin reaction.

H360F May damage fertility. H360 May damage the unborn child.

### **Precautionary statements**

HELOXY<sup>IM</sup> Modifier 48 Page: 2/13

**General** : Not applicable.

**Prevention** : Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor.

Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

**Response** : IF exposed or concerned:

Get medical attention.

#### IF INHALED:

Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or physician.

### IF SWALLOWED:

Immediately call a POISON CENTER or physician.

Rinse mouth.

Do NOT induce vomiting.

### IF ON SKIN (or hair):

Take off immediately all contaminated clothing.

Rinse skin with water or shower.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTER or physician.

#### IF ON SKIN:

Wash with plenty of soap and water.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs:

Get medical attention.

#### IF IN EYES:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

**Storage** : Store locked up.

**Disposal**: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Other hazards which do not result

in classification

None known.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% by weight	CAS number
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane	100	30499-70-8

HELOXY<sup>TM</sup> Modifier 48 Page:3/13

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Inhalation

Skin contact

**Ingestion** 

Get medical attention immediately. Call a poison center or physician. Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be

treated promptly by a physician.

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** No specific treatment.

Protection of first aid personnel No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the

10.1 02/14/2023 09/22/2022 Version: Date of issue/Date of revision: Date of previous issue:

HELOXY<sup>IM</sup> Modifier 48 Page:4/13

rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media

- : Use an extinguishing agent suitable for the surrounding fire.
- : None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

- : In a fire or if heated, a pressure increase will occur and the container may burst.
- : Decomposition products may include the following materials: carbon oxides

halogenated compounds aldehydes

acids

other organic compounds

Special protective actions for firefighters

fire-fighters

Special protective equipment for

- : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

HELOXY<sup>TM</sup> Modifier 48 Page:5/13

### Large spill

disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

### Section 7. Handling and storage

### Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### **Control parameters**

#### Occupational exposure limits

None.

# Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to

HELOXY<sup>IM</sup> Modifier 48 Page:6/13

determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**Appropriate engineering controls** 

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** 

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

HELOXY<sup>TM</sup> Modifier 48 Page:7/13

### Section 9. Physical and chemical properties

### **Appearance**

Liquid Physical state Color Light

Odor Faint odor. **Odor threshold** Not available Not available Melting point/ Freezing point Not available

**Boiling point** Not available

Flash point Greater than 100 °C (212 °F)

**Burning time** Not available **Burning rate** Not available **Evaporation rate** Not available Flammability (solid, gas) Not available

Lower and upper explosive **Lower:** Not available (flammable) limits Upper: Not available

Less than 1 Pa @ 25 °C (77 °F) Vapor pressure

Vapor density Not available Relative density Not available **Solubility** Not available Solubility in water Negligible

Partition coefficient: n-

octanol/water

Not available

Not available

**Auto-ignition temperature Decomposition temperature** Not available **SADT** Not available

Dynamic: Not available Viscosity Kinematic: Not available

### Other information

No additional information.

### Section 10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid Strong oxidizer, Avoid all possible sources of ignition (spark or

flame).

**Incompatible materials** Reactive or incompatible with the following materials:

strong oxidizing agents,

strong acids,

10.1 Date of issue/Date of revision: 02/14/2023 09/22/2022 Version: Date of previous issue:

HELOXY<sup>IM</sup> Modifier 48 Page:8/13

strong alkalis, aliphatic amines,

**Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

### Section 11. Toxicological information

### **Information on toxicological effects**

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane				
	LD50 Oral	Rat	> 2,000 mg/kg	-
	LD50 Dermal	Rat	> 2,000 mg/kg	-

Conclusion/Summary : Not available

### **Irritation/Corrosion**

**Conclusion/Summary** 

Skin:Not availableeyes:Not availableRespiratory:Not available

### **Sensitization**

Conclusion/Summary

Skin: Not availableRespiratory: Not available

**Mutagenicity** 

Conclusion/Summary : Not available

Carcinogenicity

Conclusion/Summary : Not available

Reproductive toxicity

Conclusion/Summary : Not available

**Teratogenicity** 

Conclusion/Summary : Not available

### Specific target organ toxicity (single exposure)

Not available

### Specific target organ toxicity (repeated exposure)

Not available Not available

### **Aspiration hazard**

HELOXY<sup>IM</sup> Modifier 48 Page: 9/13

Not available

Information on likely routes of

exposure

Not available

#### Potential acute health effects

**Eve contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes severe burns. May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

**Inhalation** : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations

**Ingestion** : Adverse symptoms may include the following:

stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Short term exposure**

Potential immediate effects : Not available
Potential delayed effects : Not available

**Long term exposure** 

Potential immediate effects: Not availablePotential delayed effects: Not available

#### Potential chronic health effects

Conclusion/Summary : Not available

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

**Teratogenicity**: May damage the unborn child.

HELOXY<sup>TM</sup> Modifier 48 Page: 10/13

**Developmental effects** 

**Fertility effects** 

No known significant effects or critical hazards.

May damage fertility.

### Numerical measures of toxicity

### **Acute toxicity estimates**

No data available.

# Section 12. Ecological information

### **Toxicity**

Not available **Conclusion/Summary** 

Persistence/degradability

**Conclusion/Summary** Not available

### **Bioaccumulative potential**

Not available

### Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects No known significant effects or critical hazards.

Not available

### Section 13. Disposal considerations

### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

10.1 02/14/2023 09/22/2022 Version: Date of issue/Date of revision: Date of previous issue:

HELOXY<sup>IM</sup> Modifier 48 Page: 11/13

Regulatory	UN/NA	Proper shipping name	Classes/*PG	Reportable
information	number			Quantity (RQ)
CFR	1760	CORROSIVE LIQUID, N.O.S. (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane)	Class 8 III	
TDG	1760	CORROSIVE LIQUID, N.O.S. (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane)	Class 8 III	
IMO/IMDG	1760	CORROSIVE LIQUID, N.O.S. (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane)	Class 8 III	
IATA (Cargo)	1760	CORROSIVE LIQUID, N.O.S. (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane)	Class 8 III	

\*PG: Packing group

Environmentally hazardous and/or Marine Pollutant



Special precautions for user

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Yes.

# Section 15. Regulatory information

### **United States**

U.S. Federal regulations

: United States - TSCA 12(b) - Chemical export notification: None required.

United States - TSCA  $5\alpha 2$  - Final significant new use rules: Not listed United States - TSCA  $5\alpha 2$  - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed SARA 311/312 Classification - Immediate (acute) health hazard, Delayed

(chronic) health hazard

### California Prop. 65:

HELOXY<sup>TM</sup> Modifier 48 Page: 12/13

WARNING: This product may contain one or more chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**United States inventory (TSCA**: All components are active or exempted. **8b**)

### **International regulations**

International lists

: Australia inventory (AICS) All components are listed or exempted.

**Canada inventory** All components are listed or exempted. **Japan inventory** All components are listed or exempted.

**China inventory (IECSC)** All components are listed or exempted. **Korea inventory (KECI)** All components are listed or exempted.

New Zealand Inventory (NZIoC) All components are listed or exempted.

Philippines inventory (PICCS) All components are listed or exempted.

United States inventory (TSCA 8b) All components are active or exempted.

Taiwan inventory (TCSI) All components are listed or exempted.

### Section 16. Other information

Hazardous Material Information System III (U.S.A.):

======================================		
Health	*	2
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Full text of abbreviated H

statements

Not applicable.

### **History**

Date of printing07/02/2023Date of issue/Date of revision02/14/2023Date of previous issue09/22/2022Version10.1

Prepared by

Key to abbreviations

Product Safety Stewardship

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

HELOXY<sup>IM</sup> Modifier 48 Page: 13/13

UN = United Nations Not available

### Notice to reader

References

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.