

Krytox[™] XP 2A7

| Version 6.2 | n Revision Date: 05/12/2023 | | OS Number: 65700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 | | | | | | |
|----------------|--------------------------------|------|---|---|--|--|--|--|--|--|
| SECTI | SECTION 1. IDENTIFICATION | | | | | | | | | |
| Pi | roduct name | : | : Krytox™ XP 2A7 | | | | | | | |
| Pi | roduct code | : | D12440566 | | | | | | | |
| SI | DS-Identcode | : | 130000024316 | | | | | | | |
| М | anufacturer or supplier's | deta | nils | | | | | | | |
| C | ompany name of supplier | : | The Chemours Company FC, LLC | | | | | | | |
| Ad | Address | | 1007 Market Street Wilmington, DE 19801 United States of America (USA) | | | | | | | |
| Те | Telephone | | 1-844-773-CHEM (outside the U.S. 1-302-773-1000) | | | | | | | |
| Eı | Emergency telephone | | Medical emergency: 1-866-595-1473 (outside the U.S. 1-30 773-2000) ; Transport emergency: +1-800-424-9300 (outs the U.S. +1-703-527-3887) | | | | | | | |
| R | ecommended use of the c | hen | nical and restriction | ons on use | | | | | | |
| R | ecommended use | : | Lubricant | | | | | | | |
| R | estrictions on use | : | tions involving im internal body fluid written agreemen | only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative. | | | | | | |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



| sion Revision Date: 05/12/2023 | SDS Number: 1765700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|--|------------------------------|---|
| Chemical name | CAS-No. | Concentration (% w/w) |
| Poly(oxy <trifluoro(trifluoron lene>), omega-fluoro-alpha <tetrafluoro-1 <<(hydroxyp<br="">phosphinyl)oxy>methyl>eth</tetrafluoro-1></trifluoro(trifluoron | - nenoxy- | ed >= 1 - < 5 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| If inhaled | : | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
|---|---|---|
| In case of skin contact | : | Wash with water and soap as a precaution. Get medical attention if symptoms occur. |
| In case of eye contact | : | Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | Skin contact may provoke the following symptoms: Irritation Discomfort Redness Sensitization Eye contact may provoke the following symptoms Discomfort Irritation Blurred vision Inhalation may provoke the following symptoms: Polymer fume fever Inhalation may provoke the following symptoms: Irritation Shortness of breath |
| Protection of first-aiders | : | No special precautions are necessary for first aid responders. |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : | Not applicable Will not burn |
|---------------------------------------|---|--|
| Unsuitable extinguishing media | : | Not applicable Will not burn |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |



| Version Revision 6.2 05/12/202 | | DS Number: 765700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|--|----------------|--|--|
| Hazardous combu ucts | ustion prod- : | Hydrogen fluoride carbonyl fluoride potentially toxic fl aerosolized partic Carbon oxides | uorinated compounds |
| Specific extinguis ods | hing meth- : | cumstances and Use water spray f | g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do |
| Special protective for fire-fighters | equipment : | necessary. | ed breathing apparatus for firefighting if tective equipment. |
| SECTION 6. ACCIDE | NTAL RELEAS | E MEASURES | |
| Personal precauti tive equipment an gency procedures | d emer- | | ing advice (see section 7) and personal pro- t recommendations (see section 8). |
| Environmental pre | ecautions : | Retain and dispose | akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages |
| Methods and mat containment and o | | For large spills, p ment to keep mat pumped, store re- Clean up remaining bent. Local or national sal of this materia ployed in the clean which regulations Sections 13 and | t absorbent material. rovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. 15 of this SDS provide information regarding ational requirements. |

SECTION 7. HANDLING AND STORAGE

| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
|-------------------------|---|---|
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not breathe decomposition products. |
| | | Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- |



| Version 6.2 | Revision Date: 05/12/2023 | | Number: '00-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|-----------------------------|---------------------------------------|-----|---|--|
| | | Ta | essment ake care to prev avironment. | rent spills, waste and minimize release to the |
| Conditions for safe storage | | | | labeled containers. nce with the particular national regulations. |
| Mate | Materials to avoid | | No special restrictions on storage with other products. | |
| | ner information on stor- stability | : N | o decomposition | n if stored and applied as directed. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|---------------------|-----------|-------------------------------------|--|-----------|
| Hydrogen fluoride | 7664-39-3 | TŴA | 0.5 ppm (Fluorine) | ACGIH |
| | | С | 2 ppm (Fluorine) | ACGIH |
| | | С | 6 ppm 5 mg/m³ | NIOSH REL |
| | | TWA | 3 ppm 2.5 mg/m ³ | NIOSH REL |
| | | TWA | 3 ppm | OSHA Z-2 |
| Carbonyl difluoride | 353-50-4 | TWA | 2 ppm | ACGIH |
| | | STEL | 5 ppm | ACGIH |
| | | TWA | 2 ppm 5 mg/m ³ | NIOSH REL |
| | | ST | 5 ppm 15 mg/m³ | NIOSH REL |
| Carbon dioxide | 124-38-9 | TWA | 5,000 ppm | ACGIH |
| | | STEL | 30,000 ppm | ACGIH |
| | | TWA | 5,000 ppm 9,000 mg/m³ | NIOSH REL |
| | | ST | 30,000 ppm 54,000 mg/m ³ | NIOSH REL |
| | | TWA | 5,000 ppm 9,000 mg/m ³ | OSHA Z-1 |
| Carbon monoxide | 630-08-0 | TWA | 25 ppm | ACGIH |
| | | TWA | 35 ppm 40 mg/m ³ | NIOSH REL |
| | | С | 200 ppm 229 mg/m ³ | NIOSH REL |



| ersion 2 | Revision Date: 05/12/2023 | | OS Number: 65700-00015 | | last issue: 04/11/2023 first issue: 06/23/201 | |
|-------------|------------------------------|------|--|--|--|--|
| | | | | TWA | 50 ppm 55 mg/m³ | OSHA Z- |
| Engir | neering measures | : | 10). Ensure adequ | ate ventilatio | rdous compounds (se n, especially in confir ure concentrations. | |
| Perso | onal protective equip | ment | | | | |
| Resp | iratory protection | : | maintain vapo concentration unknown, app Follow OSHA use NIOSH/W by air purifyin dous chemica respirator if th exposure leve | or exposures s are above r propriate resp respirator respirator respirators SHA approve g respirators I is limited. U ere is any po els are unknow | ventilation is recomme below recommended ecommended limits of iratory protection sho gulations (29 CFR 19 ed respirators. Protec against exposure to a se a positive pressure tential for uncontrolle wn, or any other circu ors may not provide a | limits. Where or are uld be worn. 10.134) and tion provided any hazar- e air supplied d release, mstance |
| Hand | protection | | | | | |
| Re | emarks | : | Wash hands I | pefore breaks | and at the end of wo | orkday. |
| Eye p | protection | : | Wear the follo Safety glasse | | al protective equipme | nt: |
| Skin a | and body protection | : | Skin should b | e washed aft | er contact. | |
| Hygie | ene measures | : | eye flushing s king place. When using d | ystems and s o not eat, dri | ikely during typical us safety showers close nk or smoke. ng before re-use. | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | Grease |
|------------------------------|---|-------------------|
| Color | : | white |
| Odor | : | odorless |
| Odor Threshold | : | No data available |
| рН | : | 7 |
| Melting point/freezing point | : | 608 °F / 320 °C |

SAFETY DATA SHEET




Krytox™ XP 2A7

| Vers 6.2 | sion | Revision Date: 05/12/2023 | | S Number: 5700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|-------------|------------------------------|---|---|-------------------------|---|
| | Initial b range | oiling point and boiling | : | No data available | |
| | Flash p | oint | : | Not applicable | |
| | Evapor | ation rate | : | Not applicable | |
| | Flamma | ability (solid, gas) | : | Will not burn | |
| | | explosion limit / Upper bility limit | : | No data available | |
| | | explosion limit / Lower bility limit | : | No data available | |
| | Vapor p | pressure | : | Not applicable | |
| | Relative | e vapor density | : | Not applicable | |
| | Relative | e density | : | 1.9 | |
| | Solubili Wat | ty(ies) er solubility | : | insoluble | |
| | Partition octanol | n coefficient: n- /water | : | Not applicable | |
| | Autoign | ition temperature | : | No data available | |
| | Decom | position temperature | : | 572 °F / 300 °C | |
| | Viscosi [.] Visc | ty sosity, kinematic | : | Not applicable | |
| | Explosi | ve properties | : | Not explosive | |
| | Oxidizir | ng properties | : | The substance or | mixture is not classified as oxidizing. |
| | Particle | size | : | No data available | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | Not classified as a reactivity hazard. |
|---|---|---|
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reac- tions | : | Hazardous decomposition products will be formed at elevated temperatures. |
| Conditions to avoid | : | None known. |



Chemours^{**}

Krytox™ XP 2A7

| Version 6.2 | Revision Date: 05/12/2023 | SDS Number: 1765700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|----------------|--|---|---|
| Incomp | patible materials | : None. | |
| | dous decomposition al decomposition | products : Hydrogen fluoric Carbonyl difluori Carbon dioxide Carbon monoxic | de |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

:

| Species | : | Rabbit |
|---------|---|--------------------|
| Result | : | No skin irritation |

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Species:RabbitResult:Irritation to eyes, reversing within 21 days



Krytox[™] XP 2A7

| Version 6.2 | Revision Date: 05/12/2023 | SDS Number: 1765700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|----------------|--|------------------------------|---|
| Resp | iratory or skin sens | itization | |
| Skin | sensitization | | |
| Not c | Not classified based on available information. | | |
| Resp | Respiratory sensitization | | |
| Not c | Not classified based on available information. | | |
| - | | | |

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

:

| Routes of exposure | : | Skin contact |
|--------------------|---|--------------|
| Species | : | Guinea pig |
| Result | : | negative |

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



| ersion 2 | Revision Date: 05/12/2023 | SDS Number: 1765700-00015 | Date of last issue: 04/11/2023 Date of first issue: 06/23/2017 |
|-------------|--|------------------------------|--|
| ECTION | 12. ECOLOGICAL IN | NFORMATION | |
| Ecoto | oxicity | | |
| Com | ponents: | | |
| | oxy <trifluoro(trifluoron bhosphinyl)oxy>methy</trifluoro(trifluoron | | ga-fluoro-alpha- <tetrafluoro-1 <<(hydroxyphe<="" td=""></tetrafluoro-1> |
| Ecoto | oxicology Assessme | ent | |
| | aquatic toxicity | | nnot be excluded |
| Chror | nic aquatic toxicity | : Toxic effects ca | annot be excluded |
| | stence and degrada ata available | bility | |
| Bioad | ccumulative potentia | al | |
| Mobi | lity in soil | | |
| No da | ata available | | |
| Othe | r adverse effects | | |
| No da | ata available | | |

| Disposal methods | | |
|------------------------|---|---|
| Waste from residues | : | Dispose of in accordance with local regulations. Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



| VersionRevision Date:SDS Number:Date of last issue: 04/11/20236.205/12/20231765700-00015Date of first issue: 06/23/2017 |
|---|
|---|

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : No SARA Hazards |
|----------------------|--|
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) |

US State Regulations

Pennsylvania Right To Know

PFPE fluid Trade secret Fluoropolymer Trade secret Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoroalpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-

reporting levels established by SARA Title III, Section 313.

California Prop. 65


WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION

Further information



Krytox[™] XP 2A7



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

| ACGIH:USA. ACGIH Threshold Limit Values (TLV)NIOSH REL:USA. NIOSH Recommended Exposure LimitsOSHA Z-1:USA. Occupational Exposure Limits (OSHA) - Table Zits for Air Contaminants: | -1 Lim- |
|---|---------|
| OSHA Z-2 : USA. Occupational Exposure Limits (OSHA) - Table Z | -2 |
| ACGIH / TWA : 8-hour, time-weighted average | |
| ACGIH / STEL : Short-term exposure limit | |
| ACGIH / C : Ceiling limit | |
| NIOSH REL / TWA : Time-weighted average concentration for up to a 10-h workday during a 40-hour workweek | our |
| NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be e at any time during a workday | xceeded |
| NIOSH REL / C : Ceiling value not be exceeded at any time. | |
| OSHA Z-1 / TWA : 8-hour time weighted average | |
| OSHA Z-2 / TWA : 8-hour time weighted average | |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals

SAFETY DATA SHEET



Krytox[™] XP 2A7

| Version | Revision Date: | SDS Number: | Date of last issue: 04/11/2023 |
|---------|----------------|---------------|---------------------------------|
| 6.2 | 05/12/2023 | 1765700-00015 | Date of first issue: 06/23/2017 |

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

| Sources of key data used to | : | Internal technical data, data from raw material SDSs, OECD |
|-----------------------------|---|--|
| compile the Material Safety | | eChem Portal search results and European Chemicals Agen- |
| Data Sheet | | cy, http://echa.europa.eu/ |

Revision Date

: 05/12/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8