

Versic 8.1	on	Revision Date: 04/26/2023		0S Number: 33215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017
SECT	ION 1.	IDENTIFICATION			
F	Product	name	:	Krytox™ NRT 890	08 Paste
F	Product	code	:	D13607741	
S	SDS-Id	entcode	:	130000033930	
N	Manufa	cturer or supplier's o	deta	ils	
C	Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC
А	Adres	6	:	1007 Market Stree Wilmington, DE 1	et 9801 United States of America (USA)
Т	Telepho	one	:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)
E	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- sport emergency: +1-800-424-9300 (outside 27-3887)
R	Recom	mended use of the c	hem	nical and restriction	ons on use
F	Recomi	mended use	:	Lubricant	
F	Restrict	ions on use	:	Do not use or rest tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



Version 8.1	Revision Date: 04/26/2023		OS Number: 33215-00044		e of last issue: 07/26/2022 e of first issue: 02/27/2017
Addit	nical name ive al concentration is withh	eld a	CAS-No. Trade secret as a trade secret		Concentration (% w/w) >= 30 - < 50
SECTION	4. FIRST AID MEASUR	RES			
lf inh	aled	:	If inhaled, remov Get medical atter		esh air. symptoms occur.
In ca	se of skin contact	:			pap as a precaution. symptoms occur.
In ca	se of eye contact	:	Flush eyes with v Get medical atter		as a precaution. irritation develops and persists.
lf swa	allowed	:	If swallowed, DO Get medical atter Rinse mouth tho	ntion if	symptoms occur.
	important symptoms effects, both acute and red	:	Irritation Polymer fume fer Skin contact may Discomfort Itching Redness Swelling of tissue Eye contact may Lachrymation	ver / provo provol rovoke	e the following symptoms: oke the following symptoms: ke the following symptoms e the following symptoms:
Prote	ection of first-aiders	:	No special preca	utions	are necessary for first aid responders.
Notes	s to physician	:	Treat symptomat	ically a	and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides

SAFETY DATA SHEET



Krytox[™] NRT 8908 Paste

Versi 8.1	ion	Revision Date: 04/26/2023		S Number: 33215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for fire-l	protective equipment fighters	:	necessary.	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers.



Version 8.1	Revision Date: 04/26/2023	•	DS Number: 333215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017
			Store in accorda	ance with the particular national regulations.
Mater	ials to avoid	:	No special restr	ctions on storage with other products.
	er information on stor- tability	:	No decompositi	on if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Additive	Trade secret	TWA (Dust)	20 Million par- ticles per cubic foot	OSHA Z-3
		TWA (Res- pirable)	2 mg/m³	NIOSH REL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m ³	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		C	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm	OSHA Z-1



04/26/2023	SDS Number: 1333215-0004		f last issue: 07/26/202 f first issue: 02/27/201	
	I		9,000 mg/m³	
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH F
		С	200 ppm 229 mg/m ³	NIOSH F
		TWA	50 ppm 55 mg/m³	OSHA Z
Engineering measures	10). Ensure ad	equate ventilat	ardous compounds (s ion, especially in confi sure concentrations.	
Personal protective equ	uipment			
Respiratory protection	maintain v concentrat unknown, s Follow OS use NIOSH by air purif dous chem respirator i exposure l	apor exposures ions are above appropriate res HA respirator r I/MSHA appro ying respirators ical is limited. f there is any p evels are unkn purifying respira	et ventilation is recomme s below recommended piratory protection sho egulations (29 CFR 19 ved respirators. Protect s against exposure to Use a positive pressure totential for uncontrolle own, or any other circu- ators may not provide	I limits. Where or are ould be worn. 010.134) and ction provided any hazar- re air supplied ed release, umstance
Hand protection Material	: Nitrile rubb	er		
Remarks	on the con application micals of tl manufactu workday. E	centration speces, we recommended re aforemention rer. Wash hand	hands against chemic cific to place of work. F end clarifying the resis ned protective gloves ds before breaks and a me is not determined f n!	For special tance to che- with the glove at the end of
Eye protection	: Wear the f Safety glas	• •	nal protective equipme	ent:
Skin and body protection	: Skin shoul	d be washed a	fter contact.	
Hygiene measures	eye flushin king place. When usin	g systems and g do not eat, d	i likely during typical us safety showers close rink or smoke. ing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Krytox[™] NRT 8908 Paste

Version 8.1	Revision Date: 04/26/2023		S Number: 3215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017
Ap	pearance	:	Grease	
Co	lor	:	white	
Od	or	:	odorless	
Od	or Threshold	:	No data available	
pН		:	7	
Ме	Iting point/freezing point	:	No data available	
Init ran	ial boiling point and boiling ge	:	No data available	3
Fla	sh point	:	Not applicable	
Eva	aporation rate	:	Not applicable	
Fla	mmability (solid, gas)	:	Will not burn	
	per explosion limit / Upper nmability limit	:	No data available	
	wer explosion limit / Lower nmability limit	:	No data available)
Va	oor pressure	:	Not applicable	
Re	lative vapor density	:	Not applicable	
Re	lative density	:	1.9	
	ubility(ies) Water solubility	:	insoluble	
	rtition coefficient: n- anol/water	:	Not applicable	
Aut	toignition temperature	:	No data available	
De	composition temperature	:	662 °F / 350 °C	
	cosity Viscosity, kinematic	:	Not applicable	
Exp	plosive properties	:	Not explosive	
Ox	idizing properties	:	The substance of	r mixture is not classified as oxidizing.



rticle size	: E AC :		e	
activity	EAC			
·	:	Not aloogified as		
		not classified as	a reactivity hazard.	
Chemical stability		Stable under normal conditions.		
ssibility of hazardous reac- is	:	Hazardous deco temperatures.	emposition products will be formed at elevated	
nditions to avoid	:	None known.		
ompatible materials	:	None.		
zardous decomposition p	orod	ucts		
ermal decomposition	:	Hydrogen fluorid Carbonyl difluori Carbon dioxide Carbon monoxid	de	
	s iditions to avoid ompatible materials cardous decomposition p rmal decomposition	s iditions to avoid : pmpatible materials : cardous decomposition prod rmal decomposition :	s temperatures. aditions to avoid : None known. pompatible materials : None. cardous decomposition products rmal decomposition : Hydrogen fluorio Carbonyl difluorio Carbon dioxide	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Additive:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Additive:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.



ersion 1	Revision Date: 04/26/2023	SDS Number: 1333215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017		
<u>Com</u>	oonents:				
Addit	ive:				
Speci	es	: Rabbit			
Resu	lt	: No eye irritatio	on		
Resp	Respiratory or skin sensitization				
Skin	sensitization				
Not cl	Not classified based on available information.				
Resp	Respiratory sensitization				
Not cl	lassified based on av	vailable information.			
<u>Com</u>	oonents:				
Addit	ive:				
Route	es of exposure	: Skin contact			
Speci		: Humans			
Resu	It	: negative			
	cell mutagenicity				
	Not classified based on available information. <u>Components:</u>				
Addit	-				
Geno	toxicity in vitro		NA damage and repair, unscheduled DNA syn- malian cells (in vitro) ve		
Genotoxicity in vivo		Species: Rat Application Re	 Test Type: Chromosome aberration test in vitro Species: Rat Application Route: Ingestion Result: negative 		
Carci	Carcinogenicity				
	lassified based on av	vailable information			
	oonents:				
Addit					
Speci	es cation Route	: Mouse : inhalation (du	st/mist/fume)		
	sure time	: 2 Years	svinisviunie)		
Resu		: negative			
IARC	5	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.			
OSH		onent of this product pr s list of regulated carc	esent at levels greater than or equal to 0.1% is inogens.		
NTP			sent at levels greater than or equal to 0.1% is ted carcinogen by NTP.		
NTP			ted carcinogen by NTP.		



Version 8.1	Revision Date: 04/26/2023		OS Number: 33215-00044	Date of last issue: 07/26/2022 Date of first issue: 02/27/2017
-	oductive toxicity lassified based on ava	ilahle	information	
	ponents:		information.	
Addi				
Effec	ts on fetal developmer	nt :	Test Type: Emb Species: Rat Application Rou Result: negative	
	F-single exposure lassified based on ava	ilable	information.	
	F-repeated exposure			
	lassified based on ava	ilable	information.	
-	ration toxicity lassified based on ava	ilahle	information	
	12. ECOLOGICAL IN			
02011011				
Ecot	oxicity			
Com	ponents:			
Addi				
Toxic	ity to fish	:	LC50 (Brachyd Exposure time:	anio rerio (zebrafish)): > 100,000 mg/l 24 h
		aility		
	istence and degradal ata available	Jinty		
No da Bioa e	-	-		
No da Bioa No da Mobi	ata available ccumulative potentia	-		
No da Bioad No da Mobi No da Othe	ata available ccumulative potentia ata available lity in soil	-		
No da Bioa d No da Mobi No da Othe No da	ata available ccumulative potentia ata available lity in soil ata available r adverse effects	I	ATIONS	
No da Bioad No da Mobi No da Othe No da SECTION	ata available ccumulative potentia ata available lity in soil ata available r adverse effects ata available 13. DISPOSAL CON	I	ATIONS	
No da Bioa No da No da Othe No da SECTION	ata available ccumulative potentia ata available lity in soil ata available r adverse effects ata available	I	Dispose of in a	ccordance with local regulations. of waste into sewer.



Version	Revision Date:	SDS Number:	Date of last issue: 07/26/2022
8.1	04/26/2023	1333215-00044	Date of first issue: 02/27/2017

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


PFPE fluid	
Additive	

Trade secret Trade secret

California Prop. 65


WARNING: This product can expose you to chemicals including Quartz, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.





SECTION 16. OTHER INFORMATION

Further information



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
OSHA Z-2		its for Air Contaminants USA. Occupational Exposure Limits (OSHA) - Table Z-2
	•	
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average

OSHA Z-3 / TWA



Krytox[™] NRT 8908 Paste

Version	Revision Date:	SDS Number:	Date of last issue: 07/26/2022
8.1	04/26/2023	1333215-00044	Date of first issue: 02/27/2017
OSH	A Z-2 / TWA	: 8-hour time w	eighted average

:

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the

8-hour time weighted average

Sources of key data used to : compile the Material Safety Data Sheet	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	--

Revision Date

: 04/26/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8