according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Versi 7.2	ion	Revision Date: 11/02/2023		9S Number: 88827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017			
SEC	TION 1.	IDENTIFICATION						
	Product name		:	Krytox™ GPL 294				
	Product code		:	D12429529				
	SDS-Identcode		:	130000031518				
	Manufa	cturer or supplier's o	deta	ils				
	Compai	ny name of supplier	:	The Chemours Company FC, LLC				
	Address	3	:	1007 Market Stree Wilmington, DE 1	et 9801 United States of America (USA)			
	Telepho	one	:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)			
	Emerge	ncy telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- sport emergency: +1-800-424-9300 (outside 27-3887)			
	Recom	mended use of the c	hem	nical and restriction	ons on use			
	Recom	mended use	:	Lubricant				
	Restrict	ions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2023
7.2	11/02/2023	1788827-00018	Date of first issue: 06/27/2017

Components

Chemical name	CAS-No.	Concentration (% w/w)		
Sodium nitrite	7632-00-0	>= 1 - < 5		
Actual concentration is withheld as a trade secret				

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Version 7.2	n	Revision Date: 11/02/2023		9S Number: 88827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017
				aerosolized partic Carbon oxides Metal oxides Sulfur oxides Nitrogen oxides (N	
	pecific ds	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.
SECTI	ON 6	ACCIDENTAL RELE	ASE	EMEASURES	
tiv	ve equ	al precautions, protec- upment and emer- procedures	:		ing advice (see section 7) and personal pro- recommendations (see section 8).
Eı	nviron	mental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages
		s and materials for ment and cleaning up	:	For large spills, pr ment to keep mate pumped, store rec Clean up remainin bent. Local or national r sal of this materia ployed in the clea which regulations Sections 13 and 1	absorbent material. ovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dispo- I, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Versior 7.2	n Revision Date: 11/02/2023		DS Number: 788827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017
			Take care to pre environment.	vent spills, waste and minimize release to the
			Do not breathe d	lecomposition products.
Co	onditions for safe storage	:		labeled containers. nce with the particular national regulations.
Ma	aterials to avoid	:	No special restric	ctions on storage with other products.
	rther information on stor- e stability	:	No decompositio	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm	NIOSH REL

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Version 7.2	Revision Date: 11/02/2023		OS Number: 88827-00018		t issue: 04/24/2023 t issue: 06/27/2017	
I		1		I	40 mg/m³	1
				С	200 ppm 229 mg/m ³	NIOSH REL
				TWA	50 ppm 55 mg/m ³	OSHA Z-1
Engi	neering measures	:	10).	-	ous compounds (see especially in confined	
			Minimize worl	kplace exposure	concentrations.	
Pers	onal protective equip	ment				
Resp	piratory protection	:	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin dous chemica respirator if th exposure leve	or exposures bel s are above rec propriate respira respirator regul ISHA approved g respirators aga al is limited. Use here is any poter els are unknown	ntilation is recommer low recommended lin ommended limits or a tory protection should ations (29 CFR 1910 respirators. Protectio ainst exposure to any a positive pressure a ntial for uncontrolled r , or any other circums s may not provide ade	hits. Where are d be worn. .134) and n provided v hazar- air supplied release, stance
Hand	d protection					
R	emarks	:	Wash hands I	before breaks ar	nd at the end of work	day.
Eyeı	protection	:	Wear the follo Safety glasse		protective equipment:	
Skin	and body protection	:	Skin should b	e washed after	contact.	
Hygid	ene measures	:	eye flushing s king place. When using d			
SECTION	I 9. PHYSICAL AND CH	HEMI	CAL PROPER	TIES		
Арре	earance	:	Grease			
Colo	r	:	yellow			
Odor		:	odorless			
Odor	Threshold	:	No data avai	lable		

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Versic 7.2	on	Revision Date: 11/02/2023		S Number: 8827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017
р	эΗ		:	7	
N	Velting	point/freezing point	:	No data available	
	nitial bo ange	piling point and boiling	:	No data available	
F	-lash po	pint	:	Not applicable	
E	Evapora	ation rate	:	Not applicable	
F	lamma	bility (solid, gas)	:	Will not burn	
		xplosion limit / Upper bility limit	:	No data available	
		xplosion limit / Lower pility limit	:	No data available	
V	/apor p	ressure	:	Not applicable	
R	Relative	vapor density	:	Not applicable	
R	Relative	density	:	1.9	
S	Solubilit Wate	y(ies) er solubility	:	insoluble	
	Partition	i coefficient: n- water	:	Not applicable	
А	Autoigni	tion temperature	:	No data available	
D	Decomp	oosition temperature	:	608 °F / 320 °C	
V	/iscosit Visco	y osity, kinematic	:	Not applicable	
E	Explosiv	ve properties	:	Not explosive	
С	Dxidizin	g properties	:	The substance or	mixture is not classified as oxidizing.
P	Particle	size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

ersion 2	Revision Date: 11/02/2023	-	S Number: 88827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017
Possi tions	bility of hazardous reac-	:	Hazardous deco temperatures.	omposition products will be formed at elevated
Condi	itions to avoid	:	None known.	
Incom	npatible materials	:	None.	
	rdous decomposition p nal decomposition	orod :	lucts Hydrogen fluorio Carbonyl difluor Carbon dioxide Carbon monoxio	ide
ECTION	11. TOXICOLOGICAL I	INFC	ORMATION	
Inges Eye c Acute	contact tion contact e toxicity lassified based on availa	able	information.	
Produ	uct:			
Acute	e oral toxicity	:	Assessment: The icity	e substance or mixture has no acute oral tox-
Acute	inhalation toxicity	:	Acute toxicity est Exposure time: 4 Test atmosphere Method: Calculat	e: dust/mist
Com	oonents:			
Sodiu	um nitrite:			
Acute	oral toxicity	:	LD50 (Rat): 180	mg/kg
Acute inhalation toxicity		:	LC50 (Rat): 5.5 r Exposure time: 4 Test atmosphere	ŀ ĥ

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium nitrite:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 294

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2023
7.2	11/02/2023	1788827-00018	Date of first issue: 06/27/2017

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium nitrite:

Species	:	Rabbit
Result Method		Irritation to eyes, reversing within 21 days OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium nitrite:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sodium nitrite:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Version 7.2	Revision Date: 11/02/2023	SDS Nu 178882	mber: 7-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017			
IARC	Sodium nitrite			ly carcinogenic to humans 7632-00-0 under conditions that result in endogenous nitrosation)			
OSH <i>A</i>		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.					
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.					
-	oductive toxicity assified based on ava	lable inforr	nation.				
Comp	oonents:						
	im nitrite: s on fertility	Spe App	cies: Mouse	te: Ingestion			
Effect	s on fetal developmen	Spe App	cies: Rat	ryo-fetal development te: Ingestion			
	-single exposure assified based on ava	lable inforr	nation.				
	-repeated exposure						
	assified based on avai ated dose toxicity	iable inforr	nation.				
-	-						
	oonents:						
Speci NOAE Applic			ng/kg stion				
-	ation toxicity assified based on ava	lable inforr	nation.				

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium nitrite:

according to the OSHA Hazard Communication Standard



Krytox™ GPL 294

Version 7.2	Revision Date: 11/02/2023		S Number: 88827-00018	Date of last issue: 04/24/2023 Date of first issue: 06/27/2017	
Toxicit	Toxicity to fish		LC50 (Oncorhynchus mykiss (rainbow trout)): 0.54 mg/l Exposure time: 96 h		
	Toxicity to daphnia and other aquatic invertebrates		EC50 (Daphnia magna (Water flea)): 15.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202		
Toxicit plants	Toxicity to algae/aquatic plants		EC50 (Scenedesmus capricornutum (fresh water algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
			mg/I Exposure time:	esmus capricornutum (fresh water algae)): 100 72 h Test Guideline 201	
Toxicit icity)	Toxicity to fish (Chronic tox- icity)		Exposure time:	yprinus carpio (Carp)): 21 mg/l time: 30 d DECD Test Guideline 210	
aquati	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		NOEC (Penaeid Exposure time: 8	Shrimp): 9.86 mg/l 30 d	
Toxicit	ty to microorganisms	:	: EC50: 281 mg/l Exposure time: 48 h		
Persis	stence and degradabili	ity			
No da	ta available				
	cumulative potential				
	ta available				
	i ty in soil ta available				
	adverse effects				
	No data available				

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 294

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2023
7.2	11/02/2023	1788827-00018	Date of first issue: 06/27/2017

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

: UN 3077
 Environmentally hazardous substance, solid, n.o.s. (Sodium nitrite)
: 9
: III
: CLASS 9
: 171
: no
: THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium nitrite	7632-00-0	100	5206

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 294

Version 7.2	Revision Date: 11/02/2023	SDS Number: 1788827-00018	Date of last issu Date of first issu				
SARA 313			: The following components are subject to reporting levels established by SARA Title III, Section 313:				
		Sodium nitrite	7632-00-0	>= 1 - < 5 %			
US S	tate Regulations						
Penn	sylvania Right To Kr	now					
	PFPE fluid			Trade secret			
	Fluoropolymer			Trade secret			
	Sodium nitrite			7632-00-0			
Califo	ornia Prop. 65						
which	WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/a known to the State of California to cause birth defects or other reproductive barm. For more in-						

'nе known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

California List of Hazardous Substances

Molybdenum thiocarbamate Sodium nitrite

Trade secret 7632-00-0

Additional regulatory information

Sodium nitrite

7632-00-0 The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.4740


SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 294



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C OSHA Z-1 / TWA OSHA Z-2 / TWA	:	Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 294

Version	Revision Date:	SDS Number:	Date of last issue: 04/24/2023
7.2	11/02/2023	1788827-00018	Date of first issue: 06/27/2017

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/02/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Ref:	130000031518
Revision date:	07/11/2024
Version	1.1

TRI Supplier Notification for Chemicals of Special Concern

Product name: **Krytox™ GPL 294**

This letter is to inform you that the product listed above that we sell to you contains the following chemical(s) subject to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA). We are required to notify you of the presence of these chemicals in the product under EPCRA section 313. This law requires certain industrial facilities to report on annual emissions and other waste management of specified EPCRA section 313 chemicals and chemical categories. Chemicals of Special Concern are a subpart listing of chemicals and compounds subject to the Supplier Notification Requirements in 40 C.F.R. 372.45. The chemical(s) listed below may not be intentionally present in the product; however, it is possible that these chemical(s) may be present as an impurity and the exact concentration may vary between batches.

Chemical name	CAS No.	Value	Unit	Test Method
Hexafluoropropylene oxide dimer acid	13252-13-6	< 466	PPB	Chemours Extraction SOP*
Perfluorohexanoic acid	307-24-4	< 241	PPB	Chemours Extraction SOP*
Perfluorobutanoic acid	375-22-4	< 3	PPB	Chemours Extraction SOP*

*Chemours SOP for Extraction of Residuals from Fluoropolymer Matrices. <u>https://www.chemours.com/en/-</u>/media/files/corporate/sop-residual-extractions-from-fluoropolymer-matrices.pdf

The data above is based on the best readily available information as of the date of this letter, which may include representative samples of products. This information is supplemental to safety and regulatory information provided on the SDS. The content of this letter is confidential and intended for the recipient to use for regulatory purposes only.

Please note that if you repackage or otherwise redistribute this product to certain industrial customers as per 40 CFR 372.45(a)(3)(ii), a notice similar to this one should be sent to those customers.

If you have any questions or concerns, please reach out to your account manager.

Disclaimer:

This information is given in good faith and is based on data we believe to be reliable on our current level of knowledge as of the date of this response. The information applies only to the specific material designated herein as sold by Chemours and does not apply to use in any process or in combination with any other material. Since conditions of use and applications of above-mentioned products are outside Chemours' control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Please note that we do not routinely analyze our products for non-intentionally added substances, unless required for regulatory compliance purposes.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours[™] and the Chemours Logo are trademarks of The Chemours Company.