according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Versi 6.3	ion	Revision Date: 10/10/2024		9S Number: 65447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017				
SEC	TION 1.	IDENTIFICATION							
I	Product	name	:	: Krytox™ NRT PLSS					
I	Product	code	:	D13604030					
;	SDS-Id	entcode	:	130000033953					
I	Manufa	cturer or supplier's	deta	ils					
(Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC				
,	Address	3	:	1007 Market Stree Wilmington, DE 1	et 9801 United States of America (USA)				
-	Telepho	one	:	1-844-773-CHEM	(outside the U.S. 1-302-773-1000)				
I	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- sport emergency: +1-800-424-9300 (outside 27-3887)				
I	Recom	mended use of the c	hen	nical and restriction	ons on use				
I	Recom	mended use	:	Lubricant					
I	Restrict	ions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- blantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version 6.3	Revision Date: 10/10/2024		DS Number: 765447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017				
	Components No hazardous ingredients							
SECTION	4. FIRST AID MEASU	RES						
lf inh:	aled	:	If inhaled, remove Get medical atten	e to fresh air. tion if symptoms occur.				
In cas	se of skin contact	:		and soap as a precaution. tion if symptoms occur.				

In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness
Protection of first-aiders	:	No special precautions are necessary for first aid responders.

: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Notes to physician

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

/ersion 5.3	Revision Date: 10/10/2024		0S Number: 65447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to de
	al protective equipment e-fighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.
ECTION	6. ACCIDENTAL RELE	AS	E MEASURES	
tive e	nal precautions, protec- quipment and emer- procedures	:		ling advice (see section 7) and personal pro- t recommendations (see section 8).
Enviro	onmental precautions	:	Retain and dispose	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	For large spills, p ment to keep mat pumped, store re Clean up remaini bent. Local or national sal of this materia ployed in the clea which regulations Sections 13 and	t absorbent material. rovide diking or other appropriate contain- terial from spreading. If diked material can be covered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dispo al, as well as those materials and items em- inup of releases. You will need to determine are applicable. 15 of this SDS provide information regarding ational requirements.

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version 6.3	Revision Date: 10/10/2024	-	DS Number: 765447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017
			Do not breathe	decomposition products.
Cond	ditions for safe storage	:		ly labeled containers. ance with the particular national regulations.
Mate	Materials to avoid		No special rest	rictions on storage with other products.
	ner information on stor- stability	:	No decomposit	ion if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Hydrogen fluoride	7664-39-3	TŴA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm	NIOSH REL

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

ersion 3	Revision Date: 10/10/2024		OS Number: 65447-00017		last issue: 11/02/2023 first issue: 06/23/2017	
					229 mg/m ³	
				TWA	50 ppm 55 mg/m³	OSHA Z-1
Engir	neering measures	:	10). Ensure adequ	ate ventilation	ardous compounds (se on, especially in confine sure concentrations.	
Perso	onal protective equip	ment				
	iratory protection		concentrations unknown, app Follow OSHA use NIOSH/M by air purifying dous chemica respirator if th exposure leve	s are above ropriate resp respirator re SHA approv g respirators I is limited. L ere is any po Is are unkno	below recommended limits or precommended limits or oratory protection should gulations (29 CFR 191 ed respirators. Protect against exposure to an Use a positive pressure otential for uncontrolled own, or any other circuit tors may not provide a	r are uld be worn. 0.134) and ion provided ny hazar- air supplied d release, mstance
Hand	protection					
Re	emarks	:	Wash hands b	efore break	s and at the end of wor	rkday.
Eye p	rotection	:	Wear the follo Safety glasses		al protective equipmer	it:
Skin a	and body protection	:	Skin should be	e washed af	ter contact.	
Hygie	ne measures	:	eye flushing s king place. When using d	ystems and o not eat, dr	likely during typical use safety showers close te ink or smoke. ng before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Grease
Color	:	white
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Vers 6.3	sion	Revision Date: 10/10/2024		S Number: 5447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017
	Melting	point/freezing point	:	608 °F / 320 °C	
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapor p	oressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	1.89 - 1.93 (75 °F	-/24 °C)
	Solubili Wat	ity(ies) ter solubility	:	insoluble	
	Partitio octanol	n coefficient: n- I/water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	500 - 554 °F / 26	0 - 290 °C
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle Particle	e characteristics e size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Hazardous decomposition products will be formed at elevated

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version 6.3	Revision Date: 10/10/2024	SDS Number: 1765447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017	
tions	i	temperatures		
Conditions to avoid		: None known.		
Inco	mpatible materials	: None.		
	ardous decomposition mal decomposition	n products : Hydrogen fluc	pride	
		Carbonyl diflu Carbon dioxid Carbon mono	le	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version 6.3	Revision Date: 10/10/2024	SDS Number: 1765447-00017	Date of last issue: 11/02/2023 Date of first issue: 06/23/2017		
	F-single exposure lassified based on ava	ailable information.			
	F-repeated exposure lassified based on ava				
	Aspiration toxicity Not classified based on available information.				
SECTION	12. ECOLOGICAL IN	FORMATION			
	oxicity ata available				
Persi	Persistence and degradability				
<u>Product:</u> Physico-chemical removabil- : Remarks: No data available ity					
	ccumulative potentia ata available	al			
	lity in soil ata available				
	r adverse effects ata available				
SECTION	13. DISPOSAL CON	SIDERATIONS			
Dispo	osal methods				

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version	Revision Date:	SDS Number:	Date of last issue: 11/02/2023
6.3	10/10/2024	1765447-00017	Date of first issue: 06/23/2017

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: No SARA Hazards	
SARA 313	: This material does not contain any chemical components wi known CAS numbers that exceed the threshold (De Minimis reporting levels established by SARA Title III, Section 313.	

US State Regulations

Pennsylvania Right To Know

PFPE fluid Fluoropolymer Trade secret Trade secret

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.


SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C OSHA Z-1 / TWA OSHA Z-2 / TWA	: : :	Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

according to the OSHA Hazard Communication Standard



Krytox[™] NRT PLSS

Version	Revision Date:	SDS Number:	Date of last issue: 11/02/2023
6.3	10/10/2024	1765447-00017	Date of first issue: 06/23/2017

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date : 10/10/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8