according to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version 6.5	Revision Date: 10/17/2024		0S Number: 65620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017						
SECTIO	SECTION 1. IDENTIFICATION									
Pro	oduct name	:	Krytox™ GPL 217	7						
SD	DS-Identcode	:	130000024225							
Ма	anufacturer or supplier's	deta	iils							
Co	mpany name of supplier	:								
Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)							
Те	lephone	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)							
Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)							
Re	commended use of the c	hen	nical and restriction	ons on use						
Re	Recommended use		Lubricant							
Re	estrictions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.						

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

ersion 5	Revision Date: 10/17/2024	SDS Number: 1765620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017				
Additi	ve I concentration is with	Trade secre	>= 1 - < 5				
Actua	r concentration is with	ieid as a trade secret					
ECTION	4. FIRST AID MEASU	IRES					
lf inha	aled	: If inhaled, remov Get medical atte	re to fresh air. ntion if symptoms occur.				
In cas	e of skin contact		and soap as a precaution. ntion if symptoms occur.				
In cas	se of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.				
lf swa	llowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
	important symptoms ffects, both acute and ed	Irritation Lung edema Eye contact may Blurred vision Discomfort Lachrymation Skin contact ma Irritation Redness	provoke the following symptoms: y provoke the following symptoms y provoke the following symptoms: provoke the following symptoms: path				
Prote	ction of first-aiders	: No special preca	autions are necessary for first aid responders				
Notes	to physician	: Treat symptoma	tically and supportively.				

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

Vers 6.5	sion	Revision Date: 10/17/2024		S Number: 65620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017
				aerosolized partic Carbon oxides	
	Specific extinguishing meth- ods		 Use extinguishing measures that are appropriate cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it so. Evacuate area. 		o cool unopened containers.
	Special for fire-f	protective equipment ighters	:	necessary.	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

Version 6.5	Revision Date: 10/17/2024		DS Number: 765620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017			
			sessment Take care to prevent spills, waste and minimize release to environment.				
			Do not breathe de	ecomposition products.			
Cor	nditions for safe storage	:	Keep in properly Store in accordar	labeled containers. nce with the particular national regulations.			
Materials to avoid		:	No special restrictions on storage with other products.				
	ther information on stor- stability	:	No decomposition	n if stored and applied as directed.			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Additive	Trade secret	TWA (Inhal- able particu- late matter)	10 mg/m ³ (Molybdenum)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m ³ (Molybdenum)	ACGIH

Occupational exposure limits of decomposition products

	-	-		
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

rsion 5	Revision Date: 10/17/2024	SDS Number: 1765620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017				
ļ			STEL	30,000 ppm	ACGIH		
			TWA	5,000 ppm 9,000 mg/m³	NIOSH RE		
			ST	30,000 ppm 54,000 mg/m ³	NIOSH RE		
			TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1		
Carbo	on monoxide	630-08-0	TWA	25 ppm	ACGIH		
			TWA	35 ppm 40 mg/m ³	NIOSH RE		
			С	200 ppm 229 mg/m ³	NIOSH RE		
			TWA	50 ppm 55 mg/m ³	OSHA Z-1		
	onal protective equip iratory protection	: General and maintain vap concentratior unknown, ap Follow OSH/ use NIOSH/N by air purifyir dous chemica respirator if th	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazar- dous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release,				
		•		own, or any other circu itors may not provide a			
Hand	protection						
Re	emarks	: Wash hands	before break	s and at the end of wo	rkday.		
Eye p	protection	: Wear the follo Safety glasse		al protective equipmer	nt:		
Skin a	and body protection	: Skin should b	e washed af	ter contact.			
Hygie	ene measures	eye flushing s king place. When using o	systems and do not eat, dr	likely during typical us safety showers close t ink or smoke. ing before re-use.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

Vers 6.5	sion	Revision Date: 10/17/2024		S Number: 5620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017
	Appear	ance	:	Grease	
	Color		:	black	
	Odor		:	odorless	
	Odor T	hreshold	:	No data available	
	рН		:	7	
	Melting	point/freezing point	:	608 °F / 320 °C	
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	Method: Pensky- Not applicable	Martens closed cup
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	1.89 - 1.93	
	Solubili Wat	ty(ies) er solubility	:	No data available	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	572 °F / 300 °C	
	Viscosi Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

Version 6.5	Revision Date: 10/17/2024		S Number: 35620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017	
Oxi	dizing properties	:	The substance o	r mixture is not classified as oxidizing.	
	Particle characteristics Particle size		No data available		
SECTIO	N 10. STABILITY AND RE	EAC	ΤΙVITY		
Rea	ctivity	:	Not classified as	a reactivity hazard.	
Che	Chemical stability		Stable under normal conditions.		
	Possibility of hazardous reac- tions		Hazardous decomposition products will be formed at elevated temperatures.		
Cor	Conditions to avoid		None known.		
Inco	Incompatible materials		None.		
Haz	ardous decomposition p	orod	ucts		
The	Thermal decomposition		Hydrogen fluoride Carbonyl difluoride Carbon dioxide Carbon monoxide		
SECTIO	N 11. TOXICOLOGICAL I	NFC	RMATION		
Info	rmation on likely routes	of e	exposure		

Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Additive:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	LC50 (Rat): > 2.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
6.5	10/17/2024	1765620-00019	Date of first issue: 06/21/2017

Skin corrosion/irritation

Not classified based on available information.

Components:

Additive:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Additive:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Additive:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Additive:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

ersion 5	Revision Date: 10/17/2024	SDS Number: 1765620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017				
		Result: negati	D Test Guideline 487 ive sed on data from similar materials				
Genotoxicity in vivo		cytogenetic a Species: Rat Application R Method: OEC Result: negati	cytogenetic assay)				
Carci	nogenicity						
Not cl IARC		ent of this product pre	sent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.				
OSH <i>A</i>			of this product present at levels greater than or equal to 0.1% is of regulated carcinogens.				
NTP			this product present at levels greater than or equal to 0.1% is nown or anticipated carcinogen by NTP.				
-	oductive toxicity assified based on ava	ilable information.					
<u>Comp</u>	oonents:						
Addit	ive:						
Effect	s on fertility	Species: Rat Application Re Method: OEC Result: negati	vo-generation reproduction toxicity study oute: Ingestion D Test Guideline 416 ive sed on data from similar materials				
Effect	s on fetal developme	Species: Rat Application Re Method: OEC Result: negati	nbryo-fetal development oute: Ingestion D Test Guideline 414 ive sed on data from similar materials				
	-single exposure	iloble information					
INOL CI	assified based on ava						

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 217

Version 6.5	Revision Date: 10/17/2024		0S Number: 65620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017
SECTION	12. ECOLOGICAL INFO	DR	ATION	
Ecoto	oxicity			
Com	ponents:			
Addit	tive:			
Toxic	ity to fish	:	Exposure time: Method: OECD	les promelas (fathead minnow)): > 100 mg/l 96 h Test Guideline 203 d on data from similar materials
	ity to daphnia and other tic invertebrates	:	Exposure time: Method: OECD	magna (Water flea)): > 100 mg/l 48 h Test Guideline 202 d on data from similar materials
Toxic plants	ity to algae/aquatic s	:	mg/l Exposure time: Method: OECD	kirchneriella subcapitata (green algae)): > 100 72 h Test Guideline 201 d on data from similar materials
			mg/l Exposure time: Method: OECD	tirchneriella subcapitata (green algae)): > 1 72 h Test Guideline 201 d on data from similar materials
Toxic icity)	ity to fish (Chronic tox-	:	Exposure time:	nchus mykiss (rainbow trout)): > 1 mg/l 78 d d on data from similar materials
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time:	a magna (Water flea)): > 1 mg/l 21 d d on data from similar materials
Toxic	ity to microorganisms	:	Exposure time: Method: OECD	d sludge): > 100 mg/l 17 d Test Guideline 209 d on data from similar materials
	stence and degradabili	ity		
	ccumulative potential			
	lity in soil ata available			
	r adverse effects ata available			
			10 / 14	

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
6.5	10/17/2024	1765620-00019	Date of first issue: 06/21/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
----------------------	---	-----------------

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
6.5	10/17/2024	1765620-00019	Date of first issue: 06/21/2017

US State Regulations

Pennsylvania Right To Know

PFPE fluid Fluoropolymer Additive

Trade secret Trade secret Trade secret

0

0

California Prop. 65

WARNING: This product can expose you to chemicals including Molybdenum trioxide, which is/are known to the State of California to cause cancer, and


Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

HMIS® IV:

SECTION 16. OTHER INFORMATION







Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version 6.5	Revision Date: 10/17/2024	SDS Number: 1765620-00019	Date of last issue: 05/09/2024 Date of first issue: 06/21/2017			
NIOS	H REL / TWA		d average concentration for up to a 10-hour g a 40-hour workweek			
NIOSH REL / ST		: STEL - 15-mii	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday			
OSHA Z-1 / TWA		: Ceiling value : 8-hour time w	Ceiling value not be exceeded at any time. 8-hour time weighted average 8-hour time weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date : 10/17/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mateaccording to the OSHA Hazard Communication Standard



Krytox[™] GPL 217

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2024
6.5	10/17/2024	1765620-00019	Date of first issue: 06/21/2017

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Ref:	13000024225			
Revision date:	01/17/2025			
Version	1.4			

TRI Supplier Notification for Chemicals of Special Concern

Product name: **Krytox™ GPL 217**

This letter is to inform you that the product listed above contains the following Chemical(s) of Special Concern (CSC), which are subject to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA). CSC are a subpart listing of chemicals and compounds subject to the Supplier Notification Requirements in 40 C.F.R. 372.45. The chemical(s) listed below are in compliance with TSCA and may not be intentionally present in the product; however, it is possible that these chemical(s) may be present as an impurity and the exact concentration may vary between batches.

Chemical name	CAS No.	Value	Unit	Test Method
3,3,4,4,5,5,6,6,7,7,8,8,8-	27619-97-2	< 1,077	PPB	Chemours Extraction SOP*
Tridecafluorooctanesulphonic acid				
Hexafluoropropylene oxide dimer acid	13252-13-6	< 217	PPB	Chemours Extraction SOP*
Perfluorohexanoic acid	307-24-4	< 114	PPB	Chemours Extraction SOP*
Perfluorobutanoic acid	375-22-4	< 2	PPB	Chemours Extraction SOP*

*Chemours SOP for Extraction of Residuals from Fluoropolymer Matrices. <u>https://www.chemours.com/en/-</u>/media/files/corporate/sop-residual-extractions-from-fluoropolymer-matrices.pdf

The data above is based on the best readily available information as of the date of this letter, which may include representative samples of products. This information is supplemental to safety and regulatory information provided on the SDS. The content of this letter is confidential and intended for the recipient to use for regulatory purposes only.

Please note that if you repackage or otherwise redistribute this product to certain industrial customers as per 40 CFR 372.45(a)(3)(ii), a notice similar to this one should be sent to those customers.

If you have any questions or concerns, please reach out to your account manager.

Disclaimer:

This information is given in good faith and is based on data we believe to be reliable on our current level of knowledge as of the date of this response. The information applies only to the specific material designated herein as sold by Chemours and does not apply to use in any process or in combination with any other material. Since conditions of use and applications of above-mentioned products are outside Chemours' control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Please note that we do not routinely analyze our products for non-intentionally added substances, unless required for regulatory compliance purposes.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours[™] and the Chemours Logo are trademarks of The Chemours Company.