according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version 6.3	Revision Date: 10/21/2024		Date of last issue: 08/23/2023 Date of first issue: 06/14/2017				
SECTIC	N 1. IDENTIFICATION						
Pro	oduct name	: Fluoroguard™ PCA	A				
SD	S-Identcode	: 130000036467	130000036467				
Ма	nufacturer or supplier's	letails					
Co	mpany name of supplier	: The Chemours Cor	npany FC, LLC				
Address			1007 Market Street Wilmington, DE 19801 United States of America (USA)				
Telephone		: 1-844-773-CHEM (1-844-773-CHEM (outside the U.S. 1-302-773-1000)				
Emergency telephone		773-2000) ; Trans	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)				
Re	commended use of the c	nemical and restrictior	ns on use				
Re	commended use	: Lubricant					
Re	strictions on use	tions involving impl internal body fluids written agreement	nly. I Chemours™ materials in medical applica- antation in the human body or contact with or tissues unless agreed to by Seller in a covering such use. For further information, r Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	PFPE fluid
CAS-No.	:	Trade secret

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version	Revision Date:	SDS Number:	Date of last issue: 08/23/2023
6.3	10/21/2024	1745760-00015	Date of first issue: 06/14/2017

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Irritation Shortness of breath Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Versic 6.3	on Revision Date: 10/21/2024		DS Number: 745760-00015	Date of last issue: 08/23/2023 Date of first issue: 06/14/2017
Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is saf so. Evacuate area.	
	Special protective equipmen or fire-fighters	t:	necessary.	ed breathing apparatus for firefighting if tective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).)-
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can b pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.	0- 9

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version 6.3	Revision Date: 10/21/2024	SDS Number: 1745760-00015	Date of last issue: 08/23/2023 Date of first issue: 06/14/2017
		environment.	
		Do not breath	ne decomposition products.
Conditions for safe storage			erly labeled containers. rdance with the particular national regulations.
Mat	erials to avoid	: No special re	strictions on storage with other products.
	ther information on stor- stability	: No decompos	sition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m ³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

				С	200 ppm 229 mg/m³	NIOSH R
				TWA	50 ppm 55 mg/m ³	OSHA Z-
Engi	neering measures	:	 Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. 			
Pers	onal protective equip	ment	t			
Resp	iratory protection	:	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin dous chemica respirator if th exposure leve	or exposures be s are above rec propriate respira respirator regul ISHA approved g respirators ag al is limited. Use here is any poter els are unknown	ntilation is recomm low recommended ommended limits tory protection sho lations (29 CFR 19 respirators. Protect ainst exposure to a positive pressure thial for uncontrolle , or any other circu s may not provide	I limits. Where or are build be worn. (10.134) and ction provided any hazar- re air supplied ed release, umstance
Hand	protection					
Re	emarks	:	Wash hands I	pefore breaks a	nd at the end of w	orkday.
Eye p	protection	:	Wear the follo Safety glasse	• • •	protective equipme	ent:
Skin	and body protection	:	Skin should b	e washed after	contact.	
Hygie	ene measures	:	eye flushing s king place. When using c			

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Vers 6.3		Revision Date: 10/21/2024		S Number: 5760-00015	Date of last issue: 08/23/2023 Date of first issue: 06/14/2017
	Melting p	ooint/freezing point	:	> -71 °F / > -57 °(C
	Initial boi range	iling point and boiling	:	No data available)
	Flash po	int	:	Method: Pensky- does not flash	Martens closed cup
	Evaporat	tion rate	:	No data available)
	Flammat	oility (solid, gas)	:	Not applicable	
	Flammat	oility (liquids)	:	No data available)
	Upper ex flammab	plosion limit / Upper ility limit	:	No data available	
	Lower ex flammab	plosion limit / Lower ility limit	:	No data available	
	Vapor pr	essure	:	No data available)
	Relative	vapor density	:	No data available)
	Relative	density	:	1.86 - 1.91	
	Solubility Wate	r(ies) r solubility	:	negligible	
	Partition octanol/v	coefficient: n- vater	:	No data available	
	Autoignit	ion temperature	:	No data available	
	Decomp	osition temperature	:	662 °F / 350 °C	
	Viscosity Visco	, sity, kinematic	:	No data available)
	Explosive	e properties	:	Not explosive	
	Oxidizing	g properties	:	The substance or	r mixture is not classified as oxidizing.
	Particle of Particle s	characteristics size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Versi 6.3	on Revision Date: 10/21/2024		S Number: 45760-00015	Date of last issue: 08/23/2023 Date of first issue: 06/14/2017
	Chemical stability	:	Stable under nor	mal conditions.
	Possibility of hazardous reac- tions	:	Hazardous deco temperatures.	mposition products will be formed at elevated
	Conditions to avoid	:	None known.	
	Incompatible materials	:	None.	
	Hazardous decomposition p	orod	ucts	
	Thermal decomposition	:	Hydrogen fluorid Carbonyl difluorid Carbon dioxide Carbon monoxid	de

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version	Revision Date:	SDS Number:	Date of last issue: 08/23/2023
6.3	10/21/2024	1745760-00015	Date of first issue: 06/14/2017

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version	Revision Date:	SDS Number:	Date of last issue: 08/23/2023
6.3	10/21/2024	1745760-00015	Date of first issue: 06/14/2017

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
LIS State Degulations		

US State Regulations

Pennsylvania Right To Know

PFPE fluid

Trade secret

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.


SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA



Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-2 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organiza-

according to the OSHA Hazard Communication Standard



Fluoroguard[™] PCA

Version	Revision Date:	SDS Number:	Date of last issue: 08/23/2023
6.3	10/21/2024	1745760-00015	Date of first issue: 06/14/2017

tion; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date

: 10/21/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Ref:	130000036467
Revision date:	12/31/2024
Version	1.2

TRI Supplier Notification for Chemicals of Special Concern

Product name: **Fluoroguard™ PCA**

This letter is to inform you that the product listed above contains the following Chemical(s) of Special Concern (CSC), which are subject to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA). CSC are a subpart listing of chemicals and compounds subject to the Supplier Notification Requirements in 40 C.F.R. 372.45. The chemical(s) listed below are in compliance with TSCA and may not be intentionally present in the product; however, it is possible that these chemical(s) may be present as an impurity and the exact concentration may vary between batches.

Chemical name	CAS No.	Value	Unit	Test Method
Perfluorobutanoic acid	375-22-4	< 8	PPB	Chemours Extraction SOP*

*Chemours SOP for Extraction of Residuals from Fluoropolymer Matrices. <u>https://www.chemours.com/en/-</u>/media/files/corporate/sop-residual-extractions-from-fluoropolymer-matrices.pdf

The data above is based on the best readily available information as of the date of this letter, which may include representative samples of products. This information is supplemental to safety and regulatory information provided on the SDS. The content of this letter is confidential and intended for the recipient to use for regulatory purposes only.

Please note that if you repackage or otherwise redistribute this product to certain industrial customers as per 40 CFR 372.45(a)(3)(ii), a notice similar to this one should be sent to those customers.

If you have any questions or concerns, please reach out to your account manager.

Disclaimer:

This information is given in good faith and is based on data we believe to be reliable on our current level of knowledge as of the date of this response. The information applies only to the specific material designated herein as sold by Chemours and does not apply to use in any process or in combination with any other material. Since conditions of use and applications of above-mentioned products are outside Chemours' control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Please note that we do not routinely analyze our products for non-intentionally added substances, unless required for regulatory compliance purposes.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company.