according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version 8.0	Revision Date: 05/15/2025		DS Number: 56014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017
SECTIO	N 1. IDENTIFICATION			
Pro	duct name	:	Krytox™ GPL 21	5
Pro	duct code	:	D12431902	
SDS	S-Identcode	:	130000031505	
Mai	nufacturer or supplier's	deta	ails	
Cor	npany name of supplier	:	The Chemours C	ompany FC, LLC
Adc	lress	:	1007 Market Stre Wilmington, DE 1	et 9801 United States of America (USA)
Tele	ephone	:	1-844-773-CHEM	l (outside the U.S. 1-302-773-1000)
Em	ergency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)
Rec	commended use of the c	chen	nical and restriction	ons on use
Red	commended use	:	Lubricant	
Res	trictions on use	:	tions involving im internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with ls or tissues unless agreed to by Seller in a t covering such use. For further information, our Chemours representative.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2024
8.0	05/15/2025	1556014-00022	Date of first issue: 04/21/2017

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Additive	Trade secret	>= 3 - <= 7	TSI / TSC

TSI- the chemical identity is withheld as a trade secret

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Ver 8.0	sion	Revision Date: 05/15/2025		9S Number: 56014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017
	Specifi fighting	c hazards during fire	:	Exposure to comb	oustion products may be a hazard to health.
	Hazarc ucts	lous combustion prod-	:	Hydrogen fluoride carbonyl fluoride potentially toxic flu aerosolized partic Carbon oxides	uorinated compounds ulates
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version 8.0	Revision Date: 05/15/2025	SDS Numb 1556014-0	
		CONTR	ROLS/PERSONAL PROTECTION section.
Loca	I/Total ventilation	: Use on	y with adequate ventilation.
Advi	ce on safe handling	practice sessme	are to prevent spills, waste and minimize release to the
		Do not	breathe decomposition products.
Cond	ditions for safe storage		properly labeled containers. accordance with the particular national regulations.
Mate	erials to avoid	: No spe	cial restrictions on storage with other products.
	ner information on stor- stability	: No dec	omposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	· · · · · · · · · · · · · · · · · · ·			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Additive	Trade secret	TWA (Inhal- able particu- late matter)	10 mg/m ³ (Molybdenum)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m ³ (Molybdenum)	ACGIH

Ingredients with workplace control parameters

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm	NIOSH REL

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

		I		5 mg/m³	1
			ST	5 ppm 15 mg/m ³	NIOSH F
Carbo	on dioxide	124-38-9	TWA	5,000 ppm	ACGIH
			STEL	30,000 ppm	ACGIH
			TWA	5,000 ppm 9,000 mg/m³	NIOSH F
			ST	30,000 ppm 54,000 mg/m ³	NIOSH F
			TWA	5,000 ppm 9,000 mg/m³	OSHA Z-
Carbo	on monoxide	630-08-0	TWA	25 ppm	ACGIH
			TWA	35 ppm 40 mg/m ³	NIOSH R
			С	200 ppm 229 mg/m ³	NIOSH F
			TWA	50 ppm 55 mg/m³	OSHA Z-
	onal protective equip iratory protection	Minimize wo ment : General and maintain va	d local exhaus	on, especially in confin sure concentrations. t ventilation is recomm below recommended	ended to limits. Where
		Minimize wa ment : General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le where air pu	d local exhaus por exposures propriate respons are above ppropriate respirator re (MSHA approving respirators cal is limited. U there is any povels are unknown	sure concentrations. t ventilation is recomm	ended to limits. Where r are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance
Resp	iratory protection	Minimize wa ment : General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le	d local exhaus por exposures propriate respons are above ppropriate respirator re (MSHA approving respirators cal is limited. U there is any povels are unknown	t ventilation is recomm below recommended recommended limits o piratory protection sho egulations (29 CFR 19 yed respirators. Protect against exposure to a Jse a positive pressure otential for uncontrolled own, or any other circu	ended to limits. Where r are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance
Resp Hand	protection	Minimize wa ment : General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le where air pu protection.	d local exhaus por exposures ons are above ppropriate res A respirator res MSHA approv- ing respirators cal is limited. I there is any po- vels are unkno- urifying respira	t ventilation is recommended below recommended recommended limits o piratory protection sho egulations (29 CFR 19 ved respirators. Protect against exposure to a Jse a positive pressure otential for uncontrolled own, or any other circu tors may not provide a	ended to limits. Where or are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance adequate
Resp Hand	iratory protection	Minimize wa ment : General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le where air pu protection.	d local exhaus por exposures ons are above ppropriate res A respirator res MSHA approv- ing respirators cal is limited. I there is any po- vels are unkno- urifying respira	t ventilation is recomm below recommended recommended limits o piratory protection sho egulations (29 CFR 19 yed respirators. Protect against exposure to a Jse a positive pressure otential for uncontrolled own, or any other circu	ended to limits. Where or are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance adequate
Resp Hand Re	protection	Minimize wa ment : General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le where air pu protection.	d local exhaus por exposures ons are above ppropriate resp A respirator respirators (MSHA approving respirators cal is limited. I there is any provels are unknown urifying respirators are before break	t ventilation is recommended below recommended recommended limits o piratory protection sho egulations (29 CFR 19 ved respirators. Protect against exposure to a Jse a positive pressure otential for uncontrolled own, or any other circu tors may not provide a	ended to limits. Where or are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance adequate
Resp Hand Re Eye p	protection	Minimize wa ment General and maintain va concentratio unknown, a Follow OSH use NIOSH by air purify dous chemi respirator if exposure le where air pu protection. Wash hand Wear the fo Safety glass	d local exhaus por exposures ons are above ppropriate resp A respirator respirators (MSHA approving respirators cal is limited. I there is any provels are unknown urifying respirators are before break	t ventilation is recommended below recommended recommended limits of piratory protection shore egulations (29 CFR 19 ved respirators. Protect against exposure to a Jse a positive pressure otential for uncontrolled own, or any other circu- itors may not provide a	ended to limits. Where or are uld be worn. 10.134) and tion provided iny hazar- e air supplied d release, mstance adequate

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Vers 8.0	sion	Revision Date: 05/15/2025		S Number: 56014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017	
			Wash contaminate		ed clothing before re-use.	
SEC	SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES					
	Appear	ance	:	Grease		
	Color		:	black		
	Odor		:	odorless		
	Odor T	hreshold	:	No data available	e	
	рН		:	7		
	Melting	point/freezing point	:	608 °F / 320 °C		
	Initial b range	oiling point and boiling	:	No data available	e	
	Flash p	point	:	Method: Pensky- Not applicable	Martens closed cup	
	Evapor	ation rate	:	Not applicable		
	Flamm	ability (solid, gas)	:	Will not burn		
		explosion limit / Upper ability limit	:	No data available	e	
		explosion limit / Lower ability limit	:	No data available	e	
	Vapor	oressure	:	Not applicable		
	Relativ	e vapor density	:	Not applicable		
	Relativ	e density	:	1.89 - 1.93 (75 °l	F / 24 °C)	
	Solubili Wat	ity(ies) ter solubility	:	No data available	e	
	Partitio octano	n coefficient: n- I/water	:	Not applicable		
	Autoigr	nition temperature	:	No data available	e	
	Decom	position temperature	:	572 °F / 300 °C		

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version 8.0	Revision Date: 05/15/2025	SDS Number: 1556014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017		
Viscosity Viscosity, kinematic		: Not applicat	le		
Explosive properties		: Not explosive			
Oxidi	zing properties	: The substar	ce or mixture is not classified as oxidizing.		
	cle characteristics cle size	: No data ava	ilable		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.	
Chemical stability	:	Stable under normal conditions.	
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.	
Conditions to avoid	:	None known.	
Incompatible materials	:	None.	
Hazardous decomposition p Thermal decomposition	rod :		

 Carbonyl difluoride
Carbon dioxide
Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likel	y routes of exposure
----------------------	----------------------

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Additive:

Acute oral toxicity :	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity :	LC50 (Rat): > 2.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version 8.0	Revision Date: 05/15/2025		umber: 4-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017
Acut	e dermal toxicity		50 (Rat): > 2 hod: OECD	,000 mg/kg Test Guideline 402
Not	Skin corrosion/irritation Not classified based on availab <u>Components:</u>		mation.	
Add Spec Meth Resu	nod		obit CD Test Gu skin irritatior	
	ous eye damage/eye i classified based on ava		mation.	
Com	ponents:			
Add Spec Resu Meth	ult		obit eye irritatior CD Test Gu	
Res	piratory or skin sensi	ization		
_	sensitization	ilable infor	mation.	
-	piratory sensitization classified based on ava	ilable infor	mation.	
Com	<u>iponents:</u>			
	nod	: Skii : Gui : OE	kimization T n contact nea pig CD Test Gu pative	
	n cell mutagenicity classified based on ava	ilable infor	mation.	
Com	ponents:			
Add	itive:			
Gen	otoxicity in vitro	Met Res Rer	thod: OECD sult: negative marks: Base	d on data from similar materials
11		Tes	st Type: In vi	tro mammalian cell gene mutation test

according to the OSHA Hazard Communication Standard



Krytox™ GPL 215

Version 3.0	Revision Date: 05/15/2025	SDS Number: 1556014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017
Geno	toxicity in vivo	Result: negat Remarks: Bas Test Type: in Method: OEC Result: negat Remarks: Bas : Test Type: Ma cytogenetic at Species: Rat Application Re Method: OEC Result: negat	sed on data from similar materials vitro micronucleus test D Test Guideline 487 ive sed on data from similar materials ammalian erythrocyte micronucleus test (in vivo ssay) oute: Ingestion D Test Guideline 474
	nogenicity lassified based on avai	lable information.	
IARC No ingredient of t		nt of this product pre	esent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.
OSH		ent of this product pr ist of regulated carc	resent at levels greater than or equal to 0.1% is inogens.
NTP			esent at levels greater than or equal to 0.1% is ted carcinogen by NTP.
-	oductive toxicity lassified based on avai	lable information	
	ponents:		
Addi			
	ts on fertility	Species: Rat Application R Method: OEC Result: negat	vo-generation reproduction toxicity study oute: Ingestion D Test Guideline 416 ive sed on data from similar materials
Effec	ts on fetal developmen	Species: Rat Application R Method: OEC Result: negat	nbryo-fetal development oute: Ingestion D Test Guideline 414 ive sed on data from similar materials

STOT-single exposure

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 215

8.0 05/15/2025 1556014-00022 Date of first issue: 04/21/2017	Version 8.0	Revision Date: 05/15/2025	SDS Number: 1556014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017	
--	----------------	------------------------------	------------------------------	---	--

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Additive:

Tovicity to dophnic and other	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
aquatic invertebrates	Remains. Dased on data nom similar materials
Toxicity to algae/aquatic : plants	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic tox- : icity)	EC10 (Oncorhynchus mykiss (rainbow trout)): > 1 mg/l Exposure time: 78 d Remarks: Based on data from similar materials
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms :	NOEC (activated sludge): > 100 mg/l Exposure time: 17 d Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Persistence and degradability	

No data available

Bioaccumulative potential No data available

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 215

Version 8.0	Revision Date: 05/15/2025		DS Number: 56014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017
	lity in soil ata available			
Other adverse effects No data available				
SECTION	13. DISPOSAL CONS	SIDEF	RATIONS	
Disp	osal methods			
Wast	e from residues	:		cordance with local regulations. of waste into sewer.
Conta	aminated packaging	:	handling site for	s should be taken to an approved waste recycling or disposal. specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 215


Version 8.0	Revision Date: 05/15/2025	SDS Numb 1556014-0	
SARA	A 313	known	aterial does not contain any chemical components with CAS numbers that exceed the threshold (De Minimis) ng levels established by SARA Title III, Section 313.
US SI	ate Regulations		
Penn	sylvania Right To Kn	ow	
	PFPE fluid		Trade secret
	Fluoropolymer		Trade secret
	Additive		Trade secret

California Prop. 65

WARNING: This product can expose you to chemicals including Molybdenum trioxide, which is/are known to the State of California to cause cancer, and

Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 215

Version 8.0	Revision Date: 05/15/2025	SDS Number: 1556014-00022	Date of last issue: 10/15/2024 Date of first issue: 04/21/2017		
	H / TWA H / STEL		tional Exposure Limits (OSHA) - Table Z-2 veighted average posure limit		
	HREL/TWA	 Time-weighted average concentration for up to a 10-ho workday during a 40-hour workweek 			
NIOSH	HREL/ST		nute TWA exposure that should not be exceeded uring a workday		
OSHA	HREL / C Z-1 / TWA Z-2 / TWA		not be exceeded at any time. eighted average		

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Internal technical data, data from raw material SDSs, OECD
eChem Portal search results and European Chemicals Agen-
cy, http://echa.europa.eu/

Revision Date : 05/15/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 215

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2024
8.0	05/15/2025	1556014-00022	Date of first issue: 04/21/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Ref:	130000031505
Revision date:	01/17/2025
Version	1.4

TRI Supplier Notification for Chemicals of Special Concern

Product name: **Krytox™ GPL 215**

This letter is to inform you that the product listed above contains the following Chemical(s) of Special Concern (CSC), which are subject to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA). CSC are a subpart listing of chemicals and compounds subject to the Supplier Notification Requirements in 40 C.F.R. 372.45. The chemical(s) listed below are in compliance with TSCA and may not be intentionally present in the product; however, it is possible that these chemical(s) may be present as an impurity and the exact concentration may vary between batches.

Chemical name	CAS No.	Value	Unit	Test Method
3,3,4,4,5,5,6,6,7,7,8,8,8-	27619-97-2	< 1,077	PPB	Chemours Extraction SOP*
Tridecafluorooctanesulphonic acid				
Hexafluoropropylene oxide dimer acid	13252-13-6	< 217	PPB	Chemours Extraction SOP*
Perfluorohexanoic acid	307-24-4	< 114	PPB	Chemours Extraction SOP*
Perfluorobutanoic acid	375-22-4	< 7	PPB	Chemours Extraction SOP*

*Chemours SOP for Extraction of Residuals from Fluoropolymer Matrices. <u>https://www.chemours.com/en/-</u>/media/files/corporate/sop-residual-extractions-from-fluoropolymer-matrices.pdf

The data above is based on the best readily available information as of the date of this letter, which may include representative samples of products. This information is supplemental to safety and regulatory information provided on the SDS. The content of this letter is confidential and intended for the recipient to use for regulatory purposes only.

Please note that if you repackage or otherwise redistribute this product to certain industrial customers as per 40 CFR 372.45(a)(3)(ii), a notice similar to this one should be sent to those customers.

If you have any questions or concerns, please reach out to your account manager.

Disclaimer:

This information is given in good faith and is based on data we believe to be reliable on our current level of knowledge as of the date of this response. The information applies only to the specific material designated herein as sold by Chemours and does not apply to use in any process or in combination with any other material. Since conditions of use and applications of above-mentioned products are outside Chemours' control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Please note that we do not routinely analyze our products for non-intentionally added substances, unless required for regulatory compliance purposes.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours[™] and the Chemours Logo are trademarks of The Chemours Company.