according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Vers 7.0	ion	Revision Date: 02/12/2025		9S Number: 65708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017					
SEC	SECTION 1. IDENTIFICATION									
	Product name		:	4						
	Produc	t code	:	D12339797						
	SDS-Identcode		:	13000024326						
	Manufa	acturer or supplier's o	deta	iils						
	Compa	ny name of supplier	:	The Chemours Co	ompany FC, LLC					
	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)						
	Telephone		:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)						
	Emerge	ency telephone	:		cy: 1-866-595-1473 (outside the U.S. 1-302- nsport emergency: +1-800-424-9300 (outside 527-3887)					
	Recom	mended use of the c	hemical and restrictions on use		ons on use					
	Recom	mended use	:	Lubricant						
	Restrict	tions on use	:	tions involving imp internal body fluid written agreemen	only. ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a t covering such use. For further information, ur Chemours representative.					

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2024	
7.0	02/12/2025	1765708-00018	Date of first issue: 06/23/2017	

Components

Chemical name	CAS-No.	Concentration (% w/w)			
Calcium nitrite	13780-06-8	>= 0.1 - < 1			
Actual concentration is withheld as a trade secret					

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Inhalation may provoke the following symptoms: Irritation Lung edema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness Inhalation may provoke the following symptoms: Irritation Shortness of breath
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Vers 7.0	ion	Revision Date: 02/12/2025		S Number: 65708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017
	Hazard ucts	lous combustion prod-	:	Hydrogen fluoride carbonyl fluoride potentially toxic flu aerosolized partic Carbon oxides	orinated compounds
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	•	l protective equipment fighters	:	Wear self-contain necessary. Use personal prot	ed breathing apparatus for firefighting if ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Versio 7.0	n Revision Date: 02/12/2025		DS Number: 65708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017	
Advice on safe handling		:	Handle in accordance with good industrial hygiene and safet practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to th environment.		
			Do not breathe de	ecomposition products.	
С	onditions for safe storage	:		labeled containers. ace with the particular national regulations.	
Μ	laterials to avoid	:	No special restric	tions on storage with other products.	
-	urther information on stor- ge stability	:	No decomposition	n if stored and applied as directed.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		TWA	3 ppm	OSHA Z-2
		С	6 ppm 5 mg/m ³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m ³	OSHA Z-1

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

	02/12/2025		65708-00018	Dale O	first issue: 06/23/201	
Carbor	n monoxide		630-08-0	TWA	25 ppm	ACGIH
				TWA	35 ppm 40 mg/m³	NIOSH RE
				С	200 ppm 229 mg/m ³	NIOSH RE
L				TWA	50 ppm 55 mg/m³	OSHA Z-1
Engine	eering measures	:	10). Ensure adequ	ate ventilatio	ardous compounds (s on, especially in confi sure concentrations.	
Perso	nal protective equip	ment				
			concentration unknown, app Follow OSHA use NIOSH/M by air purifyin dous chemica respirator if th exposure leve	s are above propriate resp respirator re ISHA approv g respirators I is limited. L pere is any po els are unkno	below recommended recommended limits biratory protection she egulations (29 CFR 19 ed respirators. Protect against exposure to Jse a positive pressure totential for uncontrolle own, or any other circi- tors may not provide	or are ould be worn. 910.134) and ction provided any hazar- re air supplied ed release, umstance
Hand p	protection					
Rer	marks	:	Wash hands I	pefore break	s and at the end of w	
	otection	:		wing person		orkday.
Eye pr			Safety glasse		al protective equipme	
	nd body protection	:	Safety glasse Skin should b	s		-

Appearance	:	Grease
Color	:	white
Odor	:	odorless

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Vers 7.0	sion	Revision Date: 02/12/2025		S Number: 5708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017
	Odor T	hreshold	:	No data available	9
	pН		:	7	
	Melting	point/freezing point	:	608 °F / 320 °C	
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	Method: Pensky- Not applicable	Martens closed cup
	Evapor	ation rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Will not burn	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	9
	Vapor	pressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	1.89 - 1.93 (75 °F	= / 24 °C)
	Solubil Wat	ity(ies) ter solubility	:	insoluble	
		n coefficient: n- I/water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	9
	Decom	position temperature	:	572 °F / 300 °C	
	Viscosi Visc	ity cosity, kinematic	:	Not applicable	
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle Particle	e characteristics e size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Vers 7.0	sion	Revision Date: 02/12/2025		S Number: 5708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017
	Reactivity		:	Not classified as	a reactivity hazard.
	Chemic	al stability	:	Stable under nor	mal conditions.
	Possibi tions	lity of hazardous reac-	:	Hazardous decor temperatures.	mposition products will be formed at elevated
	Conditi	ons to avoid	:	None known.	
	Incomp	atible materials	:	None.	
	Hazardous decomposition partition partition partition		orodi :		de

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Components:

Calcium nitrite:

Acute oral toxicity	:	LD50 (Rat): 283 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Calcium nitrite:

Species Method Result	:	Rabbit
Method	:	Directive 67/548/EEC, Annex V, B.4.
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2024
7.0	02/12/2025	1765708-00018	Date of first issue: 06/23/2017

Components:

Calcium nitrite:

Species : Result : Method :	Rabbit
Result :	Irritation to eyes, reversing within 21 days
Method :	Directive 67/548/EEC, Annex V, B.5.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Calcium nitrite:

:	Maximization Test
:	Skin contact
:	Guinea pig
:	negative
	:

Germ cell mutagenicity

Not classified based on available information.

Components:

Calcium nitrite:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: Chromosome aberration test in vitro Result: positive Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Result: positive Remarks: Based on data from similar materials
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Version 7.0	Revision Date: 02/12/2025	SDS Number: 1765708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017		
	oonents:				
Speci Applic	cation Route sure time t	: Rat : Ingestion : 2 Years : negative : Based on data	a from similar materials		
IARC			sent at levels greater than or equal to 0.1% is or confirmed human carcinogen by IARC.		
OSH		ent of this product pre ist of regulated carci	esent at levels greater than or equal to 0.1% is nogens.		
NTP			sent at levels greater than or equal to 0.1% is ed carcinogen by NTP.		
Reproductive toxicity Not classified based on available information. <u>Components:</u>					
	um nitrite: s on fertility	Species: Mous Application Ro Result: negativ	oute: Ingestion		
Effect	s on fetal development	Species: Rat Application Ro Result: negativ			
	STOT-single exposure Not classified based on available information.				
	-repeated exposure assified based on avail	lable information.			
Repe	Repeated dose toxicity				
Com	Components:				
	um nitrite:	_			
	EL cation Route sure time	: Rat : 130 mg/kg : Ingestion : 2 y : Based on data	a from similar materials		

according to the OSHA Hazard Communication Standard



Krytox™ GPL 204

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2024
7.0	02/12/2025	1765708-00018	Date of first issue: 06/23/2017

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Calcium nitrite:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 45 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic tox- icity)	:	NOEC (Cyprinus carpio (Carp)): > 1 mg/l Exposure time: 30 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Penaeid Shrimp): > 1 mg/l Exposure time: 80 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 180 min Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Porsistance and degradabilit	~	

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Version 7.0	Revision Date: 02/12/2025	SDS Number: 1765708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017
•	r adverse effects ata available		
	13. DISPOSAL CONS	IDERATIONS	
Dispo	osal methods		
Wast	e from residues	•	ccordance with local regulations. of waste into sewer.
Conta	aminated packaging	handling site for	rs should be taken to an approved waste r recycling or disposal. specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: No SARA Hazards
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2024
7.0	02/12/2025	1765708-00018	Date of first issue: 06/23/2017

US State Regulations


Pennsylvania Right To Know

PFPE fluid Fluoropolymer Trade secret Trade secret

California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Carbon monoxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION



Further information

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
OSHA Z-2	:	USA. Occupational Exposure Limits (OSHA) - Table Z-2
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Version 7.0	Revision Date: 02/12/2025	SDS Number: 1765708-00018	Date of last issue: 10/17/2024 Date of first issue: 06/23/2017
ACGI	H / C H REL / TWA	: Ceiling limit : Time-weighte	d average concentration for up to a 10-hour
NIOSI	H REL / ST	workday durin : STEL - 15-mir	g a 40-hour workweek nute TWA exposure that should not be exceeded iring a workday
OSHA	H REL / C A Z-1 / TWA A Z-2 / TWA		not be exceeded at any time. eighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Revision Date : 02/12/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

according to the OSHA Hazard Communication Standard



Krytox[™] GPL 204

Version	Revision Date:	SDS Number:	Date of last issue: 10/17/2024
7.0	02/12/2025	1765708-00018	Date of first issue: 06/23/2017

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8



Ref:	13000024326
Revision date:	01/17/2025
Version	1.4

TRI Supplier Notification for Chemicals of Special Concern

Product name: **Krytox™ GPL 204**

This letter is to inform you that the product listed above contains the following Chemical(s) of Special Concern (CSC), which are subject to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA). CSC are a subpart listing of chemicals and compounds subject to the Supplier Notification Requirements in 40 C.F.R. 372.45. The chemical(s) listed below are in compliance with TSCA and may not be intentionally present in the product; however, it is possible that these chemical(s) may be present as an impurity and the exact concentration may vary between batches.

Chemical name	CAS No.	Value	Unit	Test Method
3,3,4,4,5,5,6,6,7,7,8,8,8-	27619-97-2	< 1,126	PPB	Chemours Extraction SOP*
Tridecafluorooctanesulphonic acid				
Hexafluoropropylene oxide dimer acid	13252-13-6	< 227	PPB	Chemours Extraction SOP*
Perfluorohexanoic acid	307-24-4	< 119	PPB	Chemours Extraction SOP*
Perfluorobutanoic acid	375-22-4	< 2	PPB	Chemours Extraction SOP*

*Chemours SOP for Extraction of Residuals from Fluoropolymer Matrices. <u>https://www.chemours.com/en/-</u>/media/files/corporate/sop-residual-extractions-from-fluoropolymer-matrices.pdf

The data above is based on the best readily available information as of the date of this letter, which may include representative samples of products. This information is supplemental to safety and regulatory information provided on the SDS. The content of this letter is confidential and intended for the recipient to use for regulatory purposes only.

Please note that if you repackage or otherwise redistribute this product to certain industrial customers as per 40 CFR 372.45(a)(3)(ii), a notice similar to this one should be sent to those customers.

If you have any questions or concerns, please reach out to your account manager.

Disclaimer:

This information is given in good faith and is based on data we believe to be reliable on our current level of knowledge as of the date of this response. The information applies only to the specific material designated herein as sold by Chemours and does not apply to use in any process or in combination with any other material. Since conditions of use and applications of above-mentioned products are outside Chemours' control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Please note that we do not routinely analyze our products for non-intentionally added substances, unless required for regulatory compliance purposes.

Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours[™] and the Chemours Logo are trademarks of The Chemours Company.